

A summary list of fossil spiders and their relatives

compiled by

Jason A. Dunlop (Berlin), David Penney (Manchester) & Denise Jekel (Berlin)

with additional contributions from Lyall I. Anderson, Simon J. Braddy,
James C. Lamsdell, Paul A. Selden & O. Erik Tetlie

Suggested citation:

Dunlop, J. A., Penney, D. & Jekel, D. 2011. A summary list of fossil spiders and their relatives. In Platnick, N. I. (ed.) The world spider catalog, version 12.0 American Museum of Natural History, online at <http://research.amnh.org/entomology/spiders/catalog/index.html>

Last updated: 20.06.2011

INTRODUCTION

Fossil spiders have not been fully catalogued since Bonnet's *Bibliographia Araneorum* and are not included in the current Catalog. Since Bonnet's time there has been considerable progress in our understanding of the fossil record of spiders – and other arachnids – and numerous new taxa have been described. Spiders remain the single largest fossil group, but our aim here is to offer a summary list of all fossil Chelicerata in their current systematic position; as a first step towards the eventual goal of combining fossil and Recent data within a single arachnological resource.

To integrate our data as smoothly as possible with standards used for living spiders, our list for Araneae follows the names and sequence of families adopted in the Platnick Catalog. For this reason some of the family groups proposed in Wunderlich's (2004, 2008, 2011) monographs of amber and copal spiders are not reflected here, and we encourage the reader to consult these studies for details and alternative opinions. Extinct families have been inserted in the position which we hope best reflects their probable affinities. For other arachnid groups we have largely followed the nomenclature and family sequences adopted in other online or printed summaries; for example Victor Fet *et al.*'s work on scorpions, Mark Harvey's catalogues of pseudoscorpions and the 'minor' orders – all of which also list the fossils – Adriano Kury's harvestman overviews and the third edition of the Manual of Acarology for mites. For all groups, genus and species names were compiled from established lists and cross-referenced against the primary literature.

We aim to reflect the latest published opinions on the taxonomy of fossil species. A caveat here is that some synonomies and transfers proposed in the literature were only provisional or tentative in nature. At times we were forced to interpret whether a formal nomenclatural change had actually been made, and we have tried to accomodate these difficulties as best as possible. We should also stress that many historical fossil types require revision. Older species names assigned to common, modern genera such as *Araneus*, *Clubiona* or *Linyphia* among the spiders, should be treated with caution. The list has been extended to include Recent species – particularly some spiders and numerous oribatid mites – found as (sub)fossils. These are generally specimens of Quaternary age found in copal, or recovered from peats or archeological sites.

We have provided references for the first descriptions of all the fossil species, and where possible we have added the relevant taxonomic literature for all the taxon names which we mention here. We should, however, note that for some groups (especially mites) recovering the correct author and date for higher taxa proved challenging, and we hope in future releases to be able to clarify these names and augment the reference list accordingly. Formal synonymy lists for the fossil species are being compiled and that which we have for individual taxa can be made available upon request upon a ‘fair use’ basis. As with any project of this size, we cannot guarantee the accuracy of all these entries and we encourage readers to foward omissions or corrections to <jason.dunlop@mfn-berlin.de> or <David.Penney@manchester.ac.uk>.

PRINCIPAL CHANGES SINCE THE LAST UPDATE

The most important publication in the last six months is the new Wunderlich book which introduced nearly 40 new fossil (amber) spider species. Other important discoveries include a species of *Nephila* from the Jurassic – the oldest spider assignable to a modern genus. An amber mite has been redescribed as the oldest example of the Astigmata group, and a number of additionas (including a revalidation) for the copal pseudoscorpions has been published. Within the extinct Trigonotarbida there has been a major revision of the family Anthracomartidae.

ACKNOWLEDGMENTS

We are, as ever, especially grateful to Norman Platnick for agreeing to host this list as an appendix to the Catalog, to Paul Selden for encouragement and support and to those colleagues who have advised us on oversights and/or provided further literature.

EXPLANATIONS

- † indicates an entirely extinct genus, family or other higher taxon
- all species listed assumed to be extinct unless marked [Recent]
- * indicates the type species of (fossil) genera

Stratigraphical abbreviations:

pC = Precambrian, C = Cambrian, O = Ordovician, S = Silurian,

D = Devonian, C = Carboniferous, P = Permian

Tr = Triassic, J = Jurassic, K = Cretaceous

Pa = Palaeogene, Ne = Neogene, Qt = Quaternary

PYCGONOIDA

9 currently valid species of fossil sea spider

- note that in some modern phylogenies the Palaeozoic genera resolve *within* the crown group

PYCGONOIDA Latreille, 1810 Cambrian – Recent

† *Cambropycnogon* Waloszek & Dunlop, 2002 Cambrian

1. *Cambropycnogon klausmuelleri* Waloszek & Dunlop, 2002* € ‘Orsten’, Sweden
Pycnogonid affinities questioned by Bamber (2007)

† *Haliestes* Siveter, Sutton, Briggs & Siveter, 2004 Silurian

2. *Haliestes dasos* Siveter, Sutton, Briggs & Siveter, 2004* S Herefordshire Lgst.

† *Flagellopantopus* Poschmann & Dunlop, 2006 Devonian

3. *Flagellopantopus blocki* Poschmann & Dunlop, 2006* D Hunsruckschiefer

† **PALAEIOSOPODIDAE** Dubinin, 1957 Devonian

† *Palaeoisopus* Broili, 1928 Devonian

4. *Palaeoisopus problematicus* Broili, 1928* D Hunsruckschiefer

† **PALAEOPANTOPODIDAE** Broili, 1930 Devonian

† *Palaeopantopus* Broili, 1928 Devonian

5. *Palaeopantopus maucherii* Broili, 1928* D Hunsruckschiefer

PANTOPODA Gerstaecker, 1863 Devonian – Recent

= PEGMATA Fry, 1978

family uncertain

† *Palaeothea* Bergström, Stürmer & Winter, 1980 Devonian

6. *Palaeothea devonica* Bergström, Stürmer & Winter, 1980* D Hunsruckschiefer

AUSTRODECIDAE Stock, 1954 Recent

no fossil record

PYCGONIDAE Wilson, 1878 Recent

no fossil record

COLOSSENDEIDAE Hoek, 1881 ?Jurassic – Recent

= PASITHOIDAE Sars, 1891

= RHOPALORHYNCHIDAE Fry, 1978

† *Colossopantopodus* Charbonnier, Vannier & Riou, 2007 Jurassic

7. *Collossopantopodus boissinensis* Charbonnier, Vannier & Riou, 2007* . J La Voulte-sur-Rhône
tentative referal

AMMOTHEIDAE Dohrn, 1881 **?Jurassic – Recent**

- = EURYCIDIDAE Sars, 1891
- = OORHYNCHIDAE Schimkewitsch, 1913
- = TANYSTYLIDAE Schimkewitsch, 1913
- = AMMOTHELLIDAE Fry, 1978
- = EPHYROGYMNIDAE Fry, 1978
- = PARANYMPHONIDAE Fry, 1978
- = SERICOSURIDAE Fry, 1978
- = TRYGAEIDAE Fry, 1978

† *Palaeopycnogonides* Charbonnier, Vannier & Riou, 2007 **Jurassic**

8. *Palaeopycnogonides gracilis* Charbonnier, Vannier & Riou, 2007* J La Voulte-sur-Rhône
tentative referal

CALLIPALLENIDAE Hilton, 1942 **Recent**

- = PALLENIIDAE Wilson, 1878 [Pallene is a preoccupied genus]
- = CHEILAPALLENIDAE Fry, 1978
- = CLAVIGEROPALLENIIDAE Fry, 1978
- = HANNONIIDAE Fry, 1978
- = METAPALLENIIDAE Fry, 1978
- = QUEUBIDAE Fry, 1978
- = STYLOPALLENIIDAE Fry, 1978

no fossil record

NYMPHONIDAE Wilson, 1878 **Recent**

no fossil record

PALLENOPOSIDAE Fry, 1978 **Recent**

no fossil record

ENDEIDAE Norman, 1904 **?Jurassic – Recent**

† *Palaeoendeis* Charbonnier, Vannier & Riou, 2007 **Jurassic**

9. *Palaeoendeis elmii* Charbonnier, Vannier & Riou, 2007* J La Voulte-sur-Rhône
tentative referal

PHOXICHILIDIIDAE Sars, 1891 **Recent**

- = ANOPLODACTYLIDAE Fry, 1978
- = PHOXIPHILYRIDAE Fry, 1978

no fossil record

RHYNCHOTHORACIDAE Thompson, 1909 **Recent**

no fossil record

MISIDENTIFICATIONS

1. *Palpipes cursor* Roth, 1854 [crustacean]J Solnhofen
2. *Pentapalaeopycnus inconspicua* Hedgpeth, 1978 [crustacean]J Solnhofen
3. *Phalangites multipes* Münster, 1851 [crustacean]J Solnhofen
4. *Phalangites priscus* Münster, 1839 [crustacean]J Solnhofen
5. *Pycnogonites uncinatus* Quenstedt, 1852 [crustacean]J Solnhofen

c. 1300 Recent species

EUCHELICERATA

5 currently valid, but unplaced euchelicerate fossil species

- *Offacolus* has been described in detail from reconstructions based on serial sections, and was resolved in some phylogenies to a basal position within Euchelicerata
- the other listed taxa are mostly poor or incomplete specimens which have been treated as either xiphosurans, chasmataspids or eurypterids
- resting impressions imply that Chasmataspidida were probably present in the late Cambrian

EUCHELICERATA Weygoldt & Paulus, 1979 ?Cambrian – Recent

EUCHELICERATA INCERTAE SEDIS

- † *Borchgrevinkium* Novojilov, 1959 Devonian
1. *Borchgrevinkium taimyrensis* Novojilov, 1959* D Taimyr, Siberia
- † *Melbournopterus* Caster & Kjellesvig-Waering, 1953 Silurian
2. *Melbournopterus crossotus* Caster & Kjellesvig-Waering, 1953* S Melbourne, Australia
- † *Offacolus* Orr, Siveter, Briggs, Siveter & Sutton, 2000 Silurian
3. *Offacolus kingi* Orr, Siveter, Briggs, Siveter & Sutton, 2000* S Herefordshire Lgst.
- † *Polystomurum* Novojilov, 1958 Devonian
4. *Polystomurum stormeri* Novojilov, 1958* D Voroneje, Siberia
- † *Thurandina* Størmer, 1974 Devonian
5. *Thurandina waterstoni* Størmer, 1974* D Alken an der Mosel

XIPHOSURA

98 currently valid species of fossil horseshoe crab

XIPHOSURA Latreille, 1802	Ordovician – Recent
† 'synziphosurines'	Silurian – Devonian
plesion genera		
† <i>Venustulus</i> Moore, 2005 <i>in Moore et al.</i>	Silurian
1. <i>Venustulus waukeshaensis</i> Moore <i>in Moore et al.</i> , 2005*	S Waukesha Lgst.
† <i>Anderella</i> Moore, McKenzie & Lieberman, 2007	Carboniferous
2. <i>Anderella parva</i> Moore, McKenzie & Lieberman, 2007	C Bear Gulch
† WEINBERGINIDAE Richter & Richter, 1929	Devonian
† <i>Legrandella</i> Eldredge, 1974	Devonian
3. <i>Legrandella lombardii</i> Eldredge, 1974*	D Cochabamba, Bolivia
† <i>Weinbergina</i> Richter & Richter, 1929	Devonian
4. <i>Weinbergina opitzi</i> Richter & Richter, 1929*	D Hünsruckschiefer
† <i>Willwerathia</i> Størmer, 1969	Devonian
5. <i>Willwerathia laticeps</i> (Størmer, 1936a)*	D Willwerath
† BUNODIDAE Packard, 1896	Silurian
† <i>Bembicosoma</i> Laurie, 1899	Silurian
6. <i>Bembicosoma pomphicus</i> Laurie, 1899*	S Pentland hills
† <i>Bunodes</i> Eichwald, 1854	Silurian
= † <i>Exapinurus</i> Nieszkowski, 1859		
7. <i>Bunodes lunula</i> Eichwald, 1854*	S Saaremaa
i. = <i>Bunodes rugosus</i> Eichwald, 1854	S Saaremaa
ii. = <i>Exapinurus schrenki</i> Nieszkowski, 1859	S Saaremaa
† <i>Limuloides</i> Woodward, 1865	Silurian
= † <i>Hemiaspis</i> Woodward, 1864 [preoccupied]		
8. <i>Limuloides limuloides</i> (Woodward, 1865)	S Ludlow
9. <i>Limuloides horridus</i> (Woodward, 1872a)	S Ludlow
10. <i>Limuloides salweyi</i> (Woodward, 1872a)	S Ludlow
i. = <i>Hemiaspis tuberculatus</i> (Salter <i>in Woodward</i> , 1872a)	S Ludlow
11. <i>Limuloides speratus</i> Woodward, 1872a	S Ludlow
i. = <i>Hemiaspis optatus</i> (Salter <i>in Woodward</i> , 1872a)	S Ludlow
† <i>Pasternakevia</i> Selden & Drygant, 1987	Silurian
12. <i>Pasternakevia podolica</i> Selden & Drygant, 1987*	S Podolia

- familial affinity uncertain
- † *Kiaeria* Størmer, 1934b Silurian
13. *Kiaeria limuloides* Størmer, 1934b* S Ringerike
- † *Cyamocephalus* Currie, 1927 Silurian
14. *Cyamocephalus loganensis* Currie, 1927* S Lesmahagow
- † *Pseudoniscus* Nieszkowski, 1859 Silurian
- = † *Neolimulus* Woodward, 1868a
15. *Pseudoniscus aculeatus* Nieszkowski, 1859* S Saaremaa
 16. *Pseudoniscus clarkei* Ruedemann, 1916 S Pittsford, New York
 17. *Pseudoniscus falcatus* (Woodward, 1868a) S Lesmahagow
 18. *Pseudoniscus roosevelti* Clarke, 1902 S 'Bertie Waterlime'
- † *Bunaia* Clarke, 1919 Silurian
19. 'Bunaia' heintzi Størmer, 1934a S Spitsbergen
 20. *Bunaia woodwardi* Clarke, 1919* S 'Bertie Waterlime'
- † KASIBELINURIDAE Pickett, 1993 Devonian
- † *Kasibelinurus* Pickett, 1993 Devonian
21. *Kasibelinurus amicorum* Pickett, 1993* D New South Wales
- possible kasibelinurids?
22. 'Belinurus' alleghenyensis Eller, 1938a D New York State
 23. 'Belinurus' carterae Eller, 1940 D Pennsylvania
 24. 'Prestwichia' randalli Beecher, 1902 D Pennsylvania
- † ELLERIDAE Raymond, 1944 Devonian
- † *Elleria* Raymond, 1944 Devonian
25. *Elleria morani* (Eller, 1938b)* D Pennsylvania
- ?synziphosurines' *incertae sedis*
- † *Maldybulakia* Tesakov & Alekseev, 1998 Devonian
- = † *Lophodesmus* Tesakov & Alekseev, 1992 [preoccupied]
- NB: Originally described as possible myriapods
26. *Maldybulakia angusi* Edgecombe, 1998 D New South Wales
 27. *Maldybulakia malcomi* Edgecombe, 1998 D New South Wales
 28. *Maldybulakia mirabilis* (Tesakov & Alekseev, 1992)* D Kazakhstan
- XIPHOSURIDA Latreille, 1802** Ordovician – Recent
- family uncertain
- † *Lunataspis* Rudkin, Young & Nowlan, 2008 Ordovician
29. *Lunataspis aurora* Rudkin, Young & Nowlan, 2008 O Manitoba
- † BELLINURINA Zittel & Eastman, 1913 Carboniferous

† BELLINURIDAE Zittel & Eastman, 1913	Carboniferous
† Bellinurus Pictet, 1846	Carboniferous
= † <i>Belinurus</i> König, 1851	
= † <i>Steropsis</i> Baily, 1869	
= † <i>Koenigiella</i> Raymond, 1944	
NB: Pictet's 1846 name <i>Bellinurus</i> [sic] was based on a misspelling of <i>Belinurus</i> from König's unpublished plates, which themselves only became available posthumously as of 1851	
30. <i>Bellinurus arcuatus</i> Baily, 1863	C Coal Measures
31. <i>Bellinurus baldwini</i> Woodward, 1907b	C Coal Measures
32. <i>Bellinurus bellulus</i> Pictet, 1846	C Coalbrookdale, UK
33. <i>Bellinurus carwayensis</i> Dix & Pringle, 1929	C South Wales, UK
34. <i>Bellinurus concinnus</i> Dix & Pringle, 1929	C South Wales, UK
35. <i>Bellinurus grandaevus</i> Jones & Woodward, 1899	C Nova Scotia
36. <i>Bellinurus iswariensis</i> (Chernyshev, 1928)	C Donetsk Basin
37. <i>Bellinurus kiltorkensis</i> Baily, 1869	C Coal Measures
38. <i>Bellinurus koenigianus</i> Woodward, 1872a	C Coal Measures
39. <i>Bellinurus lacoei</i> Packard, 1885	C Mazon Creek
40. <i>Bellinurus longicaudatus</i> Woodward, 1907b	C Coal Measures
41. <i>Bellinurus lunatus</i> (Martin, 1809)	C Mansfield, UK
42. <i>Bellinurus metschetensis</i> (Chernyshev, 1928)	C Donetsk Basin
43. <i>Bellinurus morgani</i> Dix & Pringle, 1930	C South Wales, UK
44. <i>Bellinurus pustulosus</i> Dix & Pringle, 1929	C South Wales, UK
45. <i>Bellinurus reginae</i> Baily, 1863	C Coal Measures
46. <i>Bellinurus stepanovi</i> (Chernyshev, 1928)	C Donetsk Basin
47. <i>Bellinurus trechmanni</i> Woodward, 1918	C Coal Measures
48. <i>Bellinurus trilobitoides</i> (Buckland, 1837)*	C Coalbrookdale, UK
49. <i>Bellinurus truemani</i> Dix & Pringle, 1929	C South Wales, UK
† EUPROOPIIDAE Eller, 1938b	
= † LIOMESASPIDIDAE Raymond, 1944	
† Anacontium Raymond, 1944	Permian
50. <i>Anacontium brevis</i> Raymond, 1944	P Oklahoma
51. <i>Anacontium carpenteri</i> Raymond, 1944	P Oklahoma
† Euproops Meek, 1867	Carbon. – ?Permian
= † <i>Prestwichia</i> Woodward, 1867 [preoccupied]	
= † <i>Prestwichianella</i> Cockerell, 1905 [replacement name for <i>Prestwichia</i>]	
52. <i>Euproops anthrax</i> (Prestwich, 1840)	C Coal Measures
53. <i>Euproops bifidus</i> Siegfried, 1972	C Coal Measures
54. <i>Euproops cambrensis</i> Dix & Pringle, 1929	C Coal Measures
55. <i>Euproops danae</i> (Meek & Worthen, 1865)*	C Coal Measures
i. = <i>Euproops amiae</i> Woodward, 1918	C Coal Measures
ii. = <i>Euproops darrahi</i> Raymond, 1944	C Coal Measures

- iii. = *Euproops graigolae* Dix & Pringle, 1929 C South Wales
 iv. = *Euproops gwenti* Dix & Pringle, 1929 C South Wales
 v. = *Euproops islwyni* Dix & Pringle, 1929 C South Wales
 vi. = *Euproops kilmersdonensis* Ambrose & Romano, 1972 C Kilmersdon, UK
 vii. = *Euproops laevicula* Raymond, 1944 C Coal Measures
 viii. = *Euproops laticephalus* Raymond, 1944 C Coal Measures
 ix. = *Euproops packardi* Willard & Jones, 1935 C Coal Measures
 x. = *Prestwichia (Euproops) scheeleana* Ebert, 1892 C Coal Measures
 xi. = *Euproops thompsoni* Raymond, 1944 C Coal Measures
56. *Euproops longispina* Packard, 1885 C Mazon Creek
 57. *Euproops mariae* Crônier & Courville, 2005 C Massif Central
 58. *Euproops meeki* Dix & Pringle, 1929 C South Wales
 59. *Euproops nitida* Dix & Pringle, 1929 C South Wales
 60. *Euproops orientalis* Kobayashi, 1933 ?P Korea
 61. *Euproops rotundatus* Prestwich, 1840 C Coal Measures
Euproops sp. in Brauckmann (1982) C Piesberg, Germany
- † ***Liomesaspis* Raymond, 1944** **Carbon. – Permian**
- = † *Pringlia* Raymond, 1944
= † *Palatinaspis* Malz & Poschmann, 1993
62. ?*Liomesaspis birtwelli* (Woodward, 1872a) C Coal Measures
 63. *Liomesaspis laevis* Raymond, 1944* C Coal Measures
- i. = *Palatinaspis beimbaueri* Malz & Poschmann, 1993 C Saar-Nahe Basin
 ii. = *Pringlia bispinosa* Raymond, 1944 C Coal Measures
 iii. = *Pringlia demaisterei* Vandenbergh, 1961 C Coal Measures
 iv. = *Pringlia fritschi* Remy & Remy, 1959 C Coal Measures
64. *Liomesaspis leonardensis* (Tasch, 1961) P Annelly, Kansas
- † ***Prolimulus* Frič, 1899** **Carboniferous**
65. *Prolimulus woodwardi* Frič, 1899* C Nýřany
- UNNAMED TAXON
- † ***Bellinuroopsis* Chernyshev, 1933** **Carboniferous**
- = † *Neobelinuroopsis* Eller, 1938a
66. *Bellinuroopsis rossicus* Chernyshev, 1933* C Coal Measures
- † **ROLFEIIDAE Selden & Siveter, 1987** **Carboniferous**
- † ***Rolfeia* Waterston, 1985** **Carboniferous**
67. *Rolfeia fouldenensis* Waterston, 1985* C Fouldon, Scotland
- LIMULINA Richter & Richter, 1929** **Carbon. – Recent**
- † **PALEOLIMULOIDEA Raymond, 1944** **Carbon. – Jurassic**
- † **PALEOLIMULIDAE Raymond, 1944** **Carbon. – Jurassic**
- = † *DUBBOLIMULIDAE* Pickett, 1984

- † *Limulitella* Størmer, 1952 Triassic – Jurassic
 = † *Limulites* Schimper, 1853 [preoccupied]
- Limulitella* sp. in Hauschke et al. (2004) Tr Madagascar
68. *Limulitella bronni* (Schimper, 1853)* Tr Grés à Voltzia
 i. = *Limulus sandbergeri* Kirchner, 1923 Tr Germany
69. *Limulitella henkeli* Fritsch, 1906 Tr Halle, Germany
70. ?*Limulitella liasokeuperensis* (Braun, 1860) J Germany
71. *Limulitella vicensis* (Bleicher, 1897) Tr Lorraine
72. *Limulitella volgensis* Ponomarenko, 1985 Tr Moscow
- † *Paleolimulus* Dunbar, 1923 Carbon. – Triassic
 = † *Dubbolimulus* Pickett, 1984
73. *Paleolimulus fuchsbergensis* Hauschke & Wilde, 1987 Tr northwest Germany
74. *Paleolimulus jakovlevi* Glushenko in Glushenko & Ivanov, 1961 P Novoselovka, Ukraine
75. ?*Paleolimulus juresanensis* Chernyshev, 1933 C Ural region
76. *Paleolimulus longispinus* Schram, 1979 C Bear Gulch, Montana
77. *Paleolimulus peetae* (Pickett, 1984) Tr New South Wales
78. *Paleolimulus signatus* (Beecher, 1904) C–P Kansas, Illinois
 i. = *Paleolimulus avitus* Dunbar, 1923* P Kansas
- MORAVURIDAE Přibyl, 1967** Carboniferous
- † *Moravurus* Přibyl, 1967 Carboniferous
79. *Moravurus rehori* Přibyl, 1967 C Ostrava-Karviná
- † *Xaniopyramis* Siveter & Selden, 1987 Carboniferous
80. *Xaniopyramis linseyi* Siveter & Selden, 1987* C Weardale, UK
- LIMULOIDEA Zittel, 1885** Carbon. – Recent
- † *Alanops* Racheboeuf et al., 2002 Carboniferous
81. *Alanops magnifica* Racheboeuf et al., 2002 C Montceau-les-Mines
- † *Casterolimulus* Holland, Erickson & O'Brien, 1975 Cretaceous
82. *Casterolimulus kletti* Holland, Erickson & O'Brien, 1975* K North Dakota
- † *Heterolimulus* Via Boada & Villalta, 1966 Triassic
83. *Heterolimulus gadeai* Via Boada & Villalta, 1966* Tr Tarragona, Spain
- † *Panduralimulus* Allen & Feldman, 2005 Permian
84. *Panduralimulus babcocki* Allen & Feldman, 2005 P Texas
- † *Valloisella* Racheboeuf, 1992 Carboniferous
85. *Valloisella lievinensis* Racheboeuf, 1992* C northern France
- † **AUSTROLIMULIDAE Riek, 1955** Triassic
- † *Austrolimulus* Riek, 1955 Triassic
86. *Austrolimulus fletcheri* Riek, 1955* Tr New South Wales
- LIMULIDAE Zittel, 1885** Triassic – Recent

- Limulus* Müller, 1785** **Triassic – Recent**
87. *Limulus coffini* Reeside & Harris, 1952 K Colorado
 88. *Limulus priscus* Münster, 1839 Tr Rottweil, Germany
 89. *Limulus woodwardi* Watson, 1909 J Northamptonshire
- † ***Mesolimulus* Størmer, 1952** **Triassic – Cretaceous**
- Mesolimulus* sp. in Ross & Vannier (2002) J southern England
 90. *Mesolimulus cresPELLi* Via Boada, 1987 Tr Tarragona, Spain
 91. *Mesolimulus sibiricus* Ponomarenko, 1985 J Siberia
 92. ?*Mesolimulus syriacus* (Woodward, 1879) K Lebanon
 93. *Mesolimulus walchi* (Desmarest, 1822)* J Solnhofen, etc.
 - i. = *Limulus brevicauda* Münster in v. d. Hoeven, 1838J Solnhofen
 - ii. = *Limulus brevispina* Münster in v. d. Hoeven, 1838J Solnhofen
 - iii. = *Limulus intermedius* Münster in v. d. Hoeven, 1838 ... J Solnhofen
 - iv. = *Limulus ornatus* Münster in v. d. Hoeven, 1838J Solnhofen
 - v. = *Limulus sulcatus* Münster in v. d. Hoeven, 1838J Solnhofen
 - vi. = *Limulus giganteus* Münster, 1840J Solnhofen
- NB: not entirely clearly that all these names have been formally synonymised
- † ***Psammolimulus* Lange, 1923** **Triassic**
94. *Psammolimulus gottingensis* Lange, 1923* Tr Göttingen, Germany
- Tachypleus* Leach, 1819** **Neogene – Recent**
95. *Tachypleus decheni* (Zinken, 1862) Ne Saxony, Geramny
- † ***Tarracolimulus* Romero & Via Boada, 1977** **Triassic**
96. *Tarracolimulus rieki* Romero & Via Boada, 1977* Tr Tarragona, Spain
- † ***Victalimulus* Riek & Gill, 1971** **Cretaceous**
97. *Victalimulus mcqueeni* Riek & Gill, 1971* K Koonwarra
- INCERTAE SEDIS**
- † ***Belinuopsis* Matthew 1910**
98. *Belinuopsis wigudensis* Matthew, 1910 C Coal Measures
- NOMEN DUBIUM**
1. *Limulus nathorsti* Jackson, 1906 J southern Sweden
- NOMINA NUDA**
1. *Euproops rotunda major* (Woodward, 1907) C Sparth Bottoms
 2. *Veltheimia bicorns* Beyschlag & von Fritsch, 1899 C? Rotliegend
- MISIDENTIFICATIONS**
1. *Belinurus carterae* Eller, 1940 [synonym of *P. eriensis*; see below]
 2. *Bifarius comptae* Tasch, 1961 [insect] P Kansas
 3. *Eolimulus alatus* Moberg, 1892 [doubtful xiphosuran] E Öland, Sweden
 4. *Elmocephalus carltonensis* (Tasch, 1963) [?crustacean] P Kansas

5. *Hemiaspis tunnecliffei* Chapman, 1932 [trilobite] S Victoria
6. *Hypatocephala rugosa* Tasch, 1961 [insect] P Kansas
7. *Lemoneites ambiguus* Flower, 1969 [Echinodermata] O Texas
8. *Lemoneites gomphocaudatus* Flower, 1969 [Echinodermata] O Texas
9. *Lemoneites mirabilis* Flower, 1969 [Echinodermata] O Texas
10. *Lemoneites simplex* Flower, 1969 [Echinodermata] O Texas
11. *Pincombella belmontensis* Chapman, 1932 [insect – Hemiptera] P New South Wales
12. *Permolimulinella raris* Tasch, 1963 [insect] P Kansas
13. *Strongylocephalus charactis* Tasch, 1961 [insect] P Kansas
14. *Protolimulus eriensis* [Xiphosuran trace fossil: see *Selenichnites*]

4 Recent species

CHASMATASPIDIDA

8 currently valid species of fossil chasmataspid

- there are some doubts about the monophyly of Chasmataspidida

† CHASMATASPIDIDA Caster & Brooks, 1956 ?Camb. – Devonian

= † DIPLOASPIDIDA Simonetta & Delle Cave, 1978

† CHASMATASPIDIDAE Caster & Brooks, 1956 ?Camb. – Ordovician

† *Chasmataspis* Caster & Brooks, 1956 ?Camb. – Ordovician

?*Chasmataspis* sp. resting traces in Dunlop et al. (2004) € Texas

1. *Chasmataspis laurencii* Caster & Brooks, 1956* O Tennessee

† DIPLOASPIDIDAE Størmer, 1972 Silurian – Devonian

= † HETEROASPIDIDAE Størmer, 1972

† *Achanarraspis* Anderson, Dunlop & Trewin, 2000 Devonian

2. *Achanarraspis reedi* Anderson, Dunlop & Trewin, 2000* D Achanarras, Scotland

† *Diploaspis* Størmer, 1972 Devonian

= † *Heteroaspis* Størmer, 1972

3. *Diploaspis casteri* Størmer, 1972* D Alken an der Mosel

i. = *Heteroaspis novojilovi* Størmer, 1972 D Alken an der Mosel

4. *Diploaspis muelleri* Poschmann, Anderson & Dunlop, 2005 D Hombach, Germany

† *Forfarella* Dunlop, Anderson & Braddy, 1999 Devonian

5. *Forfarella mitchelli* Dunlop, Anderson & Braddy, 1999* D Arbroath, Scotland

† *Loganamaraspis* Tetlie & Braddy, 2004a Silurian

6. *Loganamaraspis dunlopi* Tetlie & Braddy, 2004a* S Lesmahagow

† *Octoberaspis* Dunlop, 2002 Devonian

7. *Octoberaspis ushakovi* Dunlop, 2002* D October Rev. Is.

DIPLOASPIDIDAE INCERTAE SEDIS

† 'Eurypterus'

8. 'Eurypterus' stoermeri Novojilov, 1959 D Taimyr, Siberia

no Recent species

EURYPTERIDA

246 currently valid species of fossil sea scorpion

- Tollerton (1989) suggested removing Hibbertopteroidea from Eurypertida s.s., but this has not been adopted by subsequent workers and they are treated here as derived stylonurid eurypterids

† EURYPTERIDA Burmeister, 1843	Ordovician – Permian
= † GIGANTOSTRACA Haeckel, 1866	
= † CYROCTENIDA Størmer & Waterston, 1968	
† STYLONURINA Diener, 1924	Ordovician – Permian
= † WOODWARDOPTERINA Kjellesvig-Waering, 1959	
= † HIBBERTOPTERINA Størmer, 1974	
† RHENOPTEROIDEA Størmer, 1951	Ordovician – Devonian
= † BRACHYOPTERELLOIDEA Tollerton, 1989	
† RHENOPTERIDAE Størmer, 1951	Ordovician – Devonian
= † BRACHYOPTERELLIDAE Tollerton, 1989	
= † ALKENOPTERIDAE Poschmann & Tetlie, 2004	
† Alkenopterus Størmer, 1974	Devonian
1. <i>Alkenopterus brevitelson</i> Størmer, 1974*	D Alken an der Mosel
2. <i>Alkenopterus burglahrensis</i> Poschmann & Tetlie, 2004	D Westerwald, Germ.
† Brachyopterella Kjellesvig-Waering, 1966a	Silurian
3. <i>Brachyopterella pentagonalis</i> (Størmer, 1934b)*	S Ringerike, Norway
4. <i>Brachyopterella ritchiei</i> Waterston, 1979	S Slot Burn, Scotland
† Brachyopterus Størmer, 1951	Ordovician
5. <i>Brachyopterus stubblefieldi</i> Størmer, 1951*	O Montgomeryshire
† Kiaeropterus Waterston, 1979	Silurian
6. <i>Kiaeropterus cyclophthalmus</i> (Laurie, 1892)	S Pentland Hills, Scotl.
7. <i>Kiaeropterus ruedemanni</i> (Størmer, 1934b)*	S Ringerike, Norway
† Leiopterala tetlei Lamsdell, Braddy, Loeffler & Dineley, 2010	Devonian
8. <i>Leiopterala tetlei</i> Lamsdell, Braddy, Loeffler & Dineley, 2010	D Nunavut, Canada
† Rhenopterus Størmer, 1936a	Devonian
9. <i>Rhenopterus diensti</i> Størmer, 1936a*	D Willwerath, Germ.
i. = <i>Rhenopterus latus</i> Størmer, 1936a	D Willwerath, Germ.
10. <i>Rhenopterus macrotuberculatus</i> Størmer, 1974	D Alken an der Mosel
11. <i>Rhenopterus tuberculatus</i> Størmer, 1936a	D Overath, Germ.
† STYLONUROIDEA Kjellesvig-Waering, 1959	Ordovician–Devonian
† PARASTYLONURIDAE Waterston, 1979	Ordovician – Silurian

- † *Parastylonurus* Kjellesvig-Waering, 1966a Silurian
 12. *Parastylonurus hendersoni* Waterston, 1979 S Pentland Hills, Scotl.
 13. *Parastylonurus ornatus* (Laurie, 1892)* S Scotland
 14. ?*Parastylonurus sigmoidalis* Kjellesvig-Waering, 1971 S Shropshire, UK
- † *Stylorella* Kjellesvig-Waering, 1966a Silurian – Devonian
 15. *Stylorella ?arnoldi* (Ehlers, 1935) D Pennsylvania, USA
 16. *Stylorella ?beecheri* (Hall, 1884c) D Pennsylvania, USA
 17. *Stylorella spinipes* (Page, 1859)* S Kip Burn, Scotland
 i. = *Stylorenus logani* Woodward, 1872 S Kip Burn, Scotland
- † STYLORENIDAE Diener, 1924 Silurian–Devonian
 = † LAURIEIPTERIDAE Kjellesvig-Waering, 1966a
 = † PAGEIDAE Kjellesvig-Waering, 1966a
- † *Ctenopterus* Clarke & Ruedemann, 1912 Silurian
 18. *Ctenopterus cestrotus* (Clarke, 1907)* S Otisville, New York
- † *Laurieipterus* Kjellesvig-Waering, 1966a Silurian
 19. *Laurieipterus elegans* (Laurie, 1899)* S Pentland Hills, Scotl.
- † *Pagea* Waterston, 1962 Devonian
 20. *Pagea plotnicki* Lamsdell, Braddy, Loeffler & Dineley, 2010 D Nunavut, Canada
 21. *Pagea sturrocki* Waterston, 1962* D Old Red Sandstone
 22. *Pagea symondsii* (Salter, 1859) D Old Red Sandstone
- † *Stylorenus* Page, 1856 Devonian
 23. *Stylorenus powriensis* Page, 1856* D Mid. Valley Scotland
 i. = *Stylorenus ensiformis* Woodward, 1864 D Mid. Valley Scotland
 24. ?*Stylorenus shaffneri* Willard, 1933 D Pennsylvania
- † KOKOMOPTEROIDEA Kjellesvig-Waering, 1966a Silurian
- † KOKOMOPTERIDAE Kjellesvig-Waering, 1966a Silurian
- † *Kokomopterus* Kjellesvig-Waering, 1966a Silurian
 25. *Kokomopterus longicaudatus* (Clarke & Ruedemann, 1912)* S Kokomo, Indiana
- † *Lamontopterus* Waterston, 1979 Silurian
 26. *Lamontopterus knoxae* (Lamont, 1955)* S Pentland Hills, Scotl.
- † HARDIEOPTERIDAE Tollerton, 1989 Silurian – Devonian
- † *Hallipterus* Kjellesvig-Waering, 1963a Devonian
 27. *Hallipterus excelsior* (Hall, 1884a)* D New York
 i. = *Dolichocephala lacoana* Claypole, 1883 D Pennsylvania
- † *Hardieopterus* Waterston, 1979 Silurian
 28. ?*Hardieopterus lanarkensis* Waterston, 1979 S Patrick Burn, Scotl.
 29. *Hardieopterus macrophthalmus* (Laurie, 1892)* S Pentland Hills, Scotl.
 30. *Hardieopterus megalops* (Salter, 1859) S Herefordshire, Engl.
 31. *Hardieopterus myops* (Clarke, 1907) S eastern USA

- † *Tarsopterella* Størmer, 1951 Devonian
32. *Tarsopterella scotica* (Woodward, 1872)* D Mid. Valley Scotland
- i. = *Erieopterus brewsteri* Woodward, 1864 D Mid. Valley Scotland
- ii. = *Stylonurus armatus* Page, 1867 D Mid. Valley Scotland
- † HIBBERTOPTEROIDEA Kjellesvig-Waering, 1959 Devonian – Permian
- † DREPANOPTERIDAE Kjellesvig-Waering, 1966a Silurian – Devonian
- † *Drepanopterus* Laurie, 1892 Silurian – Devonian
33. *Drepanopterus abonensis* Simpson, 1951 D Portishead, England
34. *Drepanopterus pentlandicus* Laurie, 1892* S Pentland Hills, Scotl.
- † HIBBERTOPTERIDAE Kjellesvig-Waering, 1959 Devonain – Permian
- = † CYRTOCTENIDAE Waterston, Oelofsen & Oosthuizen, 1985
- † *Campylocephalus* Eichwald, 1860 Carboniferous – Perm.
35. *Campylocephalus oculatus* (Kutorga, 1838)* P Dourasovo, Russia
36. ?*Campylocephalus salmi* Stur, 1877 C Ostrava, Czech Rep.
- † *Cyrtocetus* Størmer & Waterston, 1968 Devonian – Carbon.
37. *Cyrtocetus caledonicus* (Salter, 1863) C East Lothian, Scotl.
38. *Cyrtocetus dewalquei* (Fraipont, 1889) D Pont-de-Bonne, Belg.
- i. = *Eurypterus dewalquei* var. *longimanus* Fraipont,
1889 D Pont-de-Bonne, Belg.
39. *Cyrtocetus dicki* (Peach, 1883) C Thurso, Scotland
40. *Cyrtocetus ostraviensis* (Augusta & Přibyl, 1951) C Ostrava, Czech Rep.
41. *Cyrtocetus peachi* Størmer & Waterston, 1968* C Berwickshire, Scotl.
42. *Cyrtocetus wittebergensis* Waterston, Oelofsen & Oosthuizen, 1985 C Cape Province
- † *Dunsopterus* Waterston, 1968 Carboniferous
43. *Dunsopterus stevensoni* (Etheridge Jr, 1877)* C Berwickshire, Scotl.
- † *Hastimima* White, 1908 Permian
44. *Hastimima whitei* White, 1908* P Brazil
- † *Hibbertopterus* Kjellesvig-Waering, 1959 Carboniferous – Perm.
45. ?*Hibbertopterus hibernicus* (Baily, 1872) C Kiltoran, Ireland
46. *Hibbertopterus permianus* Ponomarenko, 1985 P Komi, Russia
47. *Hibbertopterus scouleri* (Hibbert, 1836)* C West Lothian, Scotl.
- † *Vernonopterus* Waterston, 1957 Carboniferous
48. *Vernonopterus minutisculptus* (Peach, 1907)* C Lanarkshire, Scotland
- † MYCTEROPTIDAE Cope, 1886 Carboniferous – Perm.
- = † WOODWARDOPTERIDAE Kjellesvig-Waering, 1959
- † *Megarachne* Hünicken, 1980 Carboniferous – Perm.
49. *Megarachne servinei* Hünicken, 1980* C-P Santa Rosa, Argen.
- † *Mycterops* Cope, 1886 Carboniferous
50. ?*Mycterops blairi* Waterston, 1968 C Loanhead, Scotland

51. *Mycterops matthieu* Pruvost, 1924 C Charleroi, Belgium
 52. *Mycterops ordinatus* Cope, 1886* C Channelton, PA
 53. ?*Mycterops whitei* Schram, 1984 C Crescent, Iowa
 † *Woodwardopterus* Kjellesvig-Waering, 1959 Carboniferous
 54. *Woodwardopterus scabrosus* (Woodward, 1887)* C Glencarbotholm, Scotl.

STYLONURINA incertae sedis

- † *Stylonuroides* Kjellesvig-Waering, 1966a Silurian
 55. *Stylonuroides dolichopteroides* (Størmer, 1934b)* S Ringerike, Norway

† **EURYPTERINA Burmeister, 1843** Ordovician – Permian

plesion taxa

- † *Onychopterella* Størmer, 1951 Ordovician-Silurian
 56. *Onychopterella augusti* Braddy, Aldridge & Theron, 1995 O Soom Shale, S. Afr.
 57. *Onychopterella kokomoensis* (Miller & Gurley, 1896)* S Kokomo, Indiana
 i. = *Eurypterus ranilarva* Clarke & Ruedemann, 1912 S Kokomo, Indiana
 58. ?*Onychopterella pumilus* (Savage, 1916) S Essex, Illinois

plesion taxa currently assigned to *Drepanopterus*

59. ?*Drepanopterus conicus* Laurie, 1892 S Pentland Hills
 60. ?*Drepanopterus latus* (Størmer, 1934b) S Ringerike, Norway
 61. ?*Drepanopterus lobatus* Laurie, 1899 S Pentland Hills
 62. ?*Drepanopterus nodosus* Kjellesvig-Waering & Leutze, 1966 S Bass, West Virginia

† **MOSELOPTEROIDEA Lamsdell, Braddy & Tetlie, 2010** Devonian

† **MOSELOPTERIDAE Lamsdell, Braddy & Tetlie, 2010** Devonian

“*Drepanopterus*”

63. ?*Drepanopterus bembycoides* Laurie, 1899 S Pentland Hills

† *Moselopterus* Størmer, 1974 Devonian

64. *Moselopterus aencylotelson* Størmer, 1974* D Alken an der Mosel
 65. *Moselopterus elongatus* Størmer, 1974 D Alken an der Mosel
 66. *Moselopterus lancmani* (Delle, 1937) D Plavinas, Latvia

† *Vinetopterus* Poschmann & Tetlie, 2004 Devonian

67. *Vinetopterus martini* Poschmann & Tetlie, 2004 D Westerwald, Germ.
 68. *Vinetopterus struvei* (Størmer, 1974)* D Alken an der Mosel

† **MEGALOGRAPTOIDEA Caster & Kjellesvig-Waering, 1955** Ordovician

† **MEGALOGRAPTIDAE Caster & Kjellesvig-Waering, 1955** Ordovician

† *Echinognathus* Walcott, 1882 Ordovician

69. *Echinognathus clevelandi* Walcott, 1882* O New York

† *Megalograptus* Miller, 1874 Ordovician

70. *Megalograptus alveolatus* (Shuler, 1915) O Virginia

71. *Megalograptus ohioensis* Caster & Kjellesvig-Waering, 1955 O Ohio
 72. *Megalograptus shideleri* Caster & Kjellesvig-Waering, 1964 O Ohio
 73. *Megalograptus welchi* Miller, 1874* O Ohio
 74. *Megalograptus williamsae* Caster & Kjellesvig-Waering, 1964 O Ohio
- † EURYPTEROIDEA Burmeister, 1843** **Silurian – Devonian**
- † DOLICOPTERIDAE Kjellesvig-Waering & Størmer, 1952** **Silurian – Devonian**
- † Dolichopterus Hall, 1859** **Silurian**
75. *Dolichopterus gotlandicus* Kjellesvig-Waering, 1979 S Gotland, Sweden
 76. *Dolichopterus jewetti* Caster & Kjellesvig-Waering, 1956 S New York
 77. *Dolichopterus macrocheirus* Hall, 1859* S New York / Canada
 78. *Dolichopterus siluriceps* Clarke & Ruedemann, 1912 S New York / Canada
 79. ?*Dolichopterus stoermeri* Caster & Kjellesvig-Waering, 1956 S Saaremaa, Estonia
- † Ruedemannipterus Kjellesvig-Waering, 1966** **Silurian**
80. *Ruedemannipterus stylonuroides* (Clarke & Ruedemann, 1912)* S Otisville, New York
- † Buffalopterus Kjellesvig-Waering & Heubusch, 1962** **Silurian**
81. *Buffalopterus pustulosus* (Hall, 1859)* S New York / Ontario
 i. = *Eurypterus giganteus* Pohlman, 1882 S New York / Ontario
 ii. = *Pterygotus globicaudatus* Pohlman, 1882 S New York / Ontario
- † Strobilopterus Ruedemann, 1935** **Devonian**
82. *Strobilopterus princetonii* (Ruedemann, 1934)* D Wyoming, USA
- † Syntomopterus Kjellesvig-Waering, 1961a** **Devonian**
83. *Syntomopterus richardsoni* Kjellesvig-Waering, 1961a* D Ohio
- † EURYPTERIDAE Burmeister, 1843** **Silurian**
- † Eurypterus de Kay, 1825** **Silurian**
 = † *Baltoeurypterus* Størmer, 1973
84. ?*Eurypterus cephalaspis* Salter, 1856 S Herefordshire, Engl.
 85. *Eurypterus dekayi* Hall, 1859 S New York / Ontario
 86. *Eurypterus flintstonensis* Swartz, 1923 S eastern USA
 87. *Eurypterus hankeni* Tetlie, 2006a S Ringerike, Norway
 88. *Eurypterus henningsmoeni* (Tetlie, 2002) S Bærum, Norway
 89. *Eurypterus laculatus* Kjellesvig-Waering, 1958 S New York / Ontario
 90. *Eurypterus lacustris* Harlan, 1834 S New York / Ontario
 i. = *Eurypterus pachycheirus* Hall, 1859 S New York / Ontario
 ii. = *Eurypterus robustus* Hall, 1859 S New York / Ontario
 91. *Eurypterus leopoldi* Tetlie, 2006a S Somerset Is., Canada
 92. *Eurypterus megalops* Clarke & Ruedemann, 1912 S New York
 93. ?*Eurypterus minor* Laurie, 1899 S Pentland Hills, Scotl.
 94. *Eurypterus ornatus* Leutze, 1958 S Fayette, Ohio
 95. *Eurypterus pittsfordensis* Sarle, 1903 S Pittsford, New York

96. *Eurypterus quebecensis* Kjellesvig-Waering, 1958 S Québec, Canada
97. *Eurypterus remipes* DeKay, 1825* S New York / Ontario
i. = *Carcinosoma trigona* (Ruedemann, 1916) S New York
98. *Eurypterus serratus* (Jones & Woodward, 1888) S Gotland, Sweden
99. *Eurypterus tetragonophthalmus* Fischer, 1839 S Saaremaa, Estonia
i. = *Eurypterus fischeri* Eichwald, 1854 S Estonia / Ukraine
ii. = *Eurypterus fischeri* var. *rectangularis* Schmidt, 1883 S Saaremaa, Estonia
- † **ERIEOPTERIDAE** Tollerton, 1989 Silurian – Devonian
- † ***Erieopterus* Kjellesvig-Waering, 1958** Silurian – Devonian
100. *Erieopterus eriensis* (Whitfield, 1882) S Ohio
101. *Erieopterus hypsophthalmus* Kjellesvig-Waering, 1958 S Ohio
102. ?*Erieopterus laticeps* (Schmidt, 1883) S Saaremaa, Ringerike
103. *Erieopterus latus* Ruedemann, 1935 D Wyoming, USA
104. ?*Erieopterus limuloides* (Kjellesvig-Waering, 1948a) S Kokomo, Indiana
105. *Erieopterus microphthalmus* (Hall, 1859)* D New York / Canada
106. ?*Erieopterus phillipsensis* Copeland, 1971 S Cornwallis Is. Canada
107. ?*Erieopterus statzi* Størmer, 1936a D Siegburg, Germany
108. ?*Erieopterus turgidus* Stumm & Kjellesvig-Waering, 1962 S Michigan
- † **MIXOPTEROIDEA** Caster & Kjellesvig-Waering, 1955 Silurian
- † **CARCINOSOMATIDAE** Størmer, 1934b Ordovician – Devonian
- † ***Carcinosoma* Claypole, 1890** Silurian
109. ?*Carcinosoma harleyi* Kjellesvig-Waering, 1961b S England
110. *Carcinosoma libertyi* Copeland & Bolton, 1960 S Manitoulin I., Canada
111. *Carcinosoma newlini* Claypole, 1890a* S Kokomo, Indiana
i. = *Carcinosoma ingens* Claypole, 1894 S Kokomo, Indiana
112. ?*Carcinosoma punctatum* (Salter in Huxley & Salter, 1859) S England
113. *Carcinosoma scorpioides* (Woodward, 1868) S Lesmahagow
i. = *Pterygotus raniceps* Woodward, 1868 S Lesmahagow
114. *Carcinosoma scoticus* (Laurie, 1899) S Pentland Hills, Scotl.
115. ?*Carcinosoma spiniferum* Kjellesvig-Waering & Heubusch, 1962 S Pittsford, New York
- † ***Eocarcinosoma* Caster & Kjellesvig-Waering, 1964** Ordovician
116. *Eocarcinosoma batrachophthalmus* Caster & Kjellesvig-Waering,
1964* O Ohio
- † ***Paracarcinosoma* Caster & Kjellesvig-Waering, 1964** Silurian – Devonian
117. *Paracarcinosoma acrocephalus* (Semper, 1898) S–D Barrandian area
118. *Paracarcinosoma obesus* (Woodward, 1868) S Lesmahagow
119. *Paracarcinosoma scorpionis* (Grote & Pitt, 1875)* S New York / Ontario
- † ***Rhinocarcinosoma* Novojilov, 1962** Silurian
120. *Rhinocarcinosoma cicerops* (Clarke, 1907) S Otisville, New York

121. *Rhinocarcinosoma dosonensis* Braddy, Selden & Doan Nhat, 2002 S Dô Son, Vietnam
 122. *Rhinocarcinosoma vaningeni* (Clarke & Ruedemann, 1912)* S Clinton, New York

- † **MIXOPTERIDAE** Caster & Kjellesvig-Waering, 1955 **Silurian**
 = † *LANARKOPTERIDAE* Tollerton, 1989
- † *Lanarkopterus* Ritchie, 1968 **Silurian**
123. *Lanarkopterus dolichoschelus* (Størmer, 1936b)* S Scotland
- † ***Mixopterus* Ruedemann, 1921** **Silurian**
124. *Mixopterus kiaeri* Størmer, 1934b S Ringerike, Norway
 125. *Mixopterus multispinosus* (Clarke & Ruedemann, 1912)* S New York
 126. *Mixopterus simonsoni* Schmidt, 1883 S Saaremaa, Estonia

† 'WAERINGOPTEROIDEA' **Silurian – Devonian**

NB: Superfamily name appears to be derived from a thesis; a family Waeringopteridae has not been formally published

- † *Grossopterus* Størmer, 1934c **Devonian**
127. *Grossopterus overathi* (Gross, 1933)* D Overath
 128. *Grossopterus inexpectans* (Ruedemann, 1921) D Gilboa
- † *Orcanopterus* Stott, Tetlie, Braddy, Nowlan, Glasser & Devereux, 2005 **Ordovician**
129. *Orcanopterus manitoulinensis* Stott, Tetlie, Braddy, Nowlan, Glasser & Devereux, 2005* O Manitoulin I., Canada
- † *Waeringopterus* Leutze, 1961 **Silurian**
130. *Waeringopterus apfeli* Leutze, 1961 S New York / Ontario
 131. *Waeringopterus cumberlandicus* (Swartz, 1923)* S West Virginia
 i. = *Eurypterus swartzii* Kjellesvig-Waering, 1958 S West Virginia

† **ADELOPHTHALMOIDEA** Tollerton, 1989 **Devonian – Permian**

† **ADELOPHTHALMIDAE** Tollerton, 1989 **Devonian – Permian**

† ***Adelophthalmus* Jordan in Jordan & von Mayer, 1854** **Devonian – Permian**

- = † *Lepidoderma* Reuss, 1855
 = † *Anthraconectes* Meek & Worthen, 1868 [a/b?]
 = † *Polyzosternites* Goldenberg, 1873
 = † *Glyptoscorpius* Peach, 1882
132. *Adelophthalmus approximatus* (Hall & Clarke, 1888) C Pennsylvania, USA
 133. *Adelophthalmus asturica* (Melendez, 1971) C d'Ablana, Spain
 134. *Adelophthalmus bradorensis* (Bell, 1922) C N. Campbelltown
 135. *Adelophthalmus cambieri* (Pruvost, 1930) C Charleroi, Belgium
 136. ?*Adelophthalmus carbonarius* (Chernyshev, 1933) C Donetsk, Ukraine
 137. *Adelophthalmus chinensis* (Grabau, 1920) C-P Zhaozehuang
 138. *Adelophthalmus corneti* (Pruvost, 1939) C Quaregnon, Belgium
 139. *Adelophthalmus douvillei* (de Lima, 1890) P Bussaco, Portugal
 140. *Adelophthalmus dumonti* (Stainier, 1917) C Mechelen-sur-Meuse

141. *Adelophthalmus granosus* Jordan *in* Jordan & von Meyer, 1854* C Saarbrücken, Germ.
142. *Adelophthalmus imhofi* (Reuss, 1855) C Vlkys, Czech Rep.
143. *Adelophthalmus irinae* Shpinev, 2006 C Krasnoyarsk, Russia
144. *Adelophthalmus kidstoni* (Peach, 1888) C Radstock, England
145. ?*Adelophthalmus lohesti* (Dewalque *in* Fraipont 1889) D Pont de Bonne, Belg.
146. *Adelophthalmus luceroensis* Kues & Kietzke, 1981 P New Mexico
147. *Adelophthalmus mansfieldi* (Hall, 1877) C Pennsylvania
i. = *Eurypterus stylus* Hall, 1884 C Pennsylvania
148. *Adelophthalmus mazonensis* (Meek & Worthen, 1868) C Illinois
149. *Adelophthalmus moyseyi* (Woodward, 1907a) C Ilkeston, Blaengarw
i. = *Eurypterus derbiensis* Woodward, 1907a C Ilkeston, England
150. *Adelophthalmus nebraskensis* (Barbour, 1914) P Nebraska
151. *Adelophthalmus pennsylvanicus* (Hall, 1877) C Pennsylvania
152. ?*Adelophthalmus ?perornatus* (Peach, 1882) C Glencarholm, Scotl.
153. *Adelophthalmus pruvosti* Kjellesvig-Waering, 1948b C Lens, France
154. ?*Adelophthalmus raniceps* Goldenberg, 1873 C Saarbrücken, Germ.
155. *Adelophthalmus sellardsi* (Dunbar, 1924) P Elmo, Kansas
156. *Adelophthalmus sievertsi* (Størmer, 1969) D Willwerath, Germ.
i. = ?*Eurypterus trapezoides* Størmer, 1974 D Nellenköpfchen, Ger.
157. *Adelophthalmus waterstoni* (Tetlie *et al.*, 2004) D Kimberley, Australia
158. *Adelophthalmus wilsoni* (Woodward, 1888) C Radstock, England
159. *Adelophthalmus zadrai* Přibyl, 1952 C Moravo-Silesia
- † *Bassipterus* Kjellesvig-Waering & Leutze, 1966 Silurian
160. *Bassipterus virginicus* Kjellesvig-Waering & Leutze, 1966* S Bass, West Virginia
- † *Eysyslopterus* Tetlie & Poschmann, 2008 Silurian
161. *Eysyslopterus patteni* (Størmer, 1934d) S Saaremaa, Estonia
- † *Nanahughmilleria* Kjellesvig-Waering, 1961b Silurian – Devonian
162. *Nanahughmilleria clarkei* Kjellesvig-Waering, 1964b S Otisville, New York
163. *Nanahughmilleria norvegica* (Kiær, 1911)* S Ringerike, Norway
i. = *Eurypterus minutus* Kiær, 1911 S Ringerike, Norway
164. ?*Nanahughmilleria prominens* (Hall, 1884b) S Cayuga, New York
165. *Nanahughmilleria pygmaea* (Salter, 1859) S Herefordshire, Engl.
166. ?*Nanahughmilleria schiraensis* (Pirozhnikov, 1957) D Khakassia, Russia
- † *Parahughmilleria* Kjellesvig-Waering, 1961b Silurian – Devonian
167. *Parahughmilleria bellistriata* (Kjellesvig-Waering, 1950a) S West Virginia
168. *Parahughmilleria hefteri* Størmer, 1973 D Rhenish Massif, Ge.
169. *Parahughmilleria maria* (Clarke, 1907) S New York
170. *Parahughmilleria matarakensis* (Pirozhnikov, 1957) D Khakassia, Russia
171. *Parahughmilleria salteri* Kjellesvig-Waering, 1961b* S Herefordshire, Engl.
- † *Pittsfordipterus* Kjellesvig-Waering & Leutze, 1966 Silurian
172. *Pittsfordipterus phelpae* (Ruedemann, 1921)* S Pittsford, New York

188. *Ciurcopterus sarlei* (Ciurca & Tetlie, 2007) S Pittsford, New York
189. *Ciurcopterus ventricosus* (Kjellesvig-Waering, 1948a)* S Kokomo, Indiana
- † ***Erettopterus* Salter in Huxley & Salter, 1859** **Silurian – Devonian**
190. *Erettopterus bilobus* (Salter, 1856)* S Lesmahagow
- i. = *Eurypterus perornatus* Salter, 1856 S Lesmahagow
 - ii. = *Pterygotus bilobus* var. *acidens* Woodward, 1878 S Lesmahagow
 - iii. = *Pterygotus bilobus* var. *crassus* Woodward, 1878 S Lesmahagow
 - iv. = *Pterygotus bilobus* var. *inornatus* Woodward, 1878 S Lesmahagow
 - v. = *Pterygotus bilobus* var. *perornatus* Woodward, 1878 S Lesmahagow
 - vi. = *Pterygotus perornatus* var. *plicatissimus* Salter in Huxley & Salter, 1859 S Lesmahagow
191. *Erettopterus brodiei* Kjellesvig-Waering, 1961b S Herefordshire, Engl.
192. *Erettopterus canadensis* (Dawson, 1879) S Ontario, Canada
193. *Erettopterus exophthalmus* Kjellesvig-Waering & Leutze, 1966 S Bass, West Virginia
194. *Erettopterus gigas* Salter in Huxley & Salter, 1859 S Herefordshire, Engl.
195. *Erettopterus globiceps* Clarke & Ruedemann, 1912 S eastern USA
196. *Erettopterus grandis* Pohlman, 1881 S New York
197. *Erettopterus holmi* (Størmer, 1934b) S Ringerike, Norway
198. *Erettopterus laticauda* Schmidt, 1883 S Saaremaa, Estonia
199. *Erettopterus marstoni* Kjellesvig-Waering, 1961b S England
200. *Erettopterus megalodon* Kjellesvig-Waering, 1961b S England
201. *Erettopterus osiliensis* Schmidt, 1883 S Saaremaa, Estonia
202. *Erettopterus saetiger* Kjellesvig-Waering, 1964a S Pennsylvania
203. *Erettopterus serratus* Kjellesvig-Waering, 1961 D Ohio
204. *Erettopterus spatulatus* Kjellesvig-Waering, 1961b S Herefordshire, Engl.
205. ?*Erettopterus vogti* Størmer, 1934a D Spitsbergen
206. *Erettopterus waylandsmithi* Kjellesvig-Waering & Caster, 1955 S Kenwood, New York
- † ***Jaekelopterus* Waterston, 1964** **Devonian**
207. *Jaekelopterus howelli* Kjellesvig-Waering & Størmer, 1952 D Wyoming
- i. = *Pterygotus mcgrewi* Kjellesvig-Waering & Richardson
In Kjellesvig-Waering (1986) [nomen nudum] D Wyoming
208. *Jaekelopterus rhenaniae* (Jaekel, 1914)* D Rhenish Massif, Ger.
- † ***Pterygotus* Agassiz, 1839** **Silurian – Devonian**
209. *Pterygotus anglicus* Agassiz, 1844* D Scotland, Canada
- i. = *Pterygotus atlanticus* Clarke & Ruedemann, 1912 D New Brunswick, Can.
 - ii. = *Pterygotus minor* Woodward, 1864 D Scotland
210. *Pterygotus arcuatus* Salter in Huxley & Salter, 1859 D Herefordshire, Engl.
211. ?*Pterygotus australis* McCoy, 1899 S Melbourne, Australia
212. *Pterygotus barrandei* Semper, 1898 S Barrandian area
- i. = *Pterygotus beraunensis* Semper, 1898 S Barrandian area
213. *Pterygotus bolivianus* Kjellesvig-Waering, 1964a D Belen, Bolivia

214. *Pterygotus carmani* Kjellesvig-Waering, 1961 D Ohio
 215. *Pterygotus cobbi* Hall, 1859 S New York / Canada
 216. *Pterygotus denticulatus* Kjellesvig-Waering, 1961b S Herefordshire, Engl.
 217. *Pterygotus floridanus* Kjellesvig-Waering, 1950b D Florida
 218. *Pterygotus gaspesiensis* Russell, 1953 D Québec, Canada
 219. ?*Pterygotus grandidentatus* Kjellesvig-Waering, 1961b S England
 220. ?*Pterygotus impacatus* Kjellesvig-Waering, 1964a S Saaremaa, Estonia
 221. *Pterygotus kopaninensis* Barrande, 1872 S Barrandian area, Cz.
 222. *Pterygotus lanarkensis* Kjellesvig-Waering, 1964a S Lesmahagow, Scotl.
 223. *Pterygotus lightbodyi* Kjellesvig-Waering, 1961b S England
 224. *Pterygotus ludensis* Salter in Huxley & Salter, 1859 S Herefordshire, Engl.
 225. *Pterygotus marylandicus* Kjellesvig-Waering, 1964a S Maryland
 226. *Pterygotus monroensis* Sarle 1902 S New York

EURYPTERIDA incertae sedis

- † *Clarkeipterus* Kjellesvig-Waering, 1966 [a/b?] Silurian
 227. *Clarkeipterus ?otisius* (Clarke, 1907) S eastern USA
 228. *Clarkeipterus testudineus* (Clarke & Ruedeman, 1912)* S New York
- † *Dorfopterus* Kjellesvig-Waering, 1955 Devonian
 229. *Dorfopterus angusticollis* Kjellesvig-Waering, 1955* D Wyoming
- † ?*Dolichopterus*
 230. ?*Dolichopterus asperatus* Kjellesvig-Waering, 1961 [a/b?] D Ohio
 231. ?*Dolichopterus bulbosus* Kjellesvig-Waering, 1961b S Herefordshire, Engl.
 232. ?*Dolichopterus herkimerensis* Caster & Kjellesvig-Waering, 1956 S New York / Canada
- † ?*Eurypterus*
 233. ?*Eurypterus loi* Chang, 1957 [non eurypterid?] S Hubei, China
 234. ?*Eurypterus podolicus* Chernyshev, 1947 S Ukraine
 235. ?*Eurypterus satpaevi* Simorin, 1956 C Karaganda, Kazakh.
 236. ?*Eurypterus styliformis* Chang, 1957 [non eurypterid?] S Hubei, China
 237. ?*Eurypterus tschernyschevi* Simorin, 1956 C Karaganda, Kazakh.
 238. ?*Eurypterus yangi* Chang, 1957 [non eurypterid?] S Hubei, China
- † *Holmipterus* Kjellesvig-Waering, 1979 Silurian
 239. *Holmipterus suecicus* Kjellesvig-Waering, 1979 S Gotland, Sweden
- † *Marsupipterus* Caster & Kjellesvig-Waering, 1955 Silurian
 240. *Marsupipterus sculpturatus* Caster & Kjellesvig-Waering, 1955* S Herefordshire, Engl.
- † ?*Nanahughmilleria*
 241. ?*Nanahughmilleria lanceolata* Salter, 1856 S Lesmahagow
 i. = *Eurypterus chartarius* Salter, 1859 S Lesmahagow
 ii. = *Eurypterus linearis* Salter, 1859 S Lesmahagow
- † ?*Salteropterus*
 242. ?*Salteropterus longilabium* Kjellesvig-Waering, 1961b S Welsh Borderlands
- † ?*Styloinurus*

243. ?*Stylonurus perspicillum* Størmer, 1969 D Willwerath, Germany
- † *Tylopterella* Størmer, 1951 Silurian
244. *Tylopterella boylei* (Whiteaves, 1884) S Ontario, Canada
245. ?*Tylopterella menneri* (Novojilov, 1959) D Taimyr, Russia
- † *Unionopterus* Chernyshev, 1948 Carboniferous
246. *Unionopterus anastasiae* Chernyshev, 1948* C Kazakhstan

NOMINA DUBIA

1. *Bunodella horrida* Matthew, 1888 [*non Xiphosura*] S New Brunswick
2. ?*Dunsopterus wrightianus* Dawson 1881 D New York
3. *Eurypterella ornata* Matthew, 1888 C 'Fern Ledges'
4. *Eurypterus potens* Hall, 1884 C Pennsylvania
5. *Eurypterus pulicaris* Salter, 1863 D New Brunswick
6. *Hastimima sewardi* Strand, 1926 D South Africa
7. ?*Pterygotus formosus* Dawson, 1871 D Gaspé, Canada
8. *Pterygotus nobilis* Barrande, 1872 S Barrandian area
9. *Pterygotus siemiradzkii* Strand, 1926 D Podolia, Ukraine
10. *Pterygotus taurinus* Salter, 1868 S Ewyas Harold, Engl.
11. ?*Slomonia stylops* Salter in Huxley & Salter, 1859 S Herefordshire, Engl.

NOMINA NUDA

1. *Baltoeurypterus latus* Hanken & Størmer, 1975 S Ringerike, Norway

NOMINA VANA

1. *Pterygotus problematicus* Agassiz, 1844 S United Kingdom

MISIDENTIFICATIONS

1. *Buffalopterus verrucosus* Kjellesvig-Waering & Heubusch, 1962 [crustacean] ... O New York
2. *Carcinosoma ?logani* (Williams, 1915) [crustacean] S Ontario, Canada
3. *Eurypterus (Stylonurus?) maccarthyi* Kjellesvig-Waering, 1934 [cephalopod] D Ludlowville, New York
4. *Eurypterus pugio* Barrande, 1872 [crustacean] S Barrandian area
5. *Eurypterus thomasi* Walter, 1924 [aglaspidid] E Wisconsin
6. *Kockurus grandis* Chlupáč, 1995 [?aglaspidid] E central Bohemia
7. *Kodymirus vagans* Chlupáč & Havlíček, 1965 [?aglaspidid] E central Bohemia
8. *Mazonipterus cyclophthalminus* Kjellesvig-Waering, 1963b [plant] C Mazon Creek
9. *Pterygotus expectatus* Barrande, 1872 [crustacean] S Barrandian area
10. *Pterygotus (Curvirostrum) elliotti* Ruedemann, 1935 [crustacean] D New York
11. *Pterygotus (Curvirostrum) montanensis* Ruedemann, 1935 [crustacean] D Montana
12. *Pterygotus (Leptocheles) leptodactylum* M'Coy, 1849 [crustacean] S Herefordshire, Engl.

PSEUDOFOSILS

1. *Brachyopterella magna* (Clarke & Ruedemann, 1912) O New York

2. ?*Carcinosoma linguata* (Clarke & Ruedemann, 1912) O New York
 3. ?*Carcinosoma longiceps* (Clarke & Ruedemann, 1912) O New York
 4. *Dolichopterus antiquus* Ruedemann, 1942 O New York
 5. *Dolichopterus frankfortensis* (Clarke & Ruedemann, 1912) O New York
 6. *Dolichopterus insolitus* Ruedemann, 1926 O New York
 7. ?*Dolichopterus stellatus* (Clarke & Ruedemann, 1912) O New York
 8. ?*Drepanopterus ruedemanni* (O'Connell, 1916) O New York
 9. ?*Eocarcinosoma breviceps* (Ruedemann, 1926) O New York
 10. *Eocarcinosoma ruedemanni* (Flower, 1945) O New York
 11. *Eocarcinosoma triangulatus* (Clarke & Ruedemann, 1912) O New York
 12. *Erettopterus walcotti* (Ruedemann, 1926) O New York
 13. *Erieopterus chadwicki* (Clarke & Ruedemann, 1912) O New York
 14. *Erieopterus hudsonicus* (Ruedemann, 1934) O New York
 15. ?*Eurypterus decepiens* (Ruedemann, 1942) O New York
 16. *Eurypterus indicus* Dubey, 1985 pC M. Pradesh, India
 17. ?*Eurypterus pristinus* (Clarke & Ruedemann, 1912) O New York
 18. *Eurypterus vermai* Dubey, 1985 pC M. Pradesh, India
 19. *Hughmilleria chiplonkari* Dubey, 1985 pC M. Pradesh, India
 20. *Hughmilleria kilfoylei* Ruedemann, 1934 O New York
 21. *Hughmilleria prisca* Ruedemann, 1934 O New York
 22. *Hughmilleria uticana* Ruedemann, 1926 O New York
 23. *Parastylonurus rusti* (Ruedemann, 1926) O New York
 24. *Pterygotus deepkillensis* Ruedemann, 1934 O New York
 25. *Pterygotus nasutus* Clarke & Ruedemann, 1912 O New York
 26. ?*Pterygotus normanskillensis* Clarke & Ruedemann, 1912 O New York
 27. *Ruedemannipterus breviceps* (Clarke & Ruedemann, 1912) O New York
 28. *Ruedemannipterus latifrons* (Clarke & Ruedemann, 1912) O New York
 29. *Stylnurella modestus* (Clarke & Ruedemann, 1912) O New York
 30. *Stylnuroides limbatus* (Clarke & Ruedemann, 1912) O New York
 31. ?*Waeringopterus pristinus* (Ruedemann, 1942) O New York
 32. *Waeringopterus prolificus* (Clarke & Ruedemann, 1912) O New York

no Recent species

SCORPIONES

118 currently valid species of fossil scorpion

SCORPIONES C. L. Koch, 1851 Silurian – Recent

† **Pelson (Family) PROSCORPIIDAE Scudder, 1885** Silurian – Carbon.

- = † ARCHAEOCTONIDAE Petrunkevitch, 1949
- = † HYDROSCORPIONIDAE Kjellesvig-Waering, 1986
- = † LABRIOSCORPIONIDAE Kjellesvig-Waering, 1986
- = † STOERMEROSCORPIONIIDAE Kjellesvig-Waering, 1986
- = † WAERINGOSCORPIONIDAE Størmer, 1970

† **Archaeoctonus Pocock, 1911** Carboniferous

- 1. *Archaeoctonus glaber* (Peach, 1883)* C Glencarholm

† **Hydroscorpius Kjellesvig-Waering, 1986** Devonian

- 2. *Hydroscorpius denisoni* Kjellesvig-Waering, 1986* D Wyoming

† **Labriscorpio Leary, 1980** Carboniferous

- 3. *Labriscorpio alliedensis* Leary, 1980* C Illinois

† **Proscorpius Whitfield, 1885b** Silurian

- = † *Archaeophonus* Kjellesvig-Waering, 1966b
- = † *Stoermeroscorpio* Kjellesvig-Waering, 1986
- 4. *Proscorpius osborni* (Whitfield, 1885a)* S ‘Bertie Waterlime’
 - i. = *Archaeophonus eurypterooides* Kjellesvig-Waering, 1966b* S ‘Bertie Waterlime’
 - ii. = *Stoermeroscorpio delicatus* Kjellesvig-Waering, 1986 S ‘Bertie Waterlime’

† **Pseudoarchaeoctonus Kjellesvig-Waering, 1986** Carboniferous

- 5. *Pseudoarchaeoctonus denticulatus* Kjellesvig-Waering, 1986* C Glencarholm

† **Waeringoscorpio Størmer, 1970** Devonian

- 6. *Waeringoscorpio hefteri* Størmer, 1970* D Alken an der Mosel
- 7. *Waeringoscorpio westerwaldensis* Poschmann, Dunlop, Kamenz & Scholtz, 2008 D Westerwald

† **BILOBOSTERNINA Kjellesvig-Waering, 1986 (suborder)** Silurian – Devonian

† **BRANCHIOSCORPINOIDEA Kjellesvig-Waering, 1986** Devonian

† **BRANCHIOSCORPIONIIDAE Kjellesvig-Waering, 1986** Devonian

† **Branchioscorpio Kjellesvig-Waering, 1986** Devonian

- 8. *Branchioscorpio richardsoni* Kjellesvig-Waering, 1986* D Wyoming

† **DOLICHOPHONIIDAE Petrunkevitch, 1953** Silurian

† **Dolichophonus Petrunkevitch, 1949** Silurian

9. <i>Dolichophonus loudonensis</i> (Laurie, 1899)*	S Pentland Hills
† HOLOSTERNINA Kjellesvig-Waering, 1986	Devonian
† ACANTHOSCORPIONOIDEA Kjellesvig-Waering, 1986	Devonian
† ACANTHOSCORPIONIIDAE Kjellesvig-Waering, 1986	Devonian
† <i>Acanthocorpio</i> Kjellesvig-Waering, 1986	Devonian
10. <i>Acanthoscorpio mucronatus</i> Kjellesvig-Waering, 1986*	D Wyoming
† STENOSCORPIONIIDAE Kjellesvig-Waering, 1986	Triassic
† <i>Stenoscorpio</i> Kjellesvig-Waering, 1986	Triassic
11. <i>Stenoscorpio gracilis</i> (Wills, 1910)*	Tr Keuper sandstone
12. <i>Stenoscorpio pseudogracilis</i> (Wills, 1947)	Tr Keuper sandstone
† ALLOPALAEOPHONOIDEA Kjellesvig-Waering, 1986	Silurian
† ALLOPALAEOPHONIDAE Kjellesvig-Waering, 1986	Silurian
† <i>Allopalaeophonus</i> Kjellesvig-Waering, 1986	Silurian
13. <i>Allopalaeophonus caledonicus</i> (Hunter, 1886)*	S Logan Water
i. = <i>Palaeophonus hunteri</i> Pocock, 1901	S Logan Water
† EOCTONOIDEA Kjellesvig-Waering, 1986	Carboniferous
† ALLOBUTHISCORPIIIDAE Kjellesvig-Waering, 1986	Carboniferous
† <i>Allobuthiscorpius</i> Kjellesvig-Waering, 1986	Carboniferous
14. <i>Allobuthiscorpius major</i> (Wills, 1960)*	C Kilburn Coal
† <i>Aspischorpio</i> Kjellesvig-Waering, 1986	Carboniferous
15. <i>Aspischorpio eageri</i> Kjellesvig-Waering, 1986*	C Sparth Bottoms
<i>Aspischorpio</i> sp. in Poschmann (2009)	C Saar
† ANTHRACOSCORPIONIDAE Frič, 1904	Carboniferous
† <i>Allobuthus</i> Kjellesvig-Waering, 1986	Carboniferous
16. <i>Allobuthus macrostethus</i> Kjellesvig-Waering, 1986*	C Coseley
17. <i>Allobuthus pescei</i> (Vachon & Heyler, 1985)	C Montceau-les-Mines
† <i>Anthracoscorpio</i> Kušta, 1885	Carboniferous
18. <i>Anthracoscorpio dunlopi</i> Pocock, 1911	C Airdrie
19. <i>Anthracoscorpio juvenis</i> Kušta, 1885*	C Rakovník
† <i>Coseleyscorpio</i> Kjellesvig-Waering, 1986	Carboniferous
20. <i>Coseleyscorpio lanceolatus</i> Kjellesvig-Waering, 1986*	C Coseley
† <i>Lichnoscorpius</i> Petrunkevitch, 1949	Carboniferous
21. <i>Lichnoscorpius minutus</i> Petrunkevitch, 1949*	C Coseley
† BUTHISCORPIIIDAE Kjellesvig-Waering, 1986	Carboniferous
† <i>Buthiscorpius</i> Petrunkevitch, 1953	Carboniferous
22. <i>Buthiscorpius buthiformis</i> (Pocock, 1911)*	C Sparth Bottoms

23. *Buthiscorpius lemaya* Kjellesvig-Waering, 1986 C Illinois
- † EOCTONIDAE Kjellesvig-Waering, 1986 Carboniferous
- † *Eoconus* Petrunkevitch, 1913 Carboniferous
24. *Eoconus miniatus* Petrunkevitch, 1913* C Mazon Creek
- † GARNETTIIDAE Dubinin, 1962 Carboniferous
- † *Garnettius* Petrunkevitch, 1953 Carboniferous
25. *Garnettius hungerfordi* (Elias, 1936)* C Garnett, Kansas
- † GIGANTOSCORPIONOIDEA Kjellesvig-Waering, 1986 Devonian – Carbon.
- † GIGANTOSCORPIONIDAE Kjellesvig-Waering, 1986 Devonian – Carbon.
- = † PETALOSCORPIONIDAE Kjellesvig-Waering, 1986
- † *Gigantoscorpio* Størmer, 1963 Carboniferous
26. *Gigantoscorpio willsi* Størmer, 1963* C Glencarholm
- † *Petaloscorpio* Kjellesvig-Waering, 1986 Devonian
27. *Petaloscorpio bureaui* Kjellesvig-Waering, 1986* D Miguasha, Quebec
- † MESOPHONOIDEA Wills, 1910 Carbon. – Triassic
- † CENTROMACHIDAE Petrunkevitch, 1953 Carboniferous
- = † ANTHRACOCHAERILIDAE Kjellesvig-Waering, 1986
- = † PHOXISCORPIONIDAE Kjellesvig-Waering, 1986
- † *Anthracochaerilus* Kjellesvig-Waering, 1986 Carboniferous
28. *Anthracochaerilus palustris* Kjellesvig-Waering, 1986* C Glencarholm
- † *Centromachus* Thorell & Lindström, 1885 Carboniferous
29. *Centromachus euglyptus* (Peach, 1883)* C Glencarholm
- † *Phoxiscorpio* Kjellesvig-Waering, 1986 Carboniferous
30. *Phoxiscorpio peachi* Kjellesvig-Waering, 1986* C Dalmeny, Edinburgh
- † *Pulmonoscorpio* Jeram, 1994a Carboniferous
31. *Pulmonoscorpius kirktonensis* Jeram, 1994a* C East Kirkton
- † GALLIOSCORPIONIDAE Lourenço & Gall, 2004 Triassic
- † *Gallioscorpio* Lourenço & Gall, 2004 Triassic
32. *Gallioscorpio voltzi* Lourenço & Gall, 2004* Tr Vosges, France
- † HELOSCORPIONIDAE Kjellesvig-Waering, 1986 Carboniferous
- † *Heloscorpio* Kjellesvig-Waering, 1986 Carboniferous
33. *Heloscorpio sutcliffei* (Woodward, 1907b)* C Sparth Bottoms
- † MAZONIIDAE Petrunkevitch, 1913 Carboniferous
- † *Mazonia* Meek & Worthen, 1868b Carboniferous
34. *Mazonia wardingleyi* (Woodward, 1907b) C Sparth Bottoms

35. <i>Mazonia woodiana</i> Meek & Worthen, 1868b*	C Mazon Creek
† MESOPHONIDAE Wills, 1910	Triassic
† <i>Mesophonus</i> Wills, 1910	Triassic
36. <i>Mesophonus perornatus</i> Wills, 1910*	Tr Keuper sandstone
i. = <i>Mesophonus opisthophthalmus</i> Wills, 1947	Tr Keuper sandstone
37. ? <i>Mesophonus pulcherrimus</i> Wills, 1910	Tr Keuper sandstone
38. ? <i>Mesophonus pulcherrimus immaculatus</i> Wills, 1947	Tr Keuper sandstone
† WILLSCORPIONIDAE Kjellesvig-Waering, 1986	Triassic
† <i>Willscorpio</i> Kjellesvig-Waering, 1986	Triassic
39. <i>Willscorpio bromsgroviensis</i> (Wills, 1910)*	Tr Keuper sandstone
† PALAEOSCORPOIDEA Lehmann, 1944	Devonian – Triassic
† PALAEOSCORPIONIDAE Lehmann, 1944	Devonian
† <i>Palaeoscorpio</i> Lehmann, 1944	Devonian
40. <i>Palaeoscorpius devonicus</i> Lehmann, 1944*	D Hünsruckschiefer
† SPONGIOPHONOIDEA Kjellesvig-Waering, 1986	Devonian – Triassic
† PRAERCTURIDAE Kjellesvig-Waering, 1986	Devonian
† <i>Praearcturus</i> Woodward, 1871a	Devonian
41. <i>Praearcturus gigas</i> Woodward, 1871a*	D Rowlestone
† SPONGIOPHONIDAE Kjellesvig-Waering, 1986	Triassic
† <i>Spongiophonous</i> Wills, 1947	Triassic
42. <i>Spongiophonous pustulosus</i> Wills, 1947*	Tr Keuper sandstone
† MERISTOSTERNINA Kjellesvig-Waering, 1986	Carboniferous
† CYCLOPHTHALMOIDEA Thorell & Lindström, 1885	Carboniferous
† CYCLOPHTHALMIDAE Thorell & Lindström, 1885	Carboniferous
† <i>Cyclophthalmus</i> Corda, 1835	Carboniferous
43. <i>Cyclophthalmus senior</i> Corda, 1835*	C Cholme
44. <i>Cyclophthalmus robustus</i> Kjellesvig-Waering, 1986	C Coseley
45. ? <i>Cyclophthalmus sibiricus</i> Novojilov & Størmer, 1963	C Kemerov Region
† MICROLABIIDAE Kjellesvig-Waering, 1986	Carboniferous
† <i>Microlabis</i> Corda, 1839	Carboniferous
46. <i>Microlabis sternbergii</i> Corda, 1839*	C Cholme
† PALAEOBUTHOIDEA Kjellesvig-Waering, 1986	Carboniferous
† PALAEOBUTHIDAE Kjellesvig-Waering, 1986	Carboniferous
† <i>Palaeobuthus</i> Petrunkevitch, 1913	Carboniferous

- = † *Mazoniscorpio* Wills, 1960
47. *Palaeobuthus distinctus* Petrunkevitch, 1913* C Mazon Creek
 i. = *Mazoniscorpio mazonensis* Wills, 1960 C Mazon Creek
- † **LOBOSTERNINA** Pocock, 1911 Silurian – Carbon.
- † **ISOBUTHOIDEA** Petrunkevitch, 1913 Carboniferous
- † **EOBUTHIDAE** Kjellesvig-Waering, 1986 Carboniferous
- † *Eobuthus* Frič, 1904 Carboniferous
48. *Eobuthus cordai* Kjellesvig-Waering, 1986 C Kralupy Hill
 49. *Eobuthus holti* Pocock, 1911 C Sparth Bottoms
 50. *Eobuthus rakovicensis* Frič, 1904* C Rakovník
- † **EOSCORPIIDAE** Scudder, 1884 Carboniferous
- † *Eoscorpius* Meek & Worthen, 1868a Carboniferous
- = † *Alloscorpius* Petrunkevitch, 1949
 = † *Europhtalmus* Petrunkevitch, 1949
 = † *Lichnophthalmus* Petrunkevitch, 1949
 = † *Trigonoscorpio* Petrunkevitch, 1913
 = † *Typhlopisthacanthus* Petrunkevitch, 1949
 = † *Typhloscorpius* Petrunkevitch, 1949
51. *Eoscorpius bornaensis* Sterzel, 1918 C Chemnitz–Borna
 52. *Eoscorpius carbonarius* Meek & Worthen, 1868a* C Mazon Creek
 i. = *Eoscorpius typicus* Petrunkevitch, 1913 C Mazon Creek
 ii. = *Eoscorpius granulosus* Petrunkevitch, 1913 C Mazon Creek
 iii. = *Trigonoscorpio americanus* Petrunkevitch, 1913 C Mazon Creek
53. *Eoscorpius casei* Kjellesvig-Waering, 1986 C Nova Scotia
 54. *Eoscorpius distinctus* (Petrunkevitch, 1949) C Coseley
 55. *Eoscorpius mucronatus* Kjellesvig-Waering, 1986 C Barnsley
 56. *Eoscorpius pulcher* (Petrunkevitch, 1949) C Barnsley
 i. = *Europhtalmus longimanus* Petrunkevitch, 1949 C Barnsley
57. *Eoscorpius sparthensis* Baldwin & Sutcliffe, 1904 C Sparth Bottoms
- † *Eskioscorpio* Kjellesvig-Waering, 1986 Carboniferous
58. *Eskiscorpio parvus* Kjellesvig-Waering, 1986* C Glencarholm
- † *Trachyscorpio* Kjellesvig-Waering, 1986 Carboniferous
59. *Trachyscorpio squarrosum* Kjellesvig-Waering, 1986* C Fouldon
- † **ISOBUTHIDAE** Petrunkevitch, 1913 Carbon. – Triassic
- † *Boreoscorpio* Kjellesvig-Waering, 1986 Carboniferous
60. *Boreoscorpio copelandi* Kjellesvig-Waering, 1986* C Nova Scotia
- † *Bromsgroviscorpio* Kjellesvig-Waering, 1986 Triassic
61. *Bromsgroviscorpio willsi* Kjellesvig-Waering, 1986* Tr Keuper sandstone
- † *Feistmantelia* Frič, 1904 Carboniferous

62. <i>Feistmantelia ornata</i> Frič, 1904*	C Studnoves
† <i>Isobuthus</i> Frič, 1904	Carboniferous
63. <i>Isobuthus kralupensis</i> (Thorell & Lindström, 1885)*	C Kralup
64. ? <i>Isobuthus nyranensis</i> Frič, 1904	C Nýřany
† KRONOSCORPIONIDAE Kjellesvig-Waering, 1986	Carboniferous
† <i>Kronoscorpio</i> Kjellesvig-Waering, 1986	Carboniferous
65. <i>Kronoscorpio danielsi</i> (Petrunkevitch, 1913)*	C Mazon Creek
† PAREOBUTHIDAE Wills, 1959	Carboniferous
† <i>Pareobuthus</i> Wills, 1959	Carboniferous
66. <i>Pareobuthus salopiensis</i> Wills, 1959*	C Shropshire
† PARAISOBUTHOIDEA Kjellesvig-Waering, 1986	Carboniferous
† OPSIEOBUTHIDAE Kjellesvig-Waering, 1986	Carboniferous
† <i>Opsieobuthus</i> Kjellesvig-Waering, 1986	Carboniferous
67. <i>Opsieobuthus pottsvilleensis</i> (Moore, 1923)*	C Indiana
† PARAISOBUTHIDAE Kjellesvig-Waering, 1986	Carboniferous
† <i>Leioscorpio</i> Kjellesvig-Waering, 1986	Carboniferous
68. <i>Leioscorpio pseudobuthiformis</i> Kjellesvig-Waering, 1986*	C Coseley
† <i>Paraisobuthus</i> Kjellesvig-Waering, 1986	Carboniferous
69. <i>Paraisobuthus duobicarinatus</i> Kjellesvig-Waering, 1986	C Shipley
70. <i>Paraisobuthus frici</i> Kjellesvig-Waering, 1986	C Kralupy Hill
71. <i>Paraisobuthus prantli</i> Kjellesvig-Waering, 1986*	C Rakovník
72. <i>Paraisobuthus virginiae</i> Kjellesvig-Waering, 1986	C Mazon Creek
† SCOLOPOSCORPIONIDAE Kjellesvig-Waering, 1986	Carboniferous
† <i>Benniescorpio</i> Wills, 1960	Carboniferous
73. <i>Benniescorpio tuberculatus</i> (Peach, 1883)*	C Dysart, Fife
† <i>Scoloposcorpio</i> Kjellesvig-Waering, 1986	Carboniferous
74. <i>Scoloposcorpio crumondensis</i> Kjellesvig-Waering, 1986*	C Cramond, Edinburgh
† TELMATOSCORPIONIDAE Kjellesvig-Waering, 1986	Carboniferous
† <i>Telmatoscorpio</i> Kjellesvig-Waering, 1986	Carboniferous
75. <i>Telmatoscorpio brevipectus</i> Kjellesvig-Waering, 1986*	C Mazon Creek
† LOBOARCHAEOTONOIDEA Kjellesvig-Waering, 1986	Carboniferous
† LOBOARCHAEOTONIDAE Kjellesvig-Waering, 1986	Carboniferous
† <i>Loboarchaeoctonus</i> Kjellesvig-Waering, 1986	Carboniferous
76. <i>Loboarchaeoctonus squamosus</i> Kjellesvig-Waering, 1986*	C Glencarholm

† PSEUDOBUTHISCORPIOIDEA Kjellesvig-Waering, 1986	Carboniferous
† PSEUDIBUTHISCORPIDAE Kjellesvig-Waering, 1986	Carboniferous
† <i>Pseudobuthiscorpius</i> Kjellesvig-Waering, 1986	Carboniferous
77. <i>Pseudobuthiscorpius labiosus</i> Kjellesvig-Waering, 1986*	C Coseley
† WATERSTONIIDAE Kjellesvig-Waering, 1986	Carboniferous
† <i>Waterstonia</i> Kjellesvig-Waering, 1986	Carboniferous
78. <i>Waterstonia airdriensis</i> Kjellesvig-Waering, 1986*	C Airdrie
79. ? <i>Waterstonia brachistodactyla</i> Kjellesvig-Waering, 1986 [claw only !] ...	C Beith, Ayrshire
† PALAEOPHONOIDEA Thorell & Lindström, 1884	Silurian
† PALAEOPHONIDAE Thorell & Lindström, 1884	Silurian
† <i>Palaeophonus</i> Thorell & Lindström, 1884	Silurian
80. <i>Palaeophonus nuncius</i> Thorell & Lindström, 1884*	S Visby, Gotland
81. ? <i>Palaeophonus lightbodyi</i> Kjellesvig-Waering, 1954 [claw only !]	S Ludford Lane
ORTHOSTERNINA Pocock, 1911	Carbon. – Recent
Orthosternina incertae sedis	
† <i>Corniops</i> Jeram, 1994b	Carboniferous
82. <i>Corniops mapesii</i> Jeram, 1994b*	C Lone Star Lake
SCORPIONIOIDEA Latreille, 1802	Carbon. – Recent
† PALAEOPISTHACANTHIDAE Kjellesvig-Waering, 1986	Carboniferous
† <i>Cryptoscorpius</i> Jeram, 1994b	Carboniferous
83. <i>Cryptoscorpius americanus</i> Jeram, 1994b*	C Lone Star Lake
† <i>Palaeopisthacanthus</i> Petrunkevitch, 1913	Carboniferous
84. <i>Palaeopisthacanthus schucherti</i> Petrunkevitch, 1913*	C Mazon Creek
85. <i>Palaeopisthacanthus vogelandurdeni</i> Jeram, 1994b	C Lone Star Lake
family uncertain	
† <i>Compsoscorpius</i> Petrunkevitch 1949	Carboniferous
86. <i>Compsoscorpius elegans</i> Petrunkevitch 1949*	C Coseley
i. = <i>Typhlopisthacanthus anglicus</i> Petrunkevitch, 1949 ...	C Coseley
ii. = <i>Compsoscorpius elongatus</i> Petrunkevitch, 1949	C Coseley
PSEUDOCHACTIDAE Gromov, 1998	Recent
no fossil record	
BUTHOIDEA C. L. Koch, 1837	Cretaceous – Recent
family uncertain	
† <i>Palaeoburmesebuthus</i> Lourenço, 2002	Cretaceous
87. <i>Palaeoburmesebuthus grimaldii</i> Lourenço, 2002*	K Myanmar amber

† ARCHAEOBUTHIDAE Lourenço, 2001	Cretaceous
† <i>Archaeobuthus</i> Lourenço, 2001	Cretaceous
88. <i>Archaeobuthus estephani</i> Lourenço, 2001*	K Lebanese amber
† PROTOBUTHIDAE Lourenço & Gall, 2004	Triassic
† <i>Protobuthus</i> Lourenço & Gall, 2004	Triassic
89. <i>Protobuthus elegans</i> Lourenço & Gall, 2004*	Tr Vosges
BUTHIDAE C. L. Koch, 1837	Palaeogene – Recent
= ANDROCTONIDAE C. L. Koch, 1837	
= MICROCHARMIDAE Lourenço, 1996a	
Centruroides Marx, 1890a	Neogene – Recent
90. <i>Centruroides nitidus</i> (Thorell, 1876a) [Recent]	Ne Dominican amber
i. = <i>Centruroides beynai</i> Schawaller, 1979a	Ne Dominican amber
Microcharmus Lourenço, 1995	Quaternary – Recent
91. <i>Microcharmus henderickxi</i> (Lourenço, 2009a)	Qt Madagascar copal
Microtityus Kjellesvig-Waering, 1966c	Neogene – Recent
92. <i>Microtityus ambarensis</i> (Schawaller, 1982a)	Ne Dominican amber
† Palaeoakentrobuthus Lourenço & Weitschat, 2000	Palaeogene
93. <i>Palaeoakentrobuthus knodeli</i> Lourenço & Weitschat, 2000*	Pa Baltic amber
† Palaeoananteris Lourenço & Weitschat, 2001	Palaeogene
94. <i>Palaeoananteris ribnitiodamgartensis</i> Lourenço & Weitschat, 2001*	Pa Baltic amber
95. <i>Palaeoananteris ukrainensis</i> Lourenço & Weitschat, 2009	Pa Rovno amber
96. <i>Palaeoananteris wunderlichi</i> Lourenço, 2004	Pa Baltic amber
† Palaeoisometrus Lourenço & Weitschat, 2005a	Palaeogene
97. <i>Palaeoisometrus elegans</i> Lourenço & Weitschat, 2005a*	Pa Baltic amber
† Palaeogrospus Lourenço, 2000a	Neogene
98. <i>Palaeogrospus copalensis</i> (Lourenço, 1996b)	Qt Copal
† Palaeoprotobuthus Lourenço & Weitschat, 2000	Palaeogene
99. <i>Palaeoprotobuthus pusillus</i> Lourenço & Weitschat, 2000*	Pa Baltic amber
† Palaeospinobuthus Lourenço, Henderickx & Weitschat, 2005	Palaeogene
100. <i>Palaeospinobuthus cenozoicus</i> Lourenço, Henderickx & Weitschat, 2005*	Pa Baltic amber
† Palaeotityobuthus Lourenço & Weitschat, 2000	Palaeogene
101. <i>Palaeotityobuthus longiaculeus</i> Lourenço & Weitschat, 2000*	Pa Baltic amber
Tityus C. L. Koch, 1836	?Palaeogene – Recent
102. ‘ <i>Tityus</i> ’ eogenus Menge, 1869 [presumably misplaced]	Pa Baltic amber
103. <i>Tityus geratus</i> Santiago-Blay & Poinar, 1988	Ne Dominican amber
104. <i>Tityus (Brazilotityus) hartkorni</i> Lourenço, 2009b	Ne Dominican amber
† Uintascorpio Perry, 1995	Palaeogene
105. <i>Uintascorpio halandrasorum</i> Perry, 1995*	Pa Green River

BUTHIDAE incertae sedis

106. 'Scorpio' schweiggeri Holl, 1829 Qt Copal [not amber!]

BOTHRIURIDAE Simon, 1880 **Recent**

= TELEONIDAE Peters, 1861 [based on a generic homonym]

= ACANTHOCHIROIDAE Karsch, 1880b

no fossil record

CHACTOIDEA Pocock, 1893 **Cretaceous – Recent**

- † PALAOEUSCORPIDAE Lourenço, 2003 Cretaceous

- † *Palaeoeuscorpius* Lourenço, 2003 Cretaceous

107. *Palaeoeuscorpius gallicus* Lourenço, 2003* K French amber

CHACTIDAE Pocock, 1893 **Cretaceous – Recent**

= BROTEIDAE Simon, 1879a [supressed for lack of usage]

- † *Araripescorpius* Campos, 1986 Cretaceous

108. *Araripescorpius ligabuei* Campos, 1986* K Crato Formation

Chactas Gervais, 1844 **Subrecent – Recent**

109. *Chactas pleistocenicus* Lourenço & Weitschat, 2005b Qt Colombian copal

AKRAVIDAE Levy, 2007 **Recent**

no fossil record

CHAERILIDAE Pocock, 1893 **Recent**

no fossil record

DIPLOCENTRIDAE Karsch, 1880b **Recent**

no fossil record

EUSCORPIIIDAE Laurie, 1896 **Recent**

no fossil record

HETEROSCORPIONIDAE Kraepelin, 1905 **Recent**

no fossil record

HEMISCORPIIIDAE Pocock, 1893 **Cretaceous – Recent**

= ISCHNURIDAE Simon, 1879a

= LIOCHELIDAE Fet & Bechly, 2001

= † PROTOISCHNURIDAE Carvalho & Lourenço, 2001

- † *Protoischnurus* Carvalho & Lourenço, 2001 Cretaceous

110. *Protoischnurus axelrodrum* Carvalho & Lourenço, 2001* K Crato Formation

IURIDAE Thorell, 1876b **Recent**

no fossil record

SCORPIONIDAE Latreille, 1802 Neogene – Recent

= PANDINOIDAE Thorell, 1876b
 = HETEROMETRIDAE Simon, 1879a

† ***Mioscorpio* Kjellesvig-Waering, 1986** Neogene

111. *Mioscorpio zeuneri* (Hadži, 1931)* Ne Swabian Alps

† ***Sinoscorpious* Hong, 1983a** Neogene

112. *Sinoscorpious shandongensis* Hong, 1983a* Ne Shandong, China

SUPERSTITIONIIDAE Stahnke, 1940 Recent

no fossil record

TROGLOTAYOSICIDAE Lourenço, 1998 Recent

no fossil record

VAEJOVIDAE Thorell, 1876b Recent

no fossil record

SCORPIONES *incertae sedis*

† ***Gymnoscorpious* Jeram, 1994b** Carboniferous

113. *Gymnoscorpious mutillidigitatus* Jeram, 1994b* C northern England

† ***Hubeiscorpio* Walossek, Li & Brauckmann, 1990** Devonian

114. *Hubeiscorpio gracilitarsis* Walossek, Li & Brauckmann, 1990* D Hubei, China

† ***Liassoscorpionides* Bode, 1951** Jurassic

115. *Liassoscorpionides schmidti* Bode, 1951* J Hondelage, Germany

† ***Palaeomachus* Pocock, 1911** Carboniferous

116. *Palaeomachus anglicus* (Woodward, 1876)* C Mansfield

† ***Titanoscorpio* Kjellesvig-Waering, 1986** Carboniferous

117. *Titanoscorpio douglassi* Kjellesvig-Waering, 1986 C Mazon Creek

† ***Wattisonia* Wills, 1960** Carboniferous

118. *Wattisonia coseleyensis* Wills, 1960 C Coseley

MISIDENTIFICATIONS

1. ?*Mesophonus maculatus* (Brauer, Redtenbacher & Ganglbauer, 1889)

[?insect: cockroach] J Siberia

2. *Tiphoscorpio hueberi* Kjellesvig-Waering, 1986 [myriapod: *Eoarthroleura*] D New York

OPILIONES

30 currently valid species of fossil harvestman

OPILIONES Sundevall, 1833	Devonian – Recent
CYPHOPHTHALMI Simon, 1879a (suborder)	Cretaceous – Recent
NEOGOVEIDAE Shear, 1980	Recent
no fossil record	
OGOVEIDAE Shear, 1980	Recent
no fossil record	
PETTALIDAE Shear, 1980	Recent
no fossil record	
SIRONIDAE Simon, 1879a	Cretaceous – Recent
† <i>Palaeosiro</i> Poinar, 2008	Cretaceous – Recent
1. <i>Palaeosiro burmanicum</i> Poinar, 2008	K Myanmar amber [probably a stylocellid – all other Sironidae are European]
Siro Latreille, 1796	Palaeogene – Recent
2. <i>Siro balticus</i> Dunlop & Mitov, 2011	Pa Baltic amber
3. <i>Siro platypedibus</i> Dunlop & Giribet, 2003	Pa Bitterfeld amber
STYLOCELLIDAE Hansen & Sørensen, 1904	Recent
no fossil record	
TROGLOSIRONIDAE Shear, 1993	Recent
no fossil record	
EUPNOI Hansen & Sørensen, 1904 (suborder)	Devonian - Recent
plesiom taxa	
† <i>Eophalangium</i> Dunlop, Anderson, Kerp & Hass, 2004	Devonian
4. <i>Eophalangium sheari</i> Dunlop, Anderson, Kerp & Hass, 2004*	D Rhynie chert
† <i>Brigantibunum</i> Dunlop & Anderson, 2005	Carboniferous
5. <i>Brigantibunum listoni</i> Dunlop & Anderson, 2005*	C East Kirkton
† <i>Kustarachne</i> Scudder, 1890b	Carboniferous
6. <i>Kustarachne tenuipes</i> Scudder, 1890b*	C Mazon Creek
i. = <i>Kustarachne exstincta</i> Melander, 1903	C Mazon Creek
ii. = <i>Kustarachne conica</i> Petrunkevitch, 1913	C Mazon Creek

CADDOIDEA Banks, 1893	Palaeogene – Recent
CADDIDAE Banks, 1893	Palaeogene – Recent
Caddo Banks, 1892a	Palaeogene – Recent
7. <i>Caddo dentipalpus</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
PHALANGIOIDEA Latreille, 1802	Palaeogene – Recent
family uncertain	
† <i>Petrunkewitchiana</i> Mello-Leitão, 1937 [genus incertae sedis]	Palaeogene
8. <i>Petrunkewitchiana oculata</i> (Petrunkewitch, 1922)*	Pa Florissant
MONOSCUTIDAE Forster, 1948	Recent
no fossil record	
NEOPILIONIDAE Lawrence, 1931	Recent
no fossil record	
PHALANGIIDAE Latreille, 1802	Palaeogene – Recent
Dicranopalpus Doleschall, 1852	Palaeogene – Recent
9. <i>Dicranopalpus ramiger</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
i. = <i>Opilio corniger</i> Menge, 1854	Pa Baltic amber
ii. = <i>Dicranopalpus palmnickensis</i> Roewer, 1939	Pa Baltic amber
† Stephanobunus Dunlop & Mammitzsch, 2010	Palaeogene
10. <i>Stephanobunus mitovi</i> Dunlop & Mammitzsch, 2010	Pa Baltic amber
?Phalangiidae	
11. <i>Opilio ovalis</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
[probably misplaced at genus level]	
SCLEROSOMATIDAE Simon, 1879a	Jurassic – Recent
† Amauropilio Mello-Leitão, 1937	Palaeogene
12. <i>Amauropilio atavus</i> (Cockerell, 1907)	Pa Florissant
13. <i>Amauropilio lacoei</i> (Petrunkewitch, 1922)	Pa Florissant
Leiobunum C. L. Koch, 1839a	Jurassic – Recent
14. <i>Leiobunum longipes</i> Menge, 1854	Pa Baltic amber
i. = <i>Leiobunum saparum</i> Menge, 1854 [?lapsus]	Pa Baltic amber
ii. = <i>Leiobunum inclusum</i> Roewer, 1939	Pa Baltic amber
† Mesobunus Huang, Selden & Dunlop, 2009	Jurassic
15. <i>Mesobunus martensi</i> Huang, Selden & Dunlop, 2009*	J Daohugou
Family uncertain	
† Daohugopilio Huang, Selden & Dunlop, 2009	Jurassic
16. <i>Daohugopilio sheari</i> Huang, Selden & Dunlop, 2009*	J Daohugou

DYSPNOI Hansen & Sørensen, 1904 (suborder)	Carbon. – Recent
family uncertain	
+ <i>Echinopustulatus</i> Dunlop, 2004	Carboniferous
17. <i>Echinopustulatus samuelnelsoni</i> Dunlop, 2004*	C Missouri
ISCHYROPSALIDOIDEA Simon, 1879a	Palaeogene – Recent
CERATOLASMATIDAE Shear, 1986	Recent
no fossil record	
ISCHYROPSALIDIDAE Simon, 1879a	Recent
no fossil record	
SABAONIDAE Dresco, 1970	Palaeogene – Recent
Sabacon Simon, 1879a	Palaeogene – Recent
18. <i>Sabacon claviger</i> (Menge, 1854)	Pa Baltic amber
i. = <i>Sabacon bachoferi</i> Roewer, 1939	Pa Baltic amber
TROGULOIDEA Sundevall, 1833	Cretaceous – Recent
[family uncertain; Shear (2010) suggested it is not an ortholasmatine, but may represent a new family]	
+ <i>Halitheres</i> Giribet & Dunlop, 2005	Cretaceous
19. <i>Halitheres grimaldii</i> Giribet & Dunlop, 2005*	K Myanmar amber
DICRANOLASMATIDAE Simon, 1879a	Recent
no fossil record	
+ EOTROGULIDAE Petrunkevitch, 1955a	Carboniferous
+ <i>Eotrogulus</i> Thevenin, 1901	Carboniferous
20. <i>Eotrogulus fayoli</i> Thevenin, 1901*	C Commentry
NEMASTOMATIDAE Simon, 1879a	Palaeogene – Recent
<i>Histicostoma</i> Kratochvíl, 1958	Palaeogene – Recent
21. ? <i>Histicostoma tuberculatum</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
<i>Mitostoma</i> Roewer, 1951	Palaeogene – Recent
22. ? <i>Mitostoma denticulatum</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
i. = <i>Nemastoma succineum</i> Roewer, 1939	Pa Baltic amber
<i>Nemastoma</i> C. L. Koch, 1836	Palaeogene – Recent
23. ? <i>Nemastoma incertum</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
+ NEMASTOMOIDIDAE Petrunkevitch, 1955a	Carboniferous
+ <i>Nemastomoides</i> Thevenin, 1901	Carboniferous
= † <i>Protopilio</i> Petrunkevitch, 1913	
24. <i>Nemastomoides elaveris</i> Thevenin, 1901*	C Commentry

25. <i>Nemastomoides longipes</i> (Petrunkewitch, 1913)	C Mazon Creek
NIPPONOSALIDIDAE Martens, 1976	Recent
no fossil record	
TROGULIDAE Sundevall, 1833	Palaeogene – Recent
<i>Trogulus</i> Latreille, 1802	Palaeogene – Recent
26. <i>Trogulus longipes</i> Haupt, 1956	Pa Geiseltal
LANIATORES Thorell, 1876c (suborder)	Palaeogene – Recent
family uncertain	
<i>Philacarus</i> Sørensen, 1932	Neogene – Recent
27. <i>Philacarus hispaniolensis</i> Cokendolpher & Poinar, 1992	Ne Dominican amber
INSIDIATORES Loman, 1900 (infraorder)	Palaeogene – Recent
TRAVUNIOIDEA Absolon & Kratochvíl, 1932	Palaeogene – Recent
CLADONYCHIDAE Hadži, 1935	Palaeogene – Recent
† <i>Proholoscotolemon</i> Ubick & Dunlop, 2005	Palaeogene
28. <i>Proholoscotolemon nemastomoides</i> (C. L. Koch & Berendt, 1854)*	Pa Baltic amber
? <i>Proholoscotolemon</i> sp. in Ubick & Dunlop (2005)	Pa Baltic amber
PENTANYCHIDAE Briggs, 1971	Recent
no fossil record	
TRAVUNIIDAE Absolon & Kratochvíl, 1932	Recent
no fossil record	
TRIAENONYCHOIDEA Sørensen, 1886	Recent
SYNTHETONYCHIIDAE Forster, 1954	Recent
no fossil record	
TRIAENONYCHIDAE Sørensen, 1886	Recent
no fossil record	
GRASSATORES Kury, 2002 (infraorder)	Neogene – Recent
SAMOIDEA Sørensen, 1886	Neogene – Recent
BIANTIDAE Thorell, 1889	Recent
no fossil record	
ESCADABIIDAE Kury & Pérez González in Kury, 2003	Recent
no fossil record	
KIMULIDAE Pérez González, Kury & Alonso-Zarazaga in Pérez González & Kury,	

2007	Neogene – Recent
<i>Kimula</i> Goodnight & Goodnight, 1942	Neogene – Recent
<i>Kimula</i> sp. in Cokendolpher & Poinar (1992)	Ne Dominican amber
PODOCTIDAE Roewer, 1912	Recent
no fossil record		
SAMOIDAE Sørensen, 1886	Neogene – Recent
<i>Hummelinckiolus</i> Šilhavý, 1979	Neogene – Recent
29. <i>Hummelinckiolus silhavyi</i> Cokendolpher & Poinar, 1998	Ne Dominican amber
<i>Pellobunus</i> Banks, 1905	Neogene – Recent
30. <i>Pellobunus proavus</i> Cokendolpher, 1987	Ne Dominican amber
STYGNOMMATICIDAE Roewer, 1923	Recent
no fossil record		
ASSAMIOIDEA Sørensen, 1884	Recent
ASSAMIIDAE Sørensen, 1884	Recent
no fossil record		
EPEDANIDAE Sørensen, 1886	Recent
no fossil record		
STYGNOPSIDAE Sørensen, 1932	Recent
no fossil record		
GONYLEPTOIDEA Sundevall, 1833	Recent
AGORISTENIDAE Šilhavý, 1973	Recent
no fossil record		
COSMETIDAE C. L. Koch, 1839a	Recent
no fossil record		
CRANAIDAE Roewer, 1913	Recent
no fossil record		
GONYLEPTIDAE Sundevall, 1833	Recent
no fossil record		
MANAOSSIIDAE Roewer, 1943	Recent
no fossil record		
STYGNIDAE Simon, 1879b	Recent
no fossil record		

PHALANGODOIDEA Simon, 1879a Recent
ONCOPODIDAE Thorell, 1876c Recent
no fossil record

PHALANGODIDAE Simon, 1879a Recent
no fossil record

ZALMOXOIDEA Sørensen, 1886 Recent
FISSIPHALLIIDAE Martens, 1988 Recent
no fossil record

GUASINIIDAE González-Sponga, 1997 Recent
no fossil record

ICALEPTIDAE Kury & Pérez González, 2002 Recent
no fossil record

ZALMOXIDAE Sørensen, 1886 Recent
no fossil record

OPILIONES *incertae sedis*
unnamed specimen *in* Jell & Duncan (1986) K Koonwarra

NOMINA DUBIA

1. *Cheiromachus coriaceus* Menge, 1854 Pa Baltic amber
2. *Phalangium succineum* Presl, 1822 Pa Baltic amber

MISIDENTIFICATIONS

1. *Hasseltides primigenius* Weyenbergh, 1869 [crinoid] J Solnhofen
2. *Rhabdotarachnoides simoni* Haupt, 1957 [plant fragment] P Rotliegend

6,491 Recent species according to Kury (2011)

PHALANGIOTARBIDA

31 currently valid species of fossil phalangiotarbid

- † PHALANGIOTARBIDA Haase, 1890** Devonian – Permian
 = † ARCHITARBIDA Petrunkevitch, 1945a
- † ANTHRACOTARBIDAE Kjellesvig-Waering, 1969** Carboniferous
- † Anthracotarbus Kjellesvig-Waering, 1969** Carboniferous
1. *Anthracotarbus hintoni* Kjellesvig-Waering, 1969* C Oklahoma
- † ARCHITARBIDAE Karsch, 1882** Devonian – Carbon.
- = † PHALANGIOTARBIDAE Haase, 1890
- † Architarbus Scudder, 1868** Carboniferous
2. *Architarbus hoffmanni* Guthörl, 1934 C Saar basin
 - i. = *Opiliotarbus klicheri* Waterlot, 1935 C Saar basin
 - ii. = *Goniatarbus sarana* Guthörl, 1965 C Saar basin
 3. *Architarbus minor* Petrunkevitch, 1913 C Mazon Creek
 4. *Architarbus rotundatus* Scudder, 1868* C Mazon Creek
- † Bornatarbus Rößler & Schneider, 1997** Carboniferous
5. *Bornatarbus mayasii* (Haupt in Nindel, 1955)* C Germany / UK
- † Devonotarbus Poschmann, Anderson & Dunlop, 2005** Devonian
6. *Devonotarbus hombachensis* Poschmann, Anderson & Dunlop, 2005* D Hombach
- † Discotarbus Petrunkevitch, 1913** Carboniferous
7. *Discotarbus deplanatus* Petrunkevitch, 1913* C Mazon Creek
- † Geratarbus Scudder, 1890b** Carboniferous
8. *Geratarbus lacoei* Scudder, 1890b* C Mazon Creek
 9. *Geratarbus bohemicus* Petrunkevitch, 1953 C Nýřany
- † Goniatarbus Petrunkevitch, 1949** Carboniferous
10. *Goniatarbus angulatus* (Pocock, 1911) C Coseley
 11. *Goniatarbus tuberculatus* (Pocock, 1911)* C Coseley
 - i. = *Goniatarbus tuberculatus* Petrunkevitch, 1949 C Coseley
- † Hadrachne Melander, 1903** Carboniferous
12. *Hadrachne horribilis* Melander, 1903* C Mazon Creek
- † Leptotarbus Petrunkevitch, 1945a** Carboniferous
13. *Leptotarbus torpedo* (Pocock, 1911)* C Coseley
- † Mesotarbus Petrunkevitch, 1949** Carboniferous
14. *Mesotarbus angustus* (Pocock, 1911) C Coseley
 15. *Mesotarbus eggintoni* (Pocock, 1911) C Coseley

16. *Mesotarbus hindii* (Pocock, 1911) C Coseley
17. *Mesotarbus intermedius* Petrunkevitch, 1949* C Coseley
18. *Mesotarbus peteri* Dunlop & Horrocks, 1997 C Westhoughton
- † ***Metatarbus* Petrunkevitch, 1913** Carboniferous
19. *Metatarbus triangularis* Petrunkevitch, 1913* C Mazon Creek
- † ***Ootarbus* Petrunkevitch, 1945a** Carboniferous
20. *Ootarbus pulcher* Petrunkevitch, 1945a* C Mazon Creek
21. *Ootarbus ovatus* Petrunkevitch, 1945a C Mazon Creek
- † ***Orthotarbus* Petrunkevitch, 1945a** Carboniferous
22. *Orthotarbus longipes* Simon, 1971 C Halleschen Mulde
23. *Orthotarbus minutus* (Petrunkevitch, 1913)* C Mazon Creek
24. *Orthotarbus robustus* Petrunkevitch, 1945a C Mazon Creek
25. *Orthotarbus nyranensis* Petrunkevitch, 1953 C Nýřany
- † ***Paratarbus* Petrunkevitch, 1945a** Carboniferous
26. *Paratarbus carbonarius* Petrunkevitch, 1945a* C Mazon Creek
- † ***Phalangiotarbus* Haase, 1890** Carboniferous
27. *Phalangiotarbus subovalis* (Woodward, 1872b)* C Burnley
- † ***Pycnotarbus* Darber, 1990** Carboniferous
28. *Pycnotarbus verrucosus* Darber, 1990* C Oelsnitz
- † ***Triangulotarbus* Patrick, 1989** Carboniferous
29. *Triangulotarbus terrehautesis* Patrick, 1989* C Indiana
- † **HETEROTARBIDAE Petrunkevitch, 1913** Carboniferous
- † ***Heterotarbus* Petrunkevitch, 1913** Carboniferous
30. *Heterotarbus ovatus* Petrunkevitch, 1913* C Mazon Creek
- † **OPILIOTARBIDAE Petrunkevitch, 1945a** Carb. – Permian
- † ***Opiliotarbus* Pocock, 1910** Carb. – Permian
31. *Opiliotarbus elongatus* (Scudder, 1890b)* C – P USA / Germany

NOMINA DUBIA

1. *Eotarbus litoralis* Kušta, 1888 C Rakovník
2. *Nemastomoides depressus* Petrunkevitch, 1913 C Mazon Creek

no Recent species

PSUEDOSCORPIONES

43 currently valid species of fossil pseudoscorpion

PSEUDOSCORPIONES De Geer, 1778	Devonian – Recent
= CHERNETES Simon, 1879a		
= CHELONETHI Thorell, 1882		
EPIOCHIERATA Harvey, 1992 (suborder)	Devonian – Recent
CTHONOIDEA Daday, 1888	Devonian – Recent
CTHONIIDAE Daday, 1888	Palaeogene – Recent
<i>Chthonius</i> C. L. Koch, 1843a	Palaeogene – Recent
1. <i>Chthonius (Chthonius) mengei</i> Beier, 1937	Pa Baltic amber
2. <i>Chthonius (Chthonius) pristinus</i> Schawaller, 1978	Pa Baltic amber
<i>Pseudochthonius</i> Balzan, 1892	Neogene – Recent
3. <i>Pseudochthonius squamosus</i> Schawaller, 1980a	Ne Dominican amber
<i>Tyrannchthonius</i> Chamberlin, 1929	Quaternary – Recent
<i>Tyrannchthonius</i> sp. in Judson (2010)	Qt Madagascan copal
† DRACOCHELIDAE Schawaller, Shear & Bonamo, 1991	Devonian
† <i>Dracochela</i> Schawaller, Shear & Bonamo, 1991	Devonian
4. <i>Dracochela deprehendor</i> Schawaller, Shear & Bonamo, 1991*	D Gilboa
LECHYTIDAE Chamberlin, 1929	Neogene – Recent
<i>Lechyta</i> Balzan, 1892	Neogene – Recent
5. <i>Lechyta tertaria</i> Schawaller, 1980a	Ne Dominican amber
TRIDENCHTHONIIDAE Balzan, 1892	Palaeogene – Recent
= DITHIDAE Chamberlin, 1929		
† <i>Chelignathus</i> Menge, 1854	Palaeogene
6. <i>Chelignathus kochii</i> Menge, 1854	Pa Baltic amber
FEAELLOIDEA Ellingsen, 1906	Palaeogene – Recent
FEAELLIDAE Ellingsen, 1906	Recent
no fossil record		
PSEUDOGARYPIDAE Chamberlin, 1923a	Palaeogene – Recent
<i>Pseudogarypus</i> Ellingsen, 1909	Palaeogene – Recent
7. <i>Pseudogarypus extensus</i> Beier, 1937	Pa Baltic amber

8. *Pseudogarypus hemprichii* (C. L. Koch & Berendt, 1854) Pa Baltic amber
9. *Pseudogarypus minor* Beier, 1947a Pa Baltic amber
10. *Pseudogarypus pangaea* Henderickx *in* Henderickx *et al.*, 2006 Pa Baltic amber
- IOCHIERATA Harvey, 1992 (suborder)** Cretaceous – Recent
- HEMICTENATA Balzan, 1892 (infraorder)** Cretaceous – Recent
- NEOBISIOIDEA Chamberlin, 1930** Cretaceous – Recent
- BOCHICIDAE Chamberlin, 1930** Recent
- = VACHONIIDAE Chamberlin, 1947
- no fossil record
- GYMNOBISIIDAE Beier, 1947b** Recent
- no fossil record
- HYIDAE Chamberlin, 1930** Recent
- no fossil record
- IDEORONCIDAE Chamberlin, 1930** Recent
- no fossil record
- NEOBISIIDAE Chamberlin, 1930** Cretaceous – Recent
- = OBISIIDAE Sundevall, 1833
- † ***Electrobisium* Cockerell, 1917** Cretaceous
11. *Electrobisium acutum* Cockerell, 1917a* K Myanmar amber
- Microcreagris* Balzan, 1892** Palaeogene – Recent
12. *Microcreagris koellneri* Schawaller, 1978 Pa Baltic amber
- Neobisium* Chamberlin, 1930** Palaeogene – Recent
13. *Neobisium (Neobisium) exstinctum* Beier, 1955 Pa Baltic amber
14. *Neobisium henderickxi* Judson, 2003 Pa Baltic amber
- Roncus* L. Koch, 1873** Palaeogene – Recent
15. *Roncus succineus* Beier, 1955 Pa Baltic amber
- PARAHYIDAE Harvey, 1992** Recent
- no fossil record
- SYARINIDAE Chamberlin, 1930** Recent
- no fossil record
- PANCTENATA Balzan, 1892 (infraorder)** Cretaceous – Recent
- GARYPOIDEA Simon, 1879a** Cretaceous – Recent
- GARYPIDAE Simon, 1879a** Recent
- = SYNSPHRONIDAE Beier, 1932a
- no fossil record

GARYPINIDAE Daday, 1888	Cretaceous – Recent
Amblyolpium Simon, 1898b	Cretaceous – Recent
16. <i>Amblyolpium burmiticum</i> (Cockerell, 1920)	K Myanmar amber
Garypinus Daday, 1888	Palaeogene – Recent
17. <i>Garypinus electri</i> Beier, 1937	Pa Baltic amber
 GEOGARYPIDAE Chamberlin, 1930	Palaeogene – Recent
Geogarypus Chamberlin, 1930	Palaeogene – Recent
18. <i>Geogarypus gorskii</i> Henderickx, 2005	Pa Baltic amber
19. <i>Geogarypus macrodactylus</i> Beier, 1937	Pa Baltic amber
20. <i>Geogarypus major</i> Beier, 1937	Pa Baltic amber
 LARCIDAE Harvey, 1992	Recent
no fossil record		
 MENTHIDAE Chamberlin, 1930	Recent
no fossil record		
 OLPIIDAE Banks, 1895	Palaeogene – Recent
no fossil record		
 STERNOPHOROIDEA Chamberlin, 1923b	Neogene – Recent
STERNOPHORIDAE Chamberlin, 1923b	Neogene – Recent
<i>Idiogaryops</i> Hoff, 1963	Neogene – Recent
21. <i>Idiogaryops pumilus</i> (Hoff, 1963) [Recent]	Ne–R Dominican amber
 CHEIRIDIOIDEA Hansen, 1894	Palaeogene – Recent
CHEIRIDIIDAE Hansen, 1894	Palaeogene – Recent
<i>Cheiridium</i> Menge, 1855	Palaeogene – Recent
22. <i>Cheiridium hartmanni</i> (Menge, 1854)	Pa Baltic amber
<i>Cryptocheiridium</i> Chamberlin, 1931a	Neogene – Recent
23. <i>Cryptocheiridium (Cryptocheiridium) antiquum</i> Schawaller, 1981	Ne Dominican amber
 PSEUDOCHIRIDIIDAE Chamberlin, 1923b	Neogene – Recent
<i>Pseudochiridium</i> With, 1906	Neogene – Recent
24. <i>Pseudochiridium lindae</i> Judson, 2007	Ne Dominican amber
 CHELIFEROIDEA Risso, 1826	Cretaceous – Recent
ATEMNIDAE Chamberlin, 1931a	Palaeogene – Recent
Atemniae indet. <i>in</i> Judson (2010)	Qt Dominican amber
<i>Paratemnoides</i> Harvey, 1991	Quaternary – Recent

25. <i>Paratemnoides nidifacator</i> (Balzan, 1888) [Recent]	Qt-R Colombian copal
† <i>Progonatemnus</i> Beier, 1955	Palaeogene
26. <i>Progonatemnus succineus</i> Beier, 1955	Pa Baltic amber
 CHELIFERIIDAE Risso, 1826	Cretaceous – Recent
<i>Cheliferiidae?</i> indet. <i>in</i> Judson (2009)	K Archingeay amber
† <i>Dichela</i> Menge, 1854	Palaeogene
= † <i>Oligochelifer</i> Beier, 1937	
27. <i>Dichela berendtii</i> Menge, 1954*	Pa Baltic amber
28. <i>Dichela gracilis</i> (Beier, 1937)	Pa Baltic amber
29. <i>Dichela granulatus</i> (Beier, 1937)	Pa Baltic amber
30. <i>Dichela serratidentatus</i> (Beier, 1937)	Pa Baltic amber
† <i>Electrochelifer</i> Beier, 1937	Palaeogene
31. <i>Electrochelifer bachofeni</i> Beier, 1947a	Pa Baltic amber
32. <i>Electrochelifer balticus</i> Beier, 1955	Pa Baltic amber
33. <i>Electrochelifer mensei</i> Beier, 1937*	Pa Baltic amber
34. <i>Electrochelifer rapulitarsus</i> Beier, 1947a	Pa Baltic amber
† <i>Heurtaultia</i> Judson, 2009 [tentative referal to family]	Cretaceous
35. <i>Heurtaultia rossiorum</i> Judson, 2009	K Archingeay amber
† <i>Pycnochelifer</i> Beier, 1937	Palaeogene
36. <i>Pycnochelifer kleemannii</i> (C. L. Koch & Berendt, 1854)*	Pa Baltic amber
i. = <i>Obisium rathkii</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
† <i>Trachychelifer</i> Hong, 1983b	Palaeogene
37. <i>Trachychelifer liaoningense</i> Hong, 1983b*	Pa Chinese amber
 CHERNETIDAE Menge, 1855	Cretaceous – Recent
<i>Chernetidae</i> gen. et sp. indet <i>in</i> Schawaller (1991)	K Canadian amber
<i>Chernetidae</i> gen. et sp. indet <i>in</i> Schawaller (1982b)	Ne Chiapas amber
† <i>Oligochernes</i> Beier, 1937	Palaeogene
38. <i>Oligochernes bachofeni</i> Beier, 1937	Pa Baltic amber
39. <i>Oligochernes wigandi</i> (Menge, 1854)	Pa Baltic amber
<i>Pachychernes</i> Beier, 1932b	Neogene – Recent
40. <i>Pachychernes effossus</i> Schawaller, 1980b	Ne Dominican amber
41. <i>Pachychernes</i> aff. <i>subrobustus</i> (Balzan, 1892) [Recent]	Qt-R Colombian copal
 WITHIIDAE Chamberlin, 1931b	Palaeogene – Recent
† <i>Beierowithius</i> Mahnert, 1879	Palaeogene
42. <i>Beierowithius sieboldtii</i> (Menge, 1854)*	Pa Baltic amber
<i>Withius</i> Kew, 1911	Quaternary – Recent
43. <i>Chelifer eucarpus</i> Dalman, 1826	Qt East African opal

NOMINA DUBIA

1. *Chelifer ehrenbergii* C. L. Koch & Berendt, 1854 Pa Baltic amber

NOMINA NUDA

1. *Chelifer fossilis* Weyenbergh, 1874 J Solnhofen

3,385 Recent species according to Harvey (2009)

SOLIFUGAE

5 currently valid species of camel spider

- *Schneidarachne* appears to show some solifuge-like features and was tentatively assigned to the stem-lineage of this order; for convenience it is listed here alongside the camel spiders
- a family name *Protosolpugidae* has been proposed for *Protosolpuga*, but was not recognised in most of the subsequent literature – cf. Selden & Shear's (1996) revision

stem-lineage?

† <i>Schneidarachne</i> Dunlop & Rössler, 2003	Carboniferous
1. <i>Schneidarachne saganii</i> Dunlop & Rössler, 2003*	C Kamienna Góra
SOLIFUGAE Sundevall, 1833	Carbon. – Recent
† <i>Protosolpuga</i> Petrunkevitch, 1913	Carboniferous
2. <i>Protosolpuga carbonaria</i> Petrunkevitch, 1913*	C Mazon Creek
AMMOTRECHIDAE Roewer, 1934	Neogene – Recent
† <i>Haplodontus</i> Poinar & Santiago-Blay, 1989	Neogene
3. <i>Haplodontus proterus</i> Poinar & Santiago-Blay, 1989*	Ne Dominican amber
CEROMIDAE Roewer, 1933	Cretaceous – Recent
† <i>Cratosolpuga</i> Selden in Selden & Shear, 1996	Cretaceous
4. <i>Cratosolpuga wunderlichi</i> Selden in Selden & Shear, 1996*	K Crato Formation
DAESIIDAE Kraepelin, 1899	Palaeogene – Recent
† <i>Palaeoblossia</i> Dunlop, Wunderlich & Poinar, 2004	Palaeogene
5. <i>Palaeoblossia groehni</i> Dunlop, Wunderlich & Poinar, 2004*	Pa Baltic amber
EREMOBATIDAE Kraepelin, 1901	Recent
no fossil record	
GALEODIDAE Sundevall, 1833	Recent
no fossil record	
GYLIPPIDAE Roewer, 1933	Recent
no fossil record	
HEXISOPODIDAE Pocock, 1897	Recent

no fossil record

KARSCHIIDAE Kraepelin, 1899 **Recent**

no fossil record

MELANOBLOSSIDAE Roewer, 1933 **Recent**

no fossil record

MUMMUCIIDAE Roewer, 1934 **Recent**

no fossil record

RHAGODIDAE Pocock, 1897 **Recent**

no fossil record

SOLPUGIDAE Leach, 1815 **Recent**

no fossil record

1,075 Recent species according to Harvey (2003)

PALPIGRADI

1 currently valid species of fossil palpigrade

PALPIGRADI Thorell, 1888 Neogene – Recent

= MICROTHELYPHONIDA Grassi & Calandruccio, 1885

family uncertain

† *Paleokoenenia* Rowland & Sissom, 1980 Neogene

1. *Paleokoenenia mordax* Rowland & Sissom, 1980* Ne Onyx Marble

EUKOENENIIDAE Petrunkevitch, 1955a Recent

no fossil record

PROKOENENIIDAE Condé, 1996 Recent

no fossil record

MISIDENTIFICATIONS

1. *Sternarthron zitteli* Haase, 1890 [insect] J Solnhofen

2. *Sternarthron zitteli* var. *minor* (Oppenheim, 1887) [insect] J Solnhofen

78 Recent species according to Harvey (2003)

ACARI: PARASITIFORMES

15 currently valid species of fossil parasitiform mite

- higher systematics and sequence of taxa follows the third edition of *A Manual of Acarology* (Krantz & Walter, eds, 2009), except that their orders are listed here as suborders, and suborders as infraorders to achieve some degree of consistency with other arachnid higher taxa throughout this list

PARASITIFORMES Reuter, 1909 Cretaceous – Recent

= ANACTINOTRICHIDA author, date?

OPILIOACARIDA Zachvatkin, 1952 (suborder) Palaeogene – Recent

= NOTOSTIGMATA author, date?

OPILIOACARODEA Vitzthum, 1931 Palaeogene – Recent

OPILIOACARIDAE Vitzthum, 1931 Palaeogene – Recent

= NEOACARIDAE Chamberlin & Mulaik, 1942

Opilioacarus With, 1902 ?Palaeogene – Recent

1. ?*Opilioacarus aenigmus* Dunlop, Sempf & Wunderlich, 2010 Pa Baltic amber

Paracarus Chamberlin & Mulaik, 1942 Palaeogene – Recent

2. *Paracarus pristinus* Dunlop, Wunderlich & Poinar, 2004 Pa Baltic amber

HOLOTHYRIDAE Thorell, 1882 (suborder) Recent

= TETRASTIGMATA author, date?

HOLOTYHROIDEA Thorell, 1882 Recent

ALLOTHYRIDAE van der Hammen, 1972 Recent

no fossil record

HOLOTHYRIDAE Thorell, 1882 Recent

no fossil record

NEOTHYRIDAE Lehtinen, 1981 Recent

no fossil record

IXODIDA Leach, 1815 (suborder) Cretaceous – Recent

= METASTIGMATA author, date?

IXODOIDEA Banks, 1907 Cretaceous – Recent

ARGASIDAE Murray, 1877 Cretaceous – Recent

Carios Latreille, 1796 Cretaceous – Recent

3. *Carios jerseyi* Klompen & Grimaldi, 2001 K New Jersey amber

<i>Ornithodoros</i> C. L. Koch, 1844	Neogene – Recent
4. <i>Ornithodoros antiquus</i> Poinar, 1995	Ne Dominican amber
IXODIDAE Banks, 1907	Cretaceous – Recent
<i>Amblyomma</i> C. L. Koch, 1844	Neogene – Recent
5. <i>Amblyomma near argentinae</i> Neumann, 1905 [Recent]	Ne–R Dominican amber
† <i>Compluriscutata</i> Poinar & Buckley, 2008	Cretaceous
6. <i>Compluriscutata vetulum</i> Poinar & Buckley, 2008*	K Myanmar amber
† <i>Cornupalpatum</i> Poinar & Brown, 2003	Cretaceous
7. <i>Cornupalpatum burmanicum</i> Poinar & Brown, 2003*	K Myanmar amber
<i>Dermacentor</i> C. L. Koch, 1844	Neogene – Recent
8. <i>Dermacentor nr. reticulatus</i> (Fabricius, 1794) [Recent] (in Schille 1916)	Ne–R in a Rhino's ear
<i>Hyalomma</i> C. L. Koch, 1844	Palaeogene – Recent
<i>Hyalomma</i> spp.	Pa Baltic amber
<i>Ixodes</i> Latreille, 1795	Palaeogene – Recent
9. <i>Ixodes sigelos</i> Keirans, Clifford & Corwin, 1976 [Recent]	Qt Argentina
10. <i>Ixodes succineus</i> Weidner, 1964	Pa Baltic amber
11. <i>Ixodes tertiaris</i> Scudder, 1885	Pa Wyoming
NB: Guglielmone <i>et al.</i> (2009) suggested this may be a <i>nomen nudum</i> , although they probably meant a <i>nomen dubium</i> as there is a description and figure.	
NUTALLIELLIDAE Schulze, 1935	Recent
no fossil record	
MESOSTIGMATA author, date? (suborder)	Palaeogene – Recent
= GAMASIDA Leach, 1815	
SEJIDA Kramer, 1885 (infraorder)	Palaeogene – Recent
= LIROASPINNA author, date?	
= TRICHOPYGIDIINA author, date?	
SEJOIDEA Berlese, 1885	Palaeogene – Recent
ICHTHYOSTOMATOGASTERIDAE Sellnick, 1953	Recent
no fossil record	
SEJIDAE Berlese, 1885	Palaeogene – Recent
= LIROASPIDIDAE Trägårdh, 1946	
Sejus C. L. Koch, 1836 [NB: <i>Seius</i> in an invalid emendation]	Palaeogene – Recent
12. <i>Sejus bdelloides</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
UROPODELLIDAE Camin, 1955	Recent
no fossil record	
TRIGYNASPIDA author, date? (infraorder)	Recent

CERCOMEGISTINA Camin & Gorirossi, 1955 (cohort)	Recent
CERCOMEGISTOIDEA Trägårdh, 1937	Recent
ASTERNOSEIIDAE Valle, 1955	Recent
no fossil record	
 CERCOMEGISTIDAE Trägårdh, 1937	Recent
no fossil record	
 DAVACARIDAE Kethley, 1979	Recent
no fossil record	
 PYROSEJIDAE Lindquist & Moraza, 1993	Recent
no fossil record	
 SALTISEIIDAE Walter, 2000	Recent
no fossil record	
 SEIODIDAE Kethley, 1979	Recent
no fossil record	
 ANTENNOPHORINA Berlese, 1882 (cohort)	Recent
ANTENNOPHOROIDEA Berlese, 1892	Recent
ANTENNOPHORIDAE Berlese, 1892	Recent
no fossil record	
 CELAENOPSIDEOA Berlese, 1892	Recent
CELAENOPSIDAE Berlese, 1892	Recent
no fossil record	
 COSTACARIDAE Hunter, 1993	Recent
no fossil record	
 DIPLOGYNIIDAE Trägårdh, 1941	Recent
no fossil record	
 EUZERCONIDAE Trägårdh, 1938	Recent
no fossil record	
 MEGACELAENOPSIDAE Funck, 1975	Recent
no fossil record	
 MEINERTULIDAE Trägårdh, 1950	Recent
no fossil record	

- NEOTENOOGYNIIDAE** Kethley, 1974 Recent
no fossil record
- SCHIZOGYNIIDAE** Trägårdh, 1950 Recent
no fossil record
- TRIPLOGYNIIDAE** Funck, 1977 Recent
no fossil record
- FEDRIZZIOIDEA** Trägårdh, 1937 Recent
FEDRIZZIIDAE Trägårdh, 1937 Recent
no fossil record
- KLINCKOWSTROEMIIDAE** author, date? Recent
no fossil record
- PARAMEGISTIDAE** Trägårdh, 1946 Recent
no fossil record
- PROMEGISTIDAE** Kethley, 1979 Recent
no fossil record
- MEGISTHANOIDEA** Berlese, 1914 Recent
HOPLOMEGISTIDAE author, date? Recent
no fossil record
- MEGISTHANIDAE** Berlese, 1914 Recent
no fossil record
- PARANTENNULOIDEA** Willmann, 1940 Recent
PARANTENNULIDAE Willmann, 1940 Recent
no fossil record
- PHIODANIDAE** Kethley, 1977b Recent
no fossil record
- AENICTEGUOIDEA** Kethley, 1979 Recent
AENICTEGUIDAE Kethley, 1979 Recent
no fossil record
- MESSORACARIDAE** Kethley, 1977 Recent
no fossil record

PYHALOZERCONIDAE Kethley, 1977	Recent
no fossil record	
PTOCHACARIDAE Kethley, 1979	Recent
no fossil record	
MONOGYNASPIDA author, date? (infrorder)	Palaeogene – Recent
MICROGYNIINA Trägårdh, 1942 (cohort)	Recent
MICROGYNIOIDEA Trägårdh, 1942	Recent
MICROGYNIIDAE Trägårdh, 1942	Recent
= MICROSEJIDAE Trägårdh, 1942	
no fossil record	
NOTHOGYNIDAE Walter & Kranz, 1999	Recent
no fossil record	
HEATHERELLINA author, date? (cohort)	Recent
HEATHERELLOIDEA Walter, 1997	Recent
HEATHERELLIDAE Walter, 1997	Recent
no fossil record	
UROPODINA Kramer, 1881 (cohort)	Quaternary – Recent
UROPODIAE author, date? (subcohort)	Quaternary – Recent
PROTODINYCHOIDEA Evans, 1957	Recent
PROTODINICHIDAE Evans, 1957	Recent
no fossil record	
THINOZERCONOIDEA Halbert, 1915	Recent
THINOZERCONIDAE Halbert, 1915	Recent
no fossil record	
POLYASPIDOIDEA Berlese, 1913	Recent
DITHINOZERCONIDAE Ainscough, 1979	Recent
no fossil record	
POLYASPIDIDAE Berlese, 1913	Recent
no fossil record	
TRACHYTIDAE Trägårdh, 1938	Recent
no fossil record	

UROPODOIDEA Kramer, 1881	Quaternary – Recent
CIRCOCYLLIBAMIDAE Sellnick, 1926	Recent
no fossil record	
DERAIOPHORIDAE Trägårdh, 1952	Recent
no fossil record	
DINYCHIDAE Berlese, 1916	Recent
no fossil record	
DISCOURELLIDAE Baker & Wharton, 1952	Recent
no fossil record	
MACRODINYCHIDAE Hirschmann, 1979	Recent
no fossil record	
METAGYNURIDAE Balogh, 1943	Recent
no fossil record	
NENTERIIDAE Hirschmann, 1979	Recent
no fossil record	
OPLITIDAE Johnston, 1968	Recent
no fossil record	
TREMATURIDAE Berlese, 1917	Recent
= TREMATURELLIDAE Trägårdh, 1944	
no fossil record	
TRIGONUROPODIDAE Hirschmann <i>in</i> Wisniewski, 1979	Recent
no fossil record	
UROACTINIDAE Hirschmann & Zirngiebl-Nicol, 1964	Recent
no fossil record	
URODINYCHIDAE Berlese, 1917	Recent
no fossil record	
UROPODIDAE Kramer, 1881	Quaternary – Recent
<i>Oodinychus</i> Berlese, 1918	Quaternary – Recent
? <i>Oodinychus</i> sp. <i>in</i> Ramsay (1960)	Qt New Zealand
TRACHYUROPODOIDEA Berlese, 1917	Recent

TRACHYUROPODIDAE Berlese, 1917	Recent
no fossil record	
DIARTHROPHALLIAE Trägårdh, 1946 (subcohort)	Recent
DIARTHROPHALLOIDEA Trägårdh, 1946	Recent
DIARTHROPHALLIDAE Trägårdh, 1946	Recent
no fossil record	
HETEROZERCONINA author, date? (cohort)	Recent
HETEROZERCONOIDEA Berlese, 1892	Recent
DISCOZERCONIDAE Berlese, 1910	Recent
no fossil record	
HETEROZERCONIDAE Berlese, 1892	Recent
no fossil record	
GAMASINA author, date? (cohort)	Palaeogene – Recent
EPICRIIAE Vitzthum, 1938 (subcohort)	Neogene – Recent
EPICRIOIDEA Berlese, 1885	Recent
EPICRIIDAE Berlese, 1885	Recent
no fossil record	
ZERCONOIDEA Berlese, 1892	Neogene – Recent
COPROZERCONIDAE Moraza & Lindquist, 1999	Recent
no fossil record	
ZERCONIDAE Berlese, 1892	Neogene – Recent
† <i>Paleozercon</i> Błaszk, Cokendolpher & Polyak, 1995	Neogene
13. <i>Paleozercon caverniculus</i> Błaszk, Cokendolpher & Polyak, 1995	Ne New Mexico
ARCTACARIAE author, date? (subcohort)	Recent
ARCTACAROIDEA Evans, 1955	Recent
ARCTACARIDAE Evans, 1955	Recent
no fossil record	
PARASITIAE Reuter, 1909 (subcohort)	Palaeogene – Recent
PARASITOIDEA Oudemans, 1901	Palaeogene – Recent
PARASITIDAE Oudemans, 1901	Palaeogene – Recent
<i>Aclerogamasus</i> Athias, 1971	Palaeogene – Recent
14. <i>Aclerogamasus stenocornis</i> Witaliński, 2000	Pa Baltic amber
DERMANYSSIAE author, date? (subcohort)	Neogene – Recent

VEIGAIOIDEA Oudemans, 1939	Recent
VEIGAIIDAE Oudemans, 1939	Recent
= GAMASOLAELEPTIDAE Oudemans, 1939	
no fossil record	
RHODACAROIDEA Oudemans, 1902	Neogene – Recent
DIGAMASELLIDAE Evans, 1954 ...[not 57?].	Neogene – Recent
Dendrolaelaps Halbert, 1915	Neogene – Recent
15. <i>Dendrolaelaps fossilis</i> Hirschman, 1971	Ne Chiapas amber
EURYPARASITIDAE d'Antony, 1987	Recent
no fossil record	
GAMASIPHIDAE author, date?	Recent
no fossil record	
LAELEPONYSSIDAE Womersley, 1956	Recent
no fossil record	
OLOGAMASIDAE Ryke, 1962	Recent
no fossil record	
PANTENIPHIDIDAE d'Antony, 1987	Recent
no fossil record	
RHODACARIDAE Oudemans, 1902	Recent
no fossil record	
EVIPHIDOIDEA Berlese, 1913	Quaternary–Recent
EVIPHIDIDAE Berlese, 1913	Recent
no fossil record	
MACROCHELIDAE Vitzthum, 1930	Quaternary–Recent
<i>Macrocheles</i> Latreille, 1829	Quaternary–Recent
<i>Macrocheles</i> sp. in Ramsay (1960)	Qt New Zealand
MEGALOELAPIDAE author, date?	Recent
no fossil record	
PACHYLAELAPIDAE Berlese, 1913	Recent
= NEOPARASITIDAE Oudemans, 1939	
= BULBOGAMASIDAE Gu, Wang & Duan, 1991	
no fossil record	

PARHOLASPIDIDAE Evans, 1956	Recent
no fossil record	
ASCOIDEA Oudemans, 1905	Quaternary – Recent
AMEROSEIIDAE Evans <i>in</i> Hughs, 1961	Recent
no fossil record	
ASCIDAE Oudemans, 1905 ...[or Voigts & Oudemans ?].....	Recent
no fossil record	
HALOELAPIDAE Karg, 1965	Recent
no fossil record	
PODOCINIDAE Berlese, 1913	Quaternary – Recent
Podocinidae sp. <i>in</i> Aoki (1974)	Qt Mizunami copal
PHYTOSEIOIDEA Berlese, 1916	Recent
OTOPHEIDOMENIDAE Treat, 1955	Recent
no fossil record	
PHYTOSEIIDAE Berlese, 1916	Recent
no fossil record	
DERMANYSSOIDEA Kolenati, 1859	Recent
DASYPONYSSIDAE Fonseca, 1940	Recent
no fossil record	
DERMANYSSIDAE Kolenati, 1859	Recent
no fossil record	
ENTONYSSIDAE Ewing, 1922	Recent
no fossil record	
HAEMOGAMASIDAE Oudemans, 1939	Recent
no fossil record	
HALARACHNIDAE Oudemans, 1906	Recent
no fossil record	
HIRSTONYSSIDAE Evans & Till, 1966	Recent
no fossil record	

- HISTRICHONYSSIDAE** Keegan, Yunker & Baker, 1960 Recent
no fossil record
- IXODORHYNCHIDAE** Ewing, 1923 Recent
no fossil record
- LAELAPIDAE** Berlese, 1892 Recent
no fossil record
- LARVAMIMIDAE** Elzinga, 1993 Recent
no fossil record
- LEPTOLaelapidae** Karg, 1978 Recent
no fossil record
- MACRONYSSIDAE** Oudemans , 1936 Recent
no fossil record
- MANITHERIONYSSIDAE** Radovsky & Yunker, 1971 Recent
no fossil record
- OMENTOLaelaptidae** Fain, 1961 Recent
no fossil record
- PNEUMOPHIONYSSIDAE** Fonseca, 1940 Recent
no fossil record
- RAILLIETIIDAE** Vitzthum, 1942 Recent
no fossil record
- RHINONYSSIDAE** Trouessart, 1895 Recent
no fossil record
- SPELAEORHYNCHIDAE** Oudemans, 1902 Recent
no fossil record
- SPINTURNICIDAE** Oudemans, 1902 Recent
no fossil record
- TRICHOASPIDIDAE** Gu, Wang & Li, 1991 Recent
no fossil record
- VARROIDAE** Delfinado & Baker, 1974 Recent

no fossil record

c. 12,500 Recent species

ACARIFORMES

293 currently valid species of fossil acariform mite

- higher systematics and sequence of taxa follows the third edition of *A Manual of Acarology* (Krantz & Walter, eds, 2009), except that their orders are listed here as suborders, and suborders as infraorders to achieve some degree of consistency with other arachnid higher taxa throughout this list
- a putative Ordovician mite assigned to the derived Brachypylina group of the oribatids remains controversial and is not formally listed below

ACARIFORMES Zachvatkin, 1952 Devonian – Recent

= ACTINOTRICHIDA author, date?

TROMBIDIIFORMES author, date? (suborder) Devonian – Recent

SPHAEROLICHIDA author, date? (infraorder) Recent

LORDALYCOIDEA Grandjean, 1939 Recent

LORDALYCHIDAE Grandjean, 1939 Recent

= HYBALICIDAE Theron, 1974

no fossil record

SPHAEROLICOIDEA Berlese, 1913 Recent

SPHAEROLICHIDAE Berlese, 1913 Recent

no fossil record

PROSTIGMATA Kramer, 1877 (infraorder) Devonian – Recent

LABIDOSTOMATIDES author, date? (supercohort) Recent

LABIDOSTOMMATOIDEA Oudemans, 1906 Recent

LABIDOSTOMMATIDAE Oudemans, 1906 Recent

= NICOLETIELLIDAE Canestrini, 1891

no fossil record

EUPODIDES author, date? (supercohort) Devonian – Recent

BDELLOIDEA Dugès, 1834 Cretaceous – Recent

BDELLIDAE Dugès, 1834 Cretaceous – Recent

Bdellidae sp. *in* Aoki (1974) Qt Mizunami copal

Bdella Latreille, 1795 Cretaceous – Recent

1. *Bdella bicincta* Menge *in* C. L. Koch & Berendt, 1854 Pa Baltic amber

2. *Bdella bombycina* Menge *in* C. L. Koch & Berendt, 1854 Pa Baltic amber

3. *Bdella obconica* Menge *in* C. L. Koch & Berendt, 1854 Pa Baltic amber

4. <i>Bdella vetusta</i> Ewing, 1937	K Manitobian amber
<i>Bdellodes</i> Oudemans, 1937	Palaeogene – Recent
5. <i>Bdellodes lata</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
 CUNAXIDAE Thor, 1902	Recent
no fossil record	
 HALACAROIDEA Murray, 1877	Recent
HALACARIDAE Murray, 1877	Recent
no fossil record	
 PEZIDAE Harvey, 1990	Recent
no fossil record	
 EUPODOIDEA C. L. Koch, 1842	Palaeogene – Recent
EUPODIDAE C. L. Koch, 1842	Recent
no fossil record	
 ERIORHYNCHIDAE Qin & Halliday, 1997	Recent
no fossil record	
 PENTAPALPIDAE Oliver & Theron, 2000	Recent
no fossil record	
 PENTHALEIDAE Oudemans, 1931	Recent
no fossil record	
 PENTHALODIDAE Thor, 1933	Palaogene – Recent
<i>Penthalodes</i> Murray, 1877	Palaeogene – Recent
6. <i>Penthalodes tristiculus</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
 PROTERORHAGIIDAE Lindquist & Palacios-Vargas, 1991	Recent
no fossil record	
 RHAGIDIIDAE Oudemans, 1922	Paleogene – Recent
Rhagidiidae indet. <i>in</i> Judson & Wunderlich (2003)	Pa Baltic amber
<i>Poecilophysis</i> O. P.-Cambridge, 1876	Paleogene – Recent
? <i>Poecilophysis</i> sp. <i>in</i> Judson & Wunderlich (2003)	Pa Baltic amber
+ <i>Zachardia</i> Judson & Wunderlich, 2003	Paleogene
7. <i>Zachardia flexipes</i> Judson & Wunderlich, 2003	Pa Baltic amber
 STRANDTMANNIIDAE Zacharda, 1979	Recent

no fossil record

TYDEOIDEA Kramer, 1877 Devonian – Recent

ERYNETIDAE Oudemans, 1931 Recent

= MICROEREUNETIDAE Bottazzi, 1950

no fossil record

IOLINIDAE Pritchard, 1956 Recent

no fossil record

TRIOPHYTYDEIDAE author, date? Recent

= MEYERELLIDAE André, 1979

no fossil record

TYDEIDAE Kramer, 1877 Devonian – Recent

† *Palaeotydeus* Dubinin, 1962 Devonian – Recent

8. *Palaeotydeus devonicus* Dubinin, 1962 D Rhynie chert

† *Parapotacarus* Dubinin, 1962 Devonian – Recent

9. *Paraprotacarus hirsti* Dubinin, 1962 D Rhynie chert

ERIOPHYOIDEA Nalepa, 1898 ?Palaeogene – Recent

= TETRAPODILI author, date?

DIPTILOMIOPIDAE Keifer, 1944 Recent

no fossil record

ERIOPHYIDAE Nalepa, 1898 ?Palaeogene – Recent

Aculops Keifer, 1966 ?Palaeogene – Recent

10. *Aculops keiferi* Southcott & Lange, 1971 ?Pa Australia

Eriophyes von Siebold, 1850 Neogene – Recent

11. *Eriophyes daphnogene* Ambrus & Hably, 1979 [fossil gall] Pa Hungary

12. *Eryophyes* [sic] *vilarubiae* Villalta, 1957 [fossil gall] Ne Spain

PHYTOPTIDAE Murray, 1877 Neogene – Recent

= NALEPELLIDAE Roivainen, 1953

Phytopus Dujardin, 1851 Neogene – Recent

13. *Phytopus antiquus* van Heyden, 1860 [fossil gall] Ne Rott, Germany

ANYSTIDES author, date? (supercohort) Cretaceous – Recent

ANYSTINA author, date? (cohort) Cretaceous – Recent

CAECULOIDEA Berlese, 1883 Paleogene – Recent

CAECULIDAE Berlese, 1883 Paleogene – Recent

Procaeculus Jacot, 1936 Paleogene – Recent

14. <i>Procaeculus dominicensis</i> Coineau & Poinar, 2001	Ne Dominican amber
15. <i>Procaeculus eridanosae</i> Coineau & Magowski, 1994	Pa Baltic amber
ADAMYSTOIDEA Cunliffe, 1957	Recent
ADAMYSTIDAE Cunliffe, 1957	Recent
= SAXIDROMIDAE Coineau, 1974	
no fossil record	
ANYSTOIDEA Oudemans, 1902	Cretaceous – Recent
ANYSTIDAE Oudemans, 1902	Cretaceous – Recent
<i>Anystidae</i> sp. in Aoki (1974)	Qt Mizunami copal
Anystis von Heyden, 1826	Cretaceous – Recent
16. <i>Anystis malleator</i> (Menge in C. L. Koch & Berendt, 1854)	Pa Baltic amber
17. <i>Anystis subnuda</i> (Menge in C. L. Koch & Berendt, 1854)	Pa Baltic amber
18. <i>Anystis venustula</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
† Mesoanystis Zacharda, 1985	Cretaceous
19. <i>Mesoanystis taymirensis</i> Zacharda, 1985*	K Siberian amber
† Palaeoerythracarus Zacharda, 1985	Palaeogene
20. <i>Palaeoerythracarus sachalinensis</i> Zacharda, 1985*	Pa Sachalin amber
PSEUDOCHEYLIDAE Oudemans, 1909	Recent
= STIGMOCHEYLIDAE Kethley, 1990	
no fossil record	
TENERIFFIIDAE Thor, 1911b	Recent
no fossil record	
PARATYDEOIDEA Baker, 1949	Recent
PARATYDEIDAE Baker, 1949	Recent
no fossil record	
STIGMOCHEYLIDAE author, date?	Recent
no fossil record	
POMERANTZIOIDEA Baker, 1949	Recent
POMERANTZIIDAE Baker, 1949	Recent
no fossil record	
PARASITENGONINA Oudemans, 1909 (cohort)	Cretaceous – Recent
ERYTHRAIAE author, date? (subcohort)	Cretaceous – Recent
CALYPTOSTOMATOIDEA Oudemans, 1923	Recent
CALYPTOSTOMATIDAE Oudemans, 1923	Recent

no fossil record

ERYTHRAEOIDEA Grandjean, 1947a		Cretaceous – Recent
larval Erythraeoidea <i>in</i> Zacharda & Krivluckij (1985)		K Siberian amber
† Pararainbowia Dunlop, 2007		Cretaceous
21. <i>Pararainbowia martilli</i> Dunlop, 2007*		K Crato Formation
ERYTHRAEIDAE Robineau-Desvoidy, 1828		Paleogene – Recent
= LEPTIDAE Billberg, 1820		
= BALUSTIIDAE Grandjean, 1947		
Erythraeidae sp. <i>in</i> Aoki (1974)		Qt Mizunami copal
† Arytaena Menge, 1854 <i>in</i> C. L. Koch & Berendt, 1854		Paleogene
22. <i>Arytaena troguloides</i> Menge <i>in</i> C. L. Koch & Berendt, 1854*		Pa Baltic amber
Balaustium von Heyden, 1826		Paleogene – Recent
23. <i>Balaustium illustris</i> (C. L. Koch & Berendt, 1854)		Pa Baltic amber
Erythraeus Latrielle, 1806		Paleogene – Recent
24. <i>Erythraeus bifrons</i> (Menge <i>in</i> C. L. Koch & Berendt, 1854)		Pa Baltic amber
25. <i>Erythraeus foveolatus</i> (C. L. Koch & Berendt, 1854)		Pa Baltic amber
26. <i>Erythraeus hirsutus</i> Menge <i>in</i> C. L. Koch & Berendt, 1854		Pa Baltic amber
27. <i>Erythraeus lagopus</i> Menge <i>in</i> C. L. Koch & Berendt, 1854		Pa Baltic amber
28. <i>Erythraeus longipes</i> (C. L. Koch & Berendt, 1854)		Pa Baltic amber
29. <i>Erythraeus proavus</i> Menge <i>in</i> C. L. Koch & Berendt, 1854		Pa Baltic amber
30. <i>Erythraeus procerus</i> (Menge <i>in</i> C. L. Koch & Berendt, 1854)		Pa Baltic amber
31. <i>Erythraeus raripilus</i> Menge <i>in</i> C. L. Koch & Berendt, 1854		Pa Baltic amber
32. <i>Erythraeus rostratus</i> (Menge <i>in</i> C. L. Koch & Berendt, 1854)		Pa Baltic amber
33. <i>Erythraeus saccatus</i> (C. L. Koch & Berendt, 1854)		Pa Baltic amber
Leptus Latrielle, 1796		Paleogene – Recent
34. <i>Leptus incertus</i> (C. L. Koch & Berendt, 1854)		Pa Baltic amber
† PROTERYTHRAEIDAE Vercammen-Grandjean, 1973		Cretaceous
† Proterythraeus Vercammen-Grandjean, 1973		Cretaceous
35. <i>Proterythraeus southcotti</i> Vercammen-Grandjean, 1973*		K Manitoba amber
SMARIDIDAE Vitzthum, 1929		Paleogene – Recent
Smarididae <i>in</i> Kulicka (1990)		Pa Baltic amber
TROMBIDIIDAE author, date? (subcohort)		Creteaceous – Recent
trombidiid mites?		
36. <i>Megameropsis aquensis</i> Gourret, 1887		Pa Aix-en-Provence
37. <i>Pseudopachygnathus maculatus</i> Gourret, 1887		Pa Aix-en-Provence
TANAUPODOIDEA Thor, 1935		Creteaceous – Recent

TANAUPODIDAE Thor, 1935	Creteaceous – Recent
= ?AMPHOTROMBIIDAE Zhang, 1998	
= TANAUPODASTRIDAE Feider, 1959	
† Atanaupodus Judson & Mąkol, 2009	Cretaceous
38. <i>Atanaupodus bakeri</i> Judson & Mąkol, 2009	K Archingeay amber
CHYZERIOIDEA Womersley, 1954	Recent
CHYZERIIDAE Womersley, 1954	Recent
no fossil record	
TROMBIDIIOIDEA Leach, 1815	Paleogene – Recent
EUTROMBIDIIDAE Thor, 1935	Recent
no fossil record	
MICROTROMBIDIIDAE Thor, 1935	Recent
no fossil record	
NEOTROMBIDIIDAE Feider, 1955	Recent
no fossil record	
TROMBIDIIDAE Leach, 1815	Paleogene – Recent
= PARATHROMBIIDAE Feider, 1959	
Allothrombium Berlese, 1903	Paleogene – Recent
39. <i>Allothrombium clavipes</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
Trombidium Fabricius, 1775	Paleogene – Recent
40. <i>Trombidium crassipes</i> Menge in C. L. Koch & Berendt, 1854	Pa Baltic amber
41. <i>Trombidium granulatum</i> Menge in C. L. Koch & Berendt, 1854	Pa Baltic amber
42. <i>Trombidium heterotrichum</i> Menge in C. L. Koch & Berendt, 1854	Pa Baltic amber
43. <i>Trombidium scrobiculatum</i> Menge in C. L. Koch & Berendt, 1854	Pa Baltic amber
NB: the next two families may be synonyms	
WALCHIIDAE Ewing, 1946	Recent
no fossil record	
YUREBILLIDAE Southcott, 1996	Recent
no fossil record	
TROMBICULOIDEA Ewing, 1929	Recent
AUDYANIDAE Southcott, 1987	Recent
no fossil record	
JOHNSTONIANIDAE Thor, 1935	Recent
= NOTOTHROMBIIDAE Feider, 1959	

no fossil record

LEEUWENHOEKIIDAE Womersley, 1944 Recent

no fossil record

TROMBELLIDAE Leach, 1815 Recent

no fossil record

TROMBICULIDAE Ewing, 1929 Recent

= VATACARIDAE Southcott, 1957

no fossil record

HYDRACARNIDIAE van der Hoeven, 1849 (subcohort) Neogene – Recent

= HYDRACHNIDIA author, date?

= HYDRACHNELLAE author, date?

HYDRYPHANTOIDEA Piersig, 1896 Recent

CTENOHYADIDAE Lundblad, 1936 Recent

no fossil record

EUPATRELLIDAE Viets, 1935 Recent

no fossil record

HYDRODROMIDAE Viets, 1936 Recent

= DIPLODONTIDAE Lundblad, 1927

no fossil record

HYDRYPHANTIDAE Piersig, 1896 Recent

= PROTZIIDAE Viets, 1926

no fossil record

RHYNCHOHYDRACARIDAE Lundblad, 1936 Recent

= CHATHROSPERCHONIDAE Lundblad, 1936

no fossil record

TERATOHYADIDAE Viets, 1929 Recent

no fossil record

THERMACARIDAE Sokolow, 1927 Recent

no fossil record

ZELANDOTHYADIDAE Cook, 1983 Recent

no fossil record

EYLAOIDEA Leach, 1815	Recent
APHEVIDERULICIDAE Gerecke, Smith & Cook, 1999	Recent
no fossil record	
 EYLAIDAE Leach, 1815	Recent
no fossil record	
 LIMNOCHARIDAE Grube, 1859	Recent
Limnochares Latreille, 1796	Recent
44. <i>Limnochares antiquus</i> Heyden, 1862 [apparently not a water mite]	Pa Rott, Germany
 PIERSIGIIDAE Oudemans, 1902	Recent
no fossil record	
 HYDROVOLZIOIDEA Thor, 1905	Recent
ACHERONTACARIDAE Cook, 1967	Recent
no fossil record	
 HYDROVOLZIIDAE Thor, 1905	Recent
= POLYXOHALACARIDAE Motas, 1972	
no fossil record	
 HYDRACHNOIDEA Leach, 1815	Recent
HYDRACHNIDAE Leach, 1815	Recent
no fossil record	
 LEBERTOIDEA Thor, 1900	Recent
ACUCAPITIDAE Wiles, 1996	Recent
no fossil record	
 ANISITSIELLIDAE Koenicke, 1910	Recent
= MAMERSOPSIDAE Viets, 1914	
no fossil record	
 BANDAKIOPSIDAE Panesar, 2004	Recent
no fossil record	
 LEBERTIIDAE Thor, 1900	Recent
no fossil record	
 NILOTONIIDAE Viets, 1929	Recent
no fossil record	

OXIDAE Viets, 1926	Recent
no fossil record	
RUTRIPALPIDAE Solokow, 1834	Recent
no fossil record	
SPERCHONTIDAE Thor, 1900	Recent
no fossil record	
STYGOTONIIDAE Cook, 1992	Recent
no fossil record	
TEUTONIDAE Koenike, 1910	Recent
no fossil record	
TORRENTICOLIDAE Piersig, 1902	Recent
= ATRACTIDEIDAE Thor, 1902	
no fossil record	
HYGROBATOIDEA C. L. Koch, 1842	Recent
ASTACOCROTONIDAE Thor, 1927	Recent
no fossil record	
ATURIDAE Thor, 1900	Recent
= BRADYPODIDAE Thor, 1900 [preoccupied]	
= AXONOPSIDAE Viets, 1929	
= LJANIIDAE Thor, 1929	
= LETHAXONIDAE Cook, Smith & Harvey, 2000	
no fossil record	
FELTRIIDAE Viets, 1926	Recent
no fossil record	
FERRADASIIDAE Cook, 1980	Recent
no fossil record	
FRONTIPODOPSIDAE Viets, 1931	Recent
no fossil record	
HYGROBATIDAE C. L. Koch, 1842b	Recent
no fossil record	
LIMNESIIDAE Thor, 1900	Recent

= NEOTORRENTICOLIDAE Lundblad, 1936

= EPALLAGOPODIDAE Viets, 1953

no fossil record

OMARTACARIDAE Cook, 1963 Recent

no fossil record

PIONIDAE Thor, 1900 Recent

= CURVIPEDIDAE Thor, 1900

= ACERCIDAE Thor, 1909

= FORELIIDAE Thor, 1923

= NAUTARACHNIDAE Walter, 1925

= HYDROCHOREUTIDAE Viets, 1942

no fossil record

PONTARACHNIDAE Koenicke, 1910 Recent

no fossil record

UNIONICOLIDAE Oudemans, 1909 Recent

= ATRACIDAE Thor, 1900

= NEUMANIIDAE Thor, 1923

no fossil record

WETTINIDAE Cook, 1956 Recent

no fossil record

ARRENUROIDEA Thor, 1900 Neogene – Recent

Family uncertain

† *Protoarrenurus* Cook in Palmer, 1957

Neogene – Recent

45. *Protoarrenurus convergens* Cook in Palmer, 1957* Ne Mojave Desert

ACALYPTONOTIDAE Walter, 1911 Recent

no fossil record

AMOENACARIDAE Smith & Cook, 1997 Recent

no fossil record

ARENOHYDRACARIDAE Cook, 1974 Recent

no fossil record

ARRENURIDAE Thor, 1900 Recent

no fossil record

ATHIENEMANNIIDAE Viets, 1922 Recent

= CHELOMIDEOPSIDAE Lundblad, 1962
no fossil record

BOGATIIDAE Motas & Tanasachi, 1938 Recent
no fossil record

CHAPPUISIDAE Motas & Tanasachi, 1946 Recent
no fossil record

GRETACARIDAE Viets, 1978 Recent
no fossil record

HARPAGOPALPIDAE Viets, 1924 Recent
no fossil record

HUNGAROHYDRACACARIDAE Motas & Tanasachi, 1959 Recent
no fossil record

KANTACARIDAE Imamura, 1959 Recent
no fossil record

KRENDOWSKIIDAE Viets, 1926 Recent
no fossil record

LAVERSIIDAE Cook, 1955 Recent
no fossil record

MIDEIDAE Thor, 1911a Recent
no fossil record

MIDEOPSIDAE Koenicke, 1910 Recent
= NUDOMIDEOPSIDAE Smith, 1990
no fossil record

MOMONIIDAE Viets, 1926 Recent
= STYGOMOMONIDAE Szalay, 1943
no fossil record

NEOACARIDAE Motas & Tanasachi, 1947 Recent
no fossil record

NIPPONACARIDAE Imamura, 1959 Recent
no fossil record

UCHIDASTYGACARIDAE Imamura, 1956	Recent
no fossil record	
STYGOOTHROMBIAE Thor, 1935 (subcohort)	Recent
STYGOOTHROMBOIDEA Thor, 1935	Recent
STYGOOTHROMBIIDAE Thor, 1935	Recent
ELEUTHERENGNONIDES Oudemans, 1909 (supercohort)	Cretaceous – Recent
RAPHIGNATHINA author, date? (cohort)	Cretaceous – Recent
MYOBIOIDEA Mégnin, 1877	Recent
MYOBIIDAE Mégnin, 1877	Recent
no fossil record	
PTERYGOSOMATOIDEA Oudemans, 1910.....	Recent
PTERYGOSOMATIDAE Oudemans, 1910	Recent
no fossil record	
RAPHIGNATHOIDEA Kramer, 1877	Paleogene – Recent
BARBUTIIDAE Robaux, 1975	Recent
no fossil record	
CALIGONELLIDAE Grandjean, 1944	Recent
no fossil record	
CAMEROBIIDAE Southcott, 1957	Paleogene – Recent
Neophyllobius Berlese, 1886	Paleogene – Recent
46. <i>Neophyllobius succineus</i> Bolland & Magowski, 1990.....	Pa Baltic amber
CRYPTOGNATHIDAE Oudemans, 1902	Paleogene – Recent
no fossil record	
DASYTHYREIDAE Walter & Gerson, 1998	Recent
no fossil record	
EUPALOPSELLIDAE Willmann, 1952	Recent
no fossil record	
HOMOCALIGIDAE Wood, 1969	Recent
no fossil record	
MECOGNATHIDAE Gerson & Walter, 1998	Recent
no fossil record	

RAPHIGNATHIDAE Kramer, 1877	Recent
no fossil record	
STIGMAEIDAE Oudemans, 1931	Recent
no fossil record	
XENOCALIGONELLIDAE Gonzalez, 1978	Recent
no fossil record	
TETRANYCHOIDEA Donnadieu, 1876	Palaeogene – Recent
ALLOCHAETOPHORIDAE Reck, 1959	Recent
no fossil record	
LINOTETRANIDAE Baker & Pritchard, 1953	Recent
no fossil record	
TENUIPALPIDAE Berlese, 1913	Recent
no fossil record	
TETRANYCHIDAE Donnadieu, 1876	Palaeogene – Recent
= BRYOBIIDAE Berlese, date?	
Metatetranychus Oudemans, 1931	Palaeogene – Recent
47. <i>Metatetranychus gibbus</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
Schizotetranychus Trägårdh, 1915	Palaeogene – Recent
48. <i>Schizotetranychus brevipes</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
TUCKERELLIDAE Baker & Pritchard, 1953	Recent
no fossil record	
CHEYLETOIDEA Leach, 1815	Cretaceous – Recent
CHEYLETIDAE Leach, 1815	Cretaceous – Recent
Cheyletus Latreille, 1796	Cretaceous – Recent
49. <i>Cheyletus burmiticus</i> Cockerell, 1917b	K Myanmar amber
50. <i>Cheyletus portentosus</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
CLOACARIDAE Camin, Moss, Oliver & Singer, 1967	Recent
no fossil record	
DEMODECIDAE Nicolet, 1855	Recent
no fossil record	
EPIMYODICIDAE author, date?	Recent

no fossil record

HARPYRHYNCHIDAE Dubinin, 1957 Recent

no fossil record

OPHOPTIDAE Southcott, 1956 Recent

no fossil record

PSORERGATIDAE Dubinin *in* Bregatova et al., 1955 Recent

no fossil record

SYRINGOPHILIDAE Laviopierre, 1953 Recent

no fossil record

HETEROSTIGMATINA Berlese, 1899 (cohort) Cretaceous – Recent

TARSOCHYELOIDEA Atyeo & Baker, 1964 Recent

TARSOCHEYLIDAE Atyeo & Baker, 1964 Recent

no fossil record

HETEROCHYELOIDEA Trägårdh, 1950 Recent

HETEROCHEYLIDAE Trägårdh, 1950 Recent

no fossil record

DOLICHOCYBOIDEA Mahunka, 1970 Recent

CROTALOMORPHIDAE Lindquist & Kranz, 2002 Recent

no fossil record

DOLICHOCYBIDAE Mahunka, 1970 Recent

no fossil record

TROCHOMETRIDIOIDEA Mahunka, 1970 Recent

ATHYREACARIDAE Lindquist Kaliszewski & Rack, 1990 Recent

= BEMBIDIACARIDAE Khuastov, 2000

no fossil record

TROCHOMETRIDIIDAE Mahunka, 1970 Recent

no fossil record

SCUTACAROIDEA Oudemans, 1916 Recent

MICRODISPIDAE Cross, 1965 Recent

no fossil record

SCUTACARIDAE Oudemans, 1916 Recent

no fossil record

PYGEMEPhOROIDEA Cross, 1965 Palaeogene – Recent

Pygmephoroida sp. *in* Magowski (1995) Pa Baltic amber

PYGMEPhORIDAE Cross, 1965 Recent

no fossil record

SITEROPTIDAE Mahunka, 1970 Recent

no fossil record

PYEMOTOIDEA Oudemans, 1937 Cretaceous – Recent

ACAROPHENACIDAE Cross, 1965 Cretaceous – Recent

† *Protophenax* Magowski, 1994 Cretaceous

51. *Protophenax kotejii* Magowski, 1994* K Russian amber

CARABOACARIDAE Mahunka, 1970 Recent

no fossil record

PYEMOTIDAE Oudemans, 1937 Recent

= TROCHOMETRIDAE Mahunka, 1970

Pyemotes Amerling, 1862 Palaeogene – Recent

52. *Pyemotes primus* Khaustov & Perkovsky, 2010 Pa Rovno amber

RESINACARIDAE Mahunka, 1975 Cretaceous – Recent

Protoresinacaris Khaustov & Poinar, 2010 Cretaceous

53. *Protoresinacars brevipedis* Khaustov & Poinar, 2010* K Myanmar amber

TARSONEMOIDEA Canestrini & Fanzago, 1877 Quaternary – Recent

PODAPOLIPIDAE Ewing, 1922 Recent

no fossil record

TARSONEMIDAE Canestrini & Fanzango, 1877 Quaternary – Recent

Tarsonemidae sp. *in* Aoki (1974) Qt Mizunami copal

SARCOPTIFORMES author, date? (suborder) Devonian – Recent

ENDEOSTIGMATA author, date? (infraorder) Devonian – Recent

= PACHYGNATHINA author, date?

ALYCINA author, date? (cohort)

ALYCOIDEA Canestrini & Fanzago, 1877 Devonian – Recent

ALYCIDAE Canestrini & Fanzago, 1877 Devonian – Recent

= PACHYGNATHIDAE Kramer, 1877

= BIMICHAELIIDAE Womersley, 1944	
† <i>Protacarus</i> Hirst, 1923	Devonian
54. <i>Protacarus crani</i> Hirst, 1923*	D Rhynie chert
GRANDJEANICIDAE Kethley, 1977a	Recent
no fossil record	
MICROPSAMMIDAE Coineau & Theorn, 1983	Recent
no fossil record	
NANORCHESTIDAE Grandjean, 1937	Devonian – Recent
† <i>Protospeleorchestes</i> Dubinin, 1962	Devonian – Recent
55. <i>Protospeleorchestes pseudoprotacarus</i> Dubinin, 1962*	D Rhynie chert
NEMATALYCINA author, date? (cohort)	Recent
NEMATALYCOIDEA Strenke, 1954	Recent
NEMATALYCIDAE Strenke, 1954	Recent
no fossil record	
PROTONEMATALYCIDAE Kethley, 1989 [superfamily correct?]	Recent
no fossil record	
TERPNACARINA author, date? (cohort)	Recent
OEHSERCHESTOIDEA Kethley, 1977a	Recent
OEHSERCHESTIDAE Kethley, 1977a	Recent
no fossil record	
TERPNACAROIDEA Grandjean, 1939	Recent
TERPNACARIDAE Grandjean, 1939	Recent
no fossil record	
ALICORHAGIINA author, date? (cohort)	Devonian – Recent
ALICORHAGIOIDEA Grandjean, 1939	Devonian – Recent
ALICORHAGIIDAE Grandjean, 1939	Devonian – Recent
† <i>Archaeacarus</i> Kethley & Norton in Kethley et al., 1989	Devonian
56. <i>Archaeacarus dubinini</i> Kethley & Norton in Kethley et al., 1989*	D Gilboa
† <i>Pseudoprotacarus</i> Dubinin, 1962	Devonian
57. <i>Pseudoprotacarus scoticus</i> Dubinin, 1962*	D Rhynie chert
ORIBATIDA Dugès, 1834 (infraorder)	Devonian – Recent
= CRYPTOSTIGMATA author, date?	

NB: see remarks on the Ordovician fossil above

PALAEOSOMATA Grandjean, 1969 (supercohort) Devonian–Recent

family uncertain

† **Marcvipeda** Perez-DA, 1988 Palaeogene

58. *Marcvipeda magallanes* Perez-DA, 1988* Pa Chile

ACARONYCHOIDEA Grandjean, 1932 Recent

ACARONYCHIDAE Grandjean, 1932b Recent

no fossil record

ARCHAEONOTHRIDAE Grandjean, 1932 Recent

no fossil record

CTENACAROIDEA Grandjean, 1954c Devonian – Recent

ADELPHACARIDAE Grandjean, 1954c Carbon. – Recent

† **Monoaphelacarus** Subías & Arillo, 2002 Carboniferous

59. *Monoaphelacarus carboniferus* Subías & Arillo, 2002* C County Antrim

APHELACARIDAE Grandjean, 1954c Recent

no fossil record

CTENACARIDAE Grandjean, 1954b Devonian – Recent

† **Ctenacaronychus** Subías & Arillo, 2002 Devonian

60. *Ctenacaronychus nortoni* Subías & Arillo, 2002* D New York

† **Palaeocetenacarus** Subías & Arillo, 2002 Carboniferous

61. *Palaeocetenacarus simmsoi* Subías & Arillo, 2002* C County Antrim

PALAEACAROIDEA Grandjean, 1932b Recent

PALAEACARIDAE Grandjean, 1932b Recent

no fossil record

ENARTHRONOTA Grandjean, 1947b (supercohort) Devonian – Recent

superfamily uncertain

† **DEVONACARIDAE** Norton in Norton et al., 1988 Devonian – Recent

† **Devonacarus** Norton in Norton et al., 1988 Devonian – Recent

62. *Devonacarus sellnicki* Norton in Norton et al., 1988* D Gilboa

† **PROTOCHTHONIIDAE** Norton in Norton et al., 1988 Devonian – Recent

† **Protochthonius** Norton in Norton et al., 1988 Devonian – Recent

63. *Protochthonius gilboa* Norton in Norton et al., 1988* D Gilboa

BRACHYCHTHONIOIDEA Thor, 1934	Recent
BRACHYCHTHONIIDAE Thor, 1934	Recent
no fossil record	
ATOPOCHTHONIOIDEA Grandjean, 1948	Recent
ATOPOCHTHONIIDAE Grandjean, 1948	Recent
no fossil record	
PHYLLOCHTHONIIDAE Travé, 1967	Recent
no fossil record	
PTEROCHTHONIIDAE Grandjean, 1950	Recent
no fossil record	
HYPOCHTHONIOIDEA Berlese, 1910	Carbon. – Recent
ENIOCHTHONIIDAE Grandjean, 1947b	Recent
no fossil record	
HYPOCHTHONIIDAE Berlese, 1910	Carbon. – Recent
<i>Hypochthonius</i> C. L. Koch, 1835	Quaternary – Recent
64. <i>Hypochthonius rufulus</i> C. L. Koch, 1835 [Recent]	Qt Finland
† <i>Palaeohypochthonius</i> Subías & Arillo, 2002	Carboniferous
65. <i>Palaeohypochthonius jerami</i> Subías & Arillo, 2002*	C County Antrim
LOHMANNIIDAE Berlese, 1916	Recent
= XENOLOHMANNIDAE Balogh & Mahunka, 1969	
no fossil record	
MESOPLOPHORIDAE Ewing, 1917	Recent
= ARCHOPLOPHORIDAE Grandjean, 1965	
no fossil record	
PROTOPLOPHOROIDEA Ewing, 1917	Carbon. – Recent
COSMOCHTHONIIDAE Grandjean, 1947b	Carbon. – Recent
† <i>Carbochthonius</i> Subías & Arillo, 2002	Carboniferous
66. <i>Carbochthonius antrimensis</i> Subías & Arillo, 2002*	C County Antrim
HAPLOCHTHONIIDAE van der Hammen, 1959	Recent
no fossil record	
PEDICULOCHELIDAE Lavoipierre, 1946	Recent
no fossil record	

PROTHOLOPHORIDAE Ewing, 1917	Carbon. – Recent
= APOLOPHORIDAE Niedbala, 1984	
† Archaeolophora Subías & Arillo, 2002	Carboniferous
67. <i>Archaeolophora bella</i> Subías & Arillo, 2002*	C County Antrim
 SPHAEROCHTHONIIDAE Grandjean, 1947b	Recent
no fossil record	
 HETEROCHTHONOIDEA Grandjean, 1954b	Recent
ARBORICHTHONIIDAE Balogh & Balogh, 1992	Recent
no fossil record	
 HETEROCHTHONIIDAE Grandjean, 1954b	Recent
no fossil record	
 TRICHTOCHTHONIIDAE author, date?	Recent
no fossil record	
 PARHYPOSOMATA author, date? (supercohort)	Carbon. – Recent
PARHYPOCHTHONOIDEA Grandjean, 1932b	Carbon. – Recent
ELLIPTOCHTHONIIDAE Norton, 1975	Recent
no fossil record	
 GEHYPOCHTHONIIDAE Strenzke, 1963	Carbon. – Recent
† Gehyponchthonimimus Subías & Arillo, 2002	Carboniferous
68. <i>Gehyponchthonimimus hibernicus</i> Subías & Arillo, 2002*	C County Antrim
 PARHYPOCHTHONIIDAE Grandjean, 1932b	Recent
no fossil record	
 MIXONOMATA author, date? (supercohort)	Paleogene – Recent
NEHYPOCHTHONOIDEA Norton & Metz, 1980	Recent
NEHYPOCHTHONIIDAE Norton & Metz, 1980	Recent
no fossil record	
 EULOHMANNOIDEA Grandjean, 1931	Recent
EULOHMANNIIDAE Grandjean, 1931	Recent
no fossil record	
 PERLOHMANNOIDEA Grandjean, 1954b	Recent
PERLOHMANNIIDAE Grandjean, 1954b	Recent

no fossil record

EPILOHMANNIOIDEA Oudemans, 1923	Recent
EPILOHMANNIIDAE Oudemans, 1923	Recent
= LESSIRIIDAE Oudemans, 1916	
no fossil record	
COLLOHMANNIOIDEA Grandjean, 1958a	Paleogene – Recent
COLLOHMANNIIDAE Grandjean, 1958a	Paleogene – Recent
Collohmnia Sellnick, 1922	Paleogene – Recent
69. <i>Collohmnia schusteri</i> Norton, 2006	Pa Baltic amber
† Embolacarus Sellnick, 1919	Palaeogene – Recent
70. <i>Embolacarus pergratus</i> Sellnick, 1919*	Pa Baltic amber
EUPYCTIMA Grandjean, 1967	Palaeogene – Recent
NB: Eupyctima is listed here as a mixonomatid clade, but is not recognised in all classifications, or else is removed from this group and given equal rank	
EUPHTHIRACAROIDEA Jacot, 1930	Palaeogene – Recent
EUPHTHIRACARIDAE Jacot, 1930	Palaeogene – Recent
Microtritia Märkel, 1964	Quaternary – Recent
71. <i>Microtritia minima</i> (Berlese, 1904) [Recent]	Qt Germany
Rhysotritia Märkel & Meyer, 1959	Quaternary – Recent
72. <i>Rhysotritia ardua</i> (C. L. Koch, 1841) [Recent]	Qt Germany
73. <i>Rhysotritia duplicata</i> (Grandjean, 1953) [Recent]	Qt Germany
ORIBOTRITIIDAE Grandjean, 1954b	Palaeogene – Recent
= SABAHTRITIIDAE Mahunka, 1987	
Oribotritia Jacot, 1924	Palaeogene – Recent
74. <i>Oribotritia pyropus</i> (Sellnick, 1919)	Pa Baltic amber
75. <i>Oribotritia translucida</i> Sellnick, 1931	Pa Baltic amber
SYNICHOTRITIIDAE Walker, 1965	Recent
no fossil record	
PHTHIRACAROIDEA Perty, 1841	Palaeogene – Recent
PHTHIRACARIDAE Perty, 1841	Palaeogene – Recent
= STEGANACARIDAE Niedbala, 1986	
Hoplophthiacarus Jacot, 1933	Quaternary – Recent
76. <i>Hoplophthiacarus pavidus</i> (Berlese, 1913) [Recent]	Qt Karelia, Russia
Phthiacarus Perty, 1841	Palaeogene – Recent
77. <i>Phthiacarus borealis</i> Trägårdh, date? [Recent]	Qt Karelia, Russia
78. <i>Phthiacarus multipunctus</i> (Sellnick, 1919)	Pa Baltic amber

Steganacarus Ewing, 1917	Quaternary – Recent
79. <i>Steganacarus applicatus</i> (Sellnick, 1920) [Recent]	Qt Denmark
80. <i>Steganacarus carinatus</i> (C. L. Koch, 1841) [Recent]	Qt Finland
81. <i>Steganacarus striculus</i> (C. L. Koch, 1835) [Recent]	Qt Europe
<i>Steganacarus</i> sp.	Qt Finland
 DESMONOMATA author, date? (supercohort)	Jurassic – Recent
NOTHRINA author, date? (cohort)	Jurassic – Recent
= HOLOSOMATA author, date?	
CROTONIOIDEA Thorell, 1876	Jurassic – Recent
CAMISIIDAE Oudemans, 1900	Cretaceous – Recent
<i>Camisia</i> von Heyden, 1826	Paleogene – Recent
82. <i>Camisia foveolata</i> Hammer, 1955 [Recent]	Qt western Norway
83. <i>Camisia horrida</i> [Recent] <i>fossilis</i> Sellnick, 1919	Pa Baltic amber
i. = <i>Nothrus kuehli</i> Karsch, 1884	Pa Baltic amber
NB: unclear why the older name is the synonym	
84. <i>Camisia invenusta</i> (Michael, 1888) [Recent]	Qt western Norway
85. <i>Camisia lapponica</i> Trägårdh, 1910 [Recent]	Qt Karelia, Russia
† <i>Eocamisia</i> Bulanova-Zachvatkina, 1974	Cretaceous
86. <i>Eocamisia sukatshevae</i> Bulanova-Zachvatkina, 1974*	K Siberian amber
Platynothrus Berlese, 1913	Quaternary – Recent
87. <i>Platynothrus peltifer</i> (C. L. Koch, 1839) [Recent]	Qt Greenland
88. <i>Platynothrus punctatus</i> (L. Koch, 1879) [Recent]	Qt northern Europe
 CROTONIIDAE Thorell, 1876	Neogene – Recent
= HOLONOTHRIDAE Wallwork, 1963	
Crotonia Thorell, 1876	Neogene – Recent
89. <i>Crotonia ramus</i> (Womersley, 1957)	Ne Australian retinite
 HERMANNIIDAE Sellnick, 1928	Palaeogene – Recent
= GALAPAGACARIDAE P. Balogh, 1985	
Hermannia Nicolet, 1855	Palaeogene – Recent
90. <i>Hermannia gibba</i> (C. L. Koch, 1839) [Recent]	Qt Finland
91. <i>Hermannia reticulata</i> Thorell, 1871 [Recent]	Qt Subarctic – Arctic
92. <i>Hermannia scabra</i> (L. Koch, 1879) [Recent]	Qt Greenland
93. <i>Hermannia sellnicki</i> Norton, 2006	Pa Baltic amber
 MALACONOTHRIDAE Berlese, 1916	Quaternary – Recent
Malaconothrus Berlese, 1904	Quaternary – Recent
94. <i>Malaconothrus monodactylus</i> (Michael, 1888) [Recent]	Qt Europe
Trimalaconothrus Berlese, 1916	Quaternary – Recent

95. *Trimalaconothrus maior* (Berlese, 1910) [Recent] Qt northern Europe
- NANHERMANNIIDAE Sellnick, 1928** Quaternary – Recent
- Nanhermannia* Berlese, 1913 Quaternary – Recent
96. *Nanhermannia coronata* Berlese, 1913 [Recent] Qt Karelia, Russia
97. *Nanhermannia elegantula* Berlese, 1913 [Recent] Qt Germany
- NOTHRIDAE Berlese, 1896** Paleogene – Recent
- Nothrus* C. L. Koch, 1836 Paleogene – Recent
98. *Nothrus illautus* Sellnick, 1919 Pa Baltic amber
99. *Nothrus punctulum* Karsch, 1884 Pa Baltic amber
100. *Nothrus silvestris* Nicolet, 1855 [Recent] Qt Europe
- TRHYPOCHTHONIIDAE Willmann, 1931** Jurassic – Recent
- = ALLONOTHRIDAE Lee, 1985
- = MUCRONOTHRIDAE Kunst, 1972
- = PARALLONOTHRIDAE Badejo, Woas & Beck, 2002
- = TRHYPOCHTHONIELLIDAE Knüllle, 1957
- Allonothrus* van der Hammen, 1953 Neogene – Recent
- Allonothrus* sp. in Norton & Poinar (1993) Ne Dominican amber
- † *Juracarus* Krivolutsky in Krivolutsky & Krasilov, 1977 Jurassic – Recent
101. *Juracarus serratus* Krivolutsky in Krivolutsky & Krasilov, 1977 J Russian far east
- Mucronothrus* Trägårdh, 1931 Quaternary – Recent
102. *Mucronothrus nasalis* (Willmann, 1929) [Recent] Qt Karelia, Russia
- † *Palaeochthonius* Krivolutsky in Krivolutsky & Krasilov, 1977 Jurassic – Recent
103. *Palaeochthonius krasilovi* Krivolutsky in Kriv. & Krasilov, 1977 J Russian far east
- Trhypochthonius* Berlese, 1904 Palaeogene – Recent
104. *Trhypochthonius badiformis* Sellnick, 1931 Pa Baltic amber
105. *Trhypochthonius cladonicola* (Willmann, 1919) [Recent] Qt Germany
106. *Trhypochthonius corniculatus* Sellnick, 1931 Pa Baltic amber
107. *Trhypochthonius tectorum* (Berlese, 1896) [Recent] Qt Karelia, Russia
- BRACHYPOYLINA author, date? (cohort)** Jurassic – Recent
- = CIRCUMDEHISCENTIAE Grandjean, 1954b
- = PORONOTA Grandjean, 1954b [in part; taxon used for seven brachypyline superfamilies]
- family uncertain**
- † *Plategeocranus* Sellnick, 1919 Palaeogene
108. *Plategeocranus sulcatus* (Karsch, 1884)* Pa Baltic amber
- † *Strieremaeus* Sellnick, 1919 Palaeogene – Recent
109. *Strieremaeus cordiformatus* Sellnick, 1919 Pa Baltic amber
110. *Strieremaeus illibatus* Sellnick, 1919 Pa Baltic amber

superfamily uncertain

ARIBATIDAE Aoki, Takaku & Ito, 1994	Recent
no fossil record	
HERMANNIELLOIDEA Grandjean, 1934	Paleogene – Recent
HERMANNIELLIDAE Grandjean, 1934	Paleogene – Recent
Hermannella Berlese, 1908	Paleogene – Recent
111. <i>Hermannella concamerata</i> Sellnick, 1931	Pa Baltic amber
112. <i>Hermannella tuberculata</i> Sellnick, 1919	Pa Baltic amber
Sacculobates Grandjean, 1962	Neogene – Recent
<i>Sacculobates</i> sp. in Norton & Poinar (1993)	Ne Dominican amber
PLASMOBATIDAE Grandjean, 1961a	Recent
no fossil record	
NEOLIODOIDEA Sellnick, 1928	Palaeogene – Recent
= LIODOIDEA Grandjean, 1954b	
NEOLIODIDAE Sellnick, 1928	Palaeogene – Recent
= LIODIDAE Grandjean, 1954b	
Liodes von Heyden, 1826	Neogene – Recent
113. <i>Liodes brevitarsus</i> (Woolley, 1971)	Ne Chiapas amber
<i>Liodes</i> sp. in Norton & Poinar (1993)	Ne Dominican amber
Neoliodes Berlese, 1888	Palaeogene – Recent
114. <i>Neoliodes dominicus</i> Heethoff, Helfen & Norton, 2009	Ne Dominican amber
115. <i>Neoliodes quadriscutatus</i> Sellnick, 1919	Pa Baltic amber
Platyliodes Berlese, 1917	Palaeogene – Recent
116. <i>Platyliodes ensigerus</i> (Sellnick, 1919)	Pa Baltic amber
Teleoliodes author, date?	Neogene – Recent
<i>Teleoliodes</i> sp. in Norton & Poinar (1993)	Ne Dominican amber
PLATEREMAEAOIDEA Trägårdh, 1926	Cretaceous – Recent
= GYMNODAMAEAOIDEA Grandjean, 1954a	
ALEURODAMAEIDAE Paschoal & Johnston, 1985	Recent
no fossil record	
GYMNODAMAEIDAE Grandjean, 1954a	Paleogene – Recent
Gymnodamaeus Kulczynski, 1902	Paleogene – Recent
117. <i>Gymnodamaeus sepotisus</i> Sellnick, 1919	Pa Baltic amber
IDIODAMAEIDAE Paschoal, 1987	Recent
no fossil record	

LICNOBELBIDAE Grandjean, 1965a	Recent
no fossil record	
 LICNODAMAEIDAE Grandjean, 1954b	Recent
= NACUNANSELLIDAE author, date	
no fossil record	
 LYRIFISSIELLIDAE Paschoal, 1987	Recent
no fossil record	
 PEDROCORTESELLIDAE Paschoal, 1987	Recent
no fossil record	
 PHEROLIODIDAE Paschoal, 1987	Recent
= HAMMERIELLIDAE Paschoal, 1987	
= NOOLIODIDAE Paschoal, 1987	
no fossil record	
 PLATEREMAEIDAE Trägårdh, 1926	Cretaceous – Recent
Rasnitsynella Krivoluckij, 1976	Cretaceous
118. <i>Rasnitsynella punctulata</i> Krivoluckij, 1976	K Taymir amber
 DAMAEOIDEA Berlese, 1896	Paleogene – Recent
DAMAEIDAE Berlese, 1896	Paleogene – Recent
Damaeidae sp. in Aoki (1974)	Qt Mizunami copal
 Belba von Heyden, 1826	Quaternary – Recent
119. <i>Belba compta</i> (Kulczynski, 1902) [Recent]	Qt western Norway
120. <i>Belba cornyops</i> (Hermann, 1804)* [Recent]	Qt Finland
 † Belbites Pampaloni, 1902	Neogene
121. <i>Belbites disodilis</i> Pampaloni, 1902*	Ne? Sicily
 Damaeobelba Sellnick, 1928	Quaternary – Recent
122. <i>Damaeobelba minutissima</i> (Sellnick, 1920) [Recent]	Qt Germany
 Damaeus C. L. Koch, 1835	Paleogene – Recent
123. <i>Damaeus auritus</i> C. L. Koch, 1835* [Recent]	Qt Finland
124. <i>Damaeus genadensis</i> Sellnick, 1931	Pa Baltic amber
 Spatiodamaeus Bulanova-Zachvatkina, 1967	Quaternary – Recent
125. <i>Spatiodamaeus verticillipes</i> (Nicolet, 1855)* [Recent]	Qt Finland
 CEPHEOIDEA Berlese, 1896	Cretaceous – Recent
= EUTEGOIDEA Balogh, 1965	
ANDEREMAEIDAE Balogh, 1972	Recent
no fossil record	

CEPHEIDAE Berlese, 1896	Cretaceous – Recent
	= COMPATOZETIDAE Luxton, 1988	
Cepheus C. L. Koch, 1835	Paleogene – Recent
126. <i>Cepheus cepheiformis</i> (Nicolet, 1855) [Recent]	Qt Finland
127. <i>Cepheus dentatus</i> (Michael, 1888) [Recent]	Qt Finland
128. <i>Cepheus implicatus</i> (Sellnick, 1919)	Pa Baltic amber
129. <i>Cepheus latus</i> C. L. Koch, 1835* [Recent]	Qt Finland
Epterotegaeus Berlese, 1916	Cretaceous – Recent
130. <i>Epterotegaeus bitranslammellatus</i> Arillo & Subías, 2002	K Álava amber
Ommatocepheus Berlese, 1913	Cretaceous – Recent
131. <i>Ommatocepheus nortoni</i> Arillo, Subías & Shtanchaeva, 2008	K Álava amber
EUTEGAEIDAE Balogh, 1965	Recent
	= PTEROZETIDAE Luxton, 1988	
no fossil record		
MICROTEGEIDAE Balogh, 1972	Recent
no fossil record		
NODOCEPHEIDAE Pfiffi, 1972	Recent
no fossil record		
PTEROBATIDAE Balogh & Balogh, 1992	Recent
no fossil record		
POLYPTEROZETOIDEA Grandjean, 1959	Recent
PODOPTEROTEGAEIDAE Pfiffi, 1972	Recent
no fossil record		
POLYPTEROZETIDAE Grandjean, 1959	Recent
no fossil record		
TUMEROZETIDAE Hammer, 1966	Recent
no fossil record		
MICROZETOIDEA Grandjean, 1936a	Recent
MICROZETIDAE Grandjean, 1936a	Recent
no fossil record		
AMEROIDEA Bulanova-Zachvatkina, 1957	Palaeogene – Recent
	= AMEROBELBOIDEA Grandjean, 1954b	
	= CALEREMEIOIDEA Grandjean, 1965c	

AMERIDAE Bulanova-Zachvatkina, 1957	Recent
no fossil record	
AMEROBELBIDAE Grandjean, 1961b	Recent
no fossil record	
BASILOBELBIDAE Balogh, 1961	Recent
no fossil record	
CALEREMAEIDAE Grandjean, 1965c	Palaeogene – Recent
Caleremaeus Berlese, 1910	Palaeogene – Recent
132. <i>Caleremaeus gleso</i> Sellnick, 1931	Pa Baltic amber
CTENOBELBIDAE Grandjean, 1965b	Recent
no fossil record	
DAMAEOLIDAE Grandjean, 1965b	Recent
no fossil record	
EREMOBELBIDAE Balogh, 1961	Recent
no fossil record	
EREMULIDAE Grandjean, 1965b	Recent
no fossil record	
HETEROBELBIDAE Balogh, 1961	Recent
no fossil record	
HUNGAROBELBIDAE Miko & Travé, 1996	Recent
no fossil record	
STAUROBATIDAE Grandjean, 1966	Recent
no fossil record	
EREMAEOIDEA Oudemans, 1900	Cretaceous – Recent
= NIPHOCEPHOIDEA Travé, 1959 [a separate superfamily in some studies]	
= ZETORCHESTOIDEA Michael, 1898 [a separate superfamily in some studies]	
† ARCHAEORCHESTIDAE Arillo & Subías, 2000	Cretaceous
† Archaeorchestes Arillo & Subías, 2000	Cretaceous
133. <i>Archaeorchestes minguezae</i> Arillo & Subías, 2000	K Álava amber
EREMAEIDAE Oudemans, 1900	Paleogene – Recent
Eremaeus C. L. Koch, 1836	Paleogene – Recent
134. <i>Eremaeus hepaticus</i> C. L. Koch, 1835* [Recent]	Qt Germany

135. <i>Eremaeus oblongus</i> [Recent] fossilis Sellnick, 1919	Pa	Baltic amber
<i>Eueremaeus</i> Mihelcic, 1963		Quaternary – Recent
136. <i>Eueremaeus silvestris</i> (Forsslund, 1956) [Recent]	Qt	Finland
† <i>Gradidorsum</i> Sellnick, 1919		Palaeogene – Recent
137. <i>Gradidorsum asper</i> Sellnick, 1919*	Pa	Baltic amber
 MEGEREMAEIDAE Woolley & Higgins, 1968		Recent
no fossil record		
 NIPHOCEPHEIDAE Travé, 1959		Recent
no fossil record		
 ZETORCHESTIDAE Michael, 1898		Recent
no fossil record		
 GUSTAVIOIDEA Oudemans, 1900		Jurassic – Recent
= LIACAROIDEA Sellnick, 1928		
 ASTEGISTIDAE Balogh, 1961		Jurassic – Recent
<i>Astegistes</i> Hull, 1916		Quaternary – Recent
138. <i>Astegistes pilosus</i> (C. L. Koch, 1840) [Recent]	Qt	Karelia, Russia
 <i>Cultroribula</i> Berlese, 1908		Jurassic – Recent
139. <i>Cultroribula jurassica</i> Krivolutsky in Krivolutsky & Krasilov, 1977	J	Russian far east
140. <i>Cultroribula lauta</i> Sellnick, 1931	Pa	Baltic amber
141. <i>Cultroribula superba</i> Sellnick, 1931	Pa	Baltic amber
 GUSTAVIIDAE Oudemans, 1900		Quaternary – Recent
<i>Gustavia</i> Kramer, 1879		Quaternary – Recent
142. <i>Gustavia microcephala</i> (Nicolet, 1855) [Recent]	Qt	Finland
 KODIAKELLIDAE Hammer, 1967		Recent
no fossil record		
 LIACARIDAE Sellnick, 1928		Quaternary – Recent
= XENILLIDAE Woolley & Higgins, 1966		
 <i>Adoristes</i> Hull, 1916		Quaternary – Recent
143. <i>Adoristes ovatus</i> (C. L. Koch, 1839)* [Recent]	Qt	northern Europe
 <i>Liacarus</i> Michael, 1898		Quaternary – Recent
144. <i>Liacarus coracinus</i> (C. L. Koch, 1841) [Recent]	Qt	Finland
 <i>Xenillus</i> Robineau-Desvoidy, 1839		Paleogene – Recent
145. <i>Xenillus tegeocraniformis</i> (Sellnick, 1919)	Pa	Baltic amber
 MULTORIBULIDAE Balogh, 1972		Recent

no fossil record

PELOPPIIDAE Balogh, 1943 Paleogene – Recent

Ceratoppia Berlese, 1908 Paleogene – Recent

146. *Ceratoppia bipilis fossilis* Sellnick, 1919 Pa Baltic amber

i. = *Oribates politus* C. L. Koch & Berendt, 1854 Pa Baltic amber

147. *Ceratoppia quadridentata* (Haller, 1882) [Recent] Qt Finland

TENUILALIDAE Jacot, 1929 Quaternary – Recent

Hafenrefferia Oudemans, 1906 Quaternary – Recent

148. *Hafenrefferia gilvipes* (C. L. Koch, 1839)* [Recent] Qt Finland

CARABODOIDEA C. L. Koch, 1843b Palaeogene – Recent

= OCTOCEPHOIDEA Balogh, 1961

CARABOCEPHIDAE Mahunka, 1986 Recent

no fossil record

CARABODIDAE C. L. Koch, 1843b Palaeogene – Recent

Carabodes C. L. Koch, 1835 Palaeogene – Recent

149. *Carabodes areolatus* Berlese, 1916 [Recent] Qt Karelia, Russia

150. *Carabodes coriaceus* C. L. Koch, 1835* [Recent] Qt Finland

151. *Carabodes coriaceus* [Recent] *fossilis* Sellnick, 1931 Pa Baltic amber

152. *Carabodes dissonus* Sellnick, 1931 Pa Baltic amber

153. *Carabodes gerberi* Sellnick, 1931 Pa Baltic amber

154. *Carabodes labyrinthicus* (Michael, 1879) [Recent] Qt Europe

155. *Carabodes labyrinthicus* [Recent] *fossilis* Sellnick, 1931 Pa Baltic amber

156. *Carabodes marginatus* (Michael, 1884) [Recent] Qt Finland

157. *Carabodes minusculus* Berlese, 1923 [Recent] Qt Germany

158. *Carabodes ornatus* Storkan, 1925 [Recent] Qt Finland

159. *Carabodes subarcticus* Trägårdh, 1902 [Recent] Qt Finland

160. *Carabodes willmanni* Bernini, 1975 [Recent] Qt western Norway

?*Carabodes* sp. in Norton & Poinar (1993) Ne Dominican amber

+ **Carabodites Pampaloni, 1902** Neogene?

161. *Carabodites pavesii* Pampaloni, 1902* Ne? Sicily

Odontocephalus Berlese, 1913 Quaternary – Recent

162. *Odontocephalus elongatus* (Michael, 1879)* [Recent] Qt Finland

DAMPFIELLIDAE Balogh, 1961 Recent

no fossil record

NIPPOBODIDAE Aoki, 1959 Recent

no fossil record

OTOCEPHEIDAE Balogh, 1961	Paleogene – Recent
<i>Dolicheremaeus</i> Jacot, 1938	Neogene – Recent
<i>Dolicheremaeus</i> sp. in Norton & Poinar (1993)	Ne Dominican amber
<i>Otocephaeus</i> Berlese, 1905	Paleogene – Recent
163. <i>Otocephaeus niger</i> Sellnick, 1931	Pa Baltic amber
164. <i>Otocephaeus praesignis</i> Sellnick, 1931	Pa Baltic amber
 TOKUNOCEPHEIDAE Aoki, 1966a	Recent
no fossil record	
 OPPIOIDEA Grandjean, 1951	Palaeogene – Recent
= EREMELLOIDEA Balogh, 1961 [in part]	
= TRIZETOIDEA Ewing, 1917 [in part]	
AUTOGNETIDAE Grandjean, 1960b	Quaternary – Recent
Conchogneta Grandjean, 1963	Quaternary – Recent
165. <i>Conchogneta traegardhi</i> (Forsslund, 1947) [Recent]	Qt Finland
 ARCEREMAEIDAE Balogh, 1972	Recent
no fossil record	
 BORHIDIIDAE Balogh, 1983	Recent
no fossil record	
 CHAVINIIDAE Balogh, 1983	Recent
no fossil record	
 ENANTIOOPPIIDAE Balogh, 1983	Recent
no fossil record	
 EPIMERELLIDAE Ayyildiz & Luxton, 1989	Recent
no fossil record	
 GRANULOPPIIDAE Balogh, 1983	Recent
no fossil record	
 MACHADOBELBIDAE Balogh, 1972	Recent
no fossil record	
 MACHUELLIDAE Balogh, 1893	Recent
no fossil record	
 NOSYBELBIDAE Mahunka, 1994	Recent

no fossil record

OPPIIDAE Grandjean, 1951 Palaeogene – Recent

Dissorrhina Hull, 1916 Quaternary – Recent

166. *Dissorrhina ornata* (Oudemans, 1900)* [Recent] Qt Germany

Oppia C. L. Koch, 1836 Palaeogene – Recent

167. *Oppia angustum* (Sellnick, 1931) Pa Baltic amber

168. *Oppia cervicornu* (Sellnick, 1919) Pa Baltic amber

169. *Oppites hurdi* Woolley, 1971 Ne Chiapas amber

170. *Oppia longilamellata* [Recent] *fossilis* (Sellnick, 1931) Pa Baltic amber

171. *Oppia medium* (Sellnick, 1931) Pa Baltic amber

172. *Oppia mexicana* (Woolley, 1971) Ne Chiapas amber

173. *Oppia setigera* (Woolley, 1971) Ne Chiapas amber

174. *Oppia sucinum* (Sellnick, 1931) Pa Baltic amber

?*Oppia* sp. in Norton & Poinar (1993) Ne Dominican amber

Oppiella Jacot, 1937 Quaternary – Recent

175. *Oppiella nova* (Oudemans, 1902)* [Recent] Qt northern Europe

176. *Oppiella ornata* (Oudemans, 1900) [Recent] Qt western Norway

177. *Oppiella splendens* (C. L. Koch, 1841) [Recent] Qt western Norway

178. *Oppiella subpectinata* (Oudemans, 1900) [Recent] Qt northern Europe

179. *Oppiella translamellata* (Willmann, 1923) [Recent] Qt northern Europe

† *Oppites* Pampaloni, 1902 Neogene

180. *Oppites melilli* Pampaloni, 1902* Ne? Sicily

Ramusella Hammer, 1962 Quaternary – Recent

181. *Ramusella clavipectinata* (Michael, 1885) [Recent] Qt Germany

OXYAMERIDAE Aoki, 1965 Recent

no fossil record

PAPILLONOTIDAE Balogh, 1983 Recent

no fossil record

PLATYAMERIDAE Balogh & Balogh, 1983 Recent

no fossil record

QUADROOPPIIDAE Balogh, 1983 Recent

no fossil record

RHYNCHORIBATIDAE Balogh, 1961 Recent

no fossil record

SPINOZETIDAE Balogh, 1972 Recent

no fossil record

STERNOPPIIDAE Balogh & Mahunka, 1969 Recent

no fossil record

SUCTOBELBIDAE Jacot, 1938 Palaeogene – Recent

***Suctobelbella* Jacot, 1937** Palaeogene – Recent

- 182. *Suctobelbella falcata* (Forsslund, 1941) [Recent] Qt Germany
- 183. *Suctobelbella latirostris* (Strenzke, 1950) [Recent] Qt Germany
- 184. *Suctobelbella longirostris* (Forsslund, 1941) [Recent] Qt western Norway
- 185. *Suctobelbella sarekensis* (Forsslund, 1941) [Recent] Qt Europe
- 186. *Suctobelbella similis* (Forsslund, 1941) [Recent] Qt Germany
- 187. *Suctobelbella subcornigera* (Forsslund, 1941) [Recent] Qt Germany
- 188. *Suctobelbella subtrigona* (Oudemans, 1916) [Recent] Qt Europe
- 189. *Suctobelbella subtrigona* [Recent] *fossilis* (Sellnick, 1931) Pa Baltic amber

TERATOPPIIDAE Balogh, 1983 Recent

no fossil record

TETRACONDYLIDAE Aoki, 1961 Recent

no fossil record

THYRISOMIDAE Grandjean, 1954b Quaternary – Recent

***Banksinoma* Oudemans, 1930** Quaternary – Recent

- 190. *Banksinoma lanceolata* (Michael, 1885)* [Recent] Qt Europe

TRIZETIDAE Ewing, 1917 Recent

no fossil record

TUPAREZETIDAE Balogh, 1972 Recent

no fossil record

TECTOCEPHEOIDEA Grandjean, 1954b Paleogene – Recent

TECTOCEPHEIDAE Oudemans, 1900 Paleogene – Recent

***Tectocephaeus* Berlese, 1895** Paleogene – Recent

- 191. *Tectocephaeus minor* Berlese, 1903 [Recent] Qt western Norway
- 192. *Tectocephaeus similis* Sellnick, 1931 Pa Baltic amber
- 193. *Tectocephaeus velatus* (Michael, 1880)* [Recent] Qt northern Europe

HYDROZETOIDEA Grandjean, 1954b Jurassic – Recent

HYDROZETIDAE Grandjean, 1954b Jurassic – Recent

***Hydrozetes* Berlese, 1902** Jurassic – Recent

194. *Hydrozetes confervae* (Schrank, 1791) [Recent] Qt western Norway
195. *Hydrozetes lacustris* (Michael, 1882)* [Recent] Qt northern Europe
196. *Hydrozetes oryktosis* Woolley, 1969 Qt Michigan
Hydrozetes sp. in Sivhead & Wallwork (1978) J Sweden
- LIMNOZETIDAE Thor, 1937** Quaternary – Recent
- Limnozetes Hull, 1916** Quaternary – Recent
197. *Limnozetes ciliatus* (Schrank, 1803)* [Recent] Qt northern Europe
198. *Limnozetes rugosus* (Sellnick, 1923) [Recent] Qt northern Europe
- AMERONOTHROIDEA Willmann, 1931** Quaternary – Recent
- AMERONOTHRIDAE Willmann, 1931** Quaternary – Recent
- Ameronothrus Berlese, 1896** Quaternary – Recent
199. *Ameronothrus lineatus* (Thorell, 1871)* [Recent] Qt Europe / Greenland
200. *Ameronothrus maculatus* (Michael, 1882) [Recent] Qt western Norway
- FORTUYNIIDAE van der Hammen, 1963** Recent
- no fossil record
- SELENORIBATIDAE Schuster, 1963** Recent
- no fossil record
- TEGEOCRANELLIDAE Balogh, 1987** Recent
- no fossil record
- CYMBAREMAEOIDEA Sellnick, 1928** Jurassic – Recent
- CYMBAREMAEIDAE Sellnick, 1928** Jurassic – Recent
- = AMETROPROCTIDAE Subías, 2004
- = SCAPHEREMAEIDAE Subías, 2004
- Ametroproctus Higgins & Woolley, 1968** Cretaceous – Recent
201. *Ametroproctus valeriae* Arillo, Subías & Shtanchaeva, 2009 K San Just amber
- Cymbameremaeus Berlese, 1896** Paleogene – Recent
202. *Cymbameremaeus cyma* (Nicolet, 1855)* [Recent] Qt northern Europe
- † **Jureremeus Krivolutsky in Krivolutsky & Krasilov, 1977** Jurassic
203. *Jureremeus foveolatus* Krivolutsky in Krivolutsky & Krasilov, 1977* J Russian far east
204. *Jureremeus phippsi* Selden, Baker & Phipps, 2008 J Yorkshire, UK
- Scapheremaeus Berlese, 1910** Paleogene – Recent
205. *Scapheremaeus undosus* Sellnick, 1919 Pa Baltic amber
- † **Tectocymba Sellnick, 1919** Paleogene – Recent
206. *Tectocymba rara* Sellnick, 1919* Pa Baltic amber
- EREMAEZOZETOIDEA Pfiffli, 1972** Paleogene – Recent

= IDIOZETOIDEA Aoki, 1976	
EREMAEZOZETIDAE Pfiffi, 1972	Paleogene – Recent
<i>Eremaeozetes</i> Berlese, 1913	Paleogene – Recent
= † <i>Scutoribates</i> Sellnick, 1919	
<i>Eremaeozetes</i> sp. in Norton & Poinar (1993)	Ne Dominican amber
IDIOZETIDAE Aoki, 1976	Recent
no fossil record	
LICNEREMAEOIDEA Grandjean, 1931	Palaeogene – Recent
= CHARASSOBATOIDEA Grandjean, 1958b	
ADHAESOZETIDAE Hammer, 1973	Recent
no fossil record	
CHARASSOBATIDAE Grandjean, 1958b	Recent
no fossil record	
DENDEROEREMAEIDAE author, date?	Recent
no fossil record	
EREMELLIDAE Balogh, 1961	Recent
no fossil record	
LAMELLAREIDAE author, date?	Recent
no fossil record	
LICNEREMAEIDAE Grandjean, 1931	Palaeogene – Recent
<i>Licneremaeus</i> Paoli, 1908	Palaeogene – Recent
207. <i>Licneremaeus fritschi</i> Sellnick, 1931	Pa Baltic amber
208. <i>Licneremaeus licnophorus</i> (Michael, 1882) [Recent]	Qt Germany
MICREREMIDAE Grandjean, 1954b	Jurassic – Recent
<i>Micreremus</i> Grandjean, 1954b[not Berlese 1908?]	Paleogene – Recent
209. <i>Micreremus brevipes</i> (Michael, 1888)* [Recent]	Qt northern Europe
210. <i>Micreremus reticulatus</i> Sellnick, 1931	Pa Baltic amber
211. <i>Micreremus scrobiculatus</i> Sellnick, 1931	Pa Baltic amber
PASSALOZETIDAE Grandjean, 1954b	Quaternary – Recent
<i>Passalozetes</i> Grandjean, 1932a	Quaternary – Recent
212. <i>Passalozetes africanus</i> Grandjean, 1932a [Recent]	Qt Finland
SCUTOVERTICIDAE Grandjean, 1954b	Neogene – Recent

<i>Arthrovertex</i> Balogh, 1970	Neogene – Recent
213. <i>Arthrovertex hurdi</i> (Woolley, 1971)	Ne Chiapas amber
<i>Arthrovertex</i> sp. in Norton & Poinar (1993)	Ne Dominican amber
<i>Scutovertex</i> Michael, 1879	Quaternary – Recent
214. <i>Scutovertex minutus</i> (C. L. Koch, 1835) [Recent]	Qt Germany
 PHENOPELOPOIDEA Petrunkevitch, 1955a	Palaeogene – Recent
PHENOPELOPIDAE Petrunkevitch, 1955a	Palaeogene – Recent
= PELOPIDAE author, date?	
<i>Eupelops</i> Ewing, 1917	Palaeogene – Recent
215. <i>Eupelops acromios</i> (Hermann, 1804) [Recent]	Qt Finland
216. <i>Eupelops curtipilus</i> (Berlese, 1916) [Recent]	Qt Germany
217. <i>Eupelops occultus</i> (C. L. Koch, 1835) [Recent]	Qt Kerelia, Russia
218. <i>Eupelops plicatus</i> (C. L. Koch, 1835) [Recent]	Qt northern Europe
219. <i>Eupelops punctulatus</i> (Sellnick, 1931)	Pa Baltic amber
220. <i>Eupelops uraceus</i> (C. L. Koch, 1839)* [Recent]	Qt Kerelia, Russia
<i>Eupelops</i> sp. in Karppinen & Koponen (1974)	Qt Finland
<i>Peloptulus</i> Berlese, 1908	Quaternary – Recent
221. <i>Peloptulus phaenotus</i> (C. L. Koch, 1844)* [Recent]	Qt Germany
 UNDULORIBATIDAE Kunst, 1971	Palaeogene – Recent
<i>Scutoribates</i> Sellnick, 1918	Palaeogene – Recent
222. <i>Scutoribates perornatus</i> Sellnick, 1918	Pa Baltic amber
<i>Unduloribates</i> Balogh, 1943	?Palaeogene – Recent
223. <i>Unduloribates parvus</i> (Sellnick, 1931)	Pa Baltic amber
[generic affinities need clarification]	
 ACHIPTERIOIDEA Thor, 1929	Jurassic – Recent
ACHIPTERIIDAE Thor, 1929	Jurassic – Recent
<i>Achipteria</i> Berlese, 1885	Jurassic – Recent
224. <i>Achipteria coleoptera</i> (Linnaeus, 1757) [Recent]	Qt Finland / Greenland
225. ? <i>Achipteria obscura</i> Krivolutsky in Krivolutsky & Krasilov, 1977	J Russian far east
<i>Parachipteria</i> van der Hammen, 1952	Quaternary – Recent
226. <i>Parachipteria punctata</i> (Nicolet, 1855) [Recent]	Qt northern Europe
227. <i>Parachipteria willmanni</i> van der Hammen, 1952 [Recent]	Qt Germany
 EPACTOZETIDAE Grandjean, 1936b	Recent
no fossil record	
 TEGORIBATIDAE Grandjean, 1954b	Quaternary – Recent
<i>Tegoribates</i> Ewing, 1917	Quaternary – Recent

228. <i>Tegoribates latirostris</i> (C. L. Koch, 1844) [Recent]	Qt Finland
ORIBATELLOIDEA Jacot, 1925	Palaeogene – Recent
ORIBATELLIDAE Jacot, 1925	Palaeogene – Recent
Oribatella Banks, 1895	Palaeogene – Recent
229. <i>Oribatella berlesei</i> (Michael, 1898) [Recent]	Qt Finland
230. <i>Oribatella calcarata</i> (C. L. Koch, 1835) [Recent]	Qt Kerelia, Russia
231. <i>Oribatella mirabilis</i> Sellnick, 1931	Pa Baltic amber
ORIPODOIDEA Jacot, 1925	Palaeogene – Recent
CALOPPIIDAE author, date?	Recent
= ?CRASSORIBATULIDAE author, date?	
no fossil record	
CAMPBELLOBATIDAE J. Balogh & P. Balogh, 1984	Recent
no fossil record	
CHAUNOPROCTIDAE Balogh, 1961	Recent
no fossil record	
DRYMOBATIDAE J. Balogh & P. Balogh, 1984	Recent
no fossil record	
HAPLOZETIDAE Grandjean, 1936c	Palaeogene – Recent
= PROTORIBATIDAE J. Balogh & P. Balogh, 1984	
= XLOBATIDAE J. Balogh & P. Balogh, 1984	
Protoribates Berlese, 1908	Palaeogene – Recent
232. <i>Protoribates longipilis</i> Sellnick, 1931	Pa Baltic amber
LAMELLAREIDAE Balogh, 1972	Recent
no fossil record	
MAUDHEIMIIDAE J. Balogh & P. Balogh, 1984	Recent
no fossil record	
MOCHLOZETIDAE Grandjean, 1960a	Neogene – Recent
<i>Mochlozetidae</i> sp. <i>in</i> Norton & Poinar (1993)	Ne Dominican amber
Mochloribatula Mahunka, 1978	Neogene – Recent
233. <i>Mochloribatula smithi</i> (Woolley, 1971)	Ne Chiapas amber
Mochlozetes Grandjean, 1930	Neogene – Recent
<i>Mochlozetes</i> sp. <i>in</i> Norton & Poinar (1993)	Ne Dominican amber
NASOBATIDAE Balogh, 1972	Recent

no fossil record

NEOTRICOZETIDAE Balogh, 1965 Recent

no fossil record

NESOZETIDAE J. Balogh & P. Balogh, 1984 Recent

no fossil record

ORIBATULIDAE Thor, 1929 Palaeogene – Recent

Oribatulidae sp. *in* Aoki (1974) Qt Mizunami copal

Lucoppia Berlese, 1908 Palaeogene – Recent

234. *Lucoppia simplex* Sellnick, 1919 Pa Baltic amber

Oribatula Berlese, 1895 Quaternary – Recent

235. *Oribatula tibialis* (Nicolet, 1855)* [Recent] Qt Europe

Phauloppia Berlese, 1908 Palaeogene – Recent

236. *Phauloppia lucorum* (C. L. Koch, 1841) [Recent] Qt northern Europe

237. *Phauloppia pellucida* (Sellnick, 1931) Pa Baltic amber

Sachalinella Rjabinin *in* Krivolutzkii & Rjabinin, 1976 Palaeogene – Recent

May be a homonym of a bivalve genus

238. *Sachalinella zherichini* Rjabinin *in* Krivolutzkii & Rjabinin, 1976* Pa Sachalin amber

Zygoribatula Berlese, 1916 Quaternary – Recent

239. *Zygoribatula exilis* (Nicolet, 1855) [Recent] Qt northern Europe

ORIPODIDAE Jacot, 1925 Palaeogene – Recent

= BIROBATIDAE J. Balogh & P. Balogh, 1984

Benoibates Balogh, 1958 Neogene – Recent

240. *Benoibates chiapasensis* (Woolley, 1971) Ne Chiapas amber

Oripoda Banks, 1904 Palaeogene – Recent

241. *Oripoda baltica* Sellnick, 1931 Pa Baltic amber

Oripoda sp. *in* Norton & Poinar (1993) Ne Dominican amber

Parapirnodus Balogh & Mahunka, 1968 Neogene – Recent

242. *Parapirnodus denaius* (Woolley, 1971) Ne Chiapas amber

PARAKALUMMIDAE Grandjean, 1936b Palaeogene – Recent

Neoribates Berlese, 1914 Palaeogene – Recent

243. *Neoribates borussicus* Sellnick, 1931 Pa Baltic amber

SCHELORIBATIDAE Grandjean, 1933 Palaeogene – Recent

Liebstadia Oudemans, 1906 Palaeogene – Recent

244. *Liebstadia similiformis* Sellnick, 1931 Pa Baltic amber

245. *Liebstadia similis* (Michael, 1888)* [Recent] Qt Europe / Greenland

Scheloribates Berlese, 1908 Palaeogene – Recent

246. *Scheloribates apterus* Sellnick, 1931 Pa Baltic amber
 247. *Scheloribates areatus* Sellnick, 1931 Pa Baltic amber
 248. *Scheloribates durhami* (Woolley, 1971) Ne Chiapas amber
 249. *Scheloribates initialis* (Berlese, 1908) [Recent] Qt Europe
 250. *Scheloribates laevigatus* (C. L. Koch, 1835) [Recent] Qt northern Europe
 251. *Scheloribates latipes* (C. L. Koch, 1844) [Recent] Qt Europe
 252. *Scheloribates pallidulus* (C. L. Koch, 1841) [Recent] Qt Germany
 253. *Scheloribates setatus* Sellnick, 1931 Pa Baltic amber

STELECHOBATIDAE Grandjean, 1965b Recent

no fossil record

SYMBIORIBATIDAE Aoki, 1966b Recent

no fossil record

- TUBULOZETIDAE Balogh, 1989** Quaternary – Recent
Grandjeanobates Ramsay, 1967 Quaternary – Recent
 ?*Grandjeanobates* sp. Qt New Zealand

ZETOMOTRICHIDAE Grandjean, 1954b Recent

no fossil record

CERATOZETOIDEA Jacot, 1925 Paleogene – Recent

CERATOKALUMMIDAE Balogh, 1970 Recent

no fossil record

CERATOZETIDAE Jacot, 1925 Paleogene – Recent

Ceratozetes Berlese, 1908 Quaternary – Recent

254. *Ceratozetes gracilis* (Michael, 1884)* [Recent] Qt Finland
 255. *Ceratozetes minimus* Sellnick, 1928 [Recent] Qt Germany
 256. *Ceratozetes parvulus* Sellnick, 1922 [Recent] Qt Germany

Dipterobates Grandjean, 1936b Quaternary – Recent

257. *Dipterobates notatus* (Thorell, 1871) [Recent] Qt Europe / Greenland

Edwardzetes Berlese, 1914 Quaternary – Recent

258. *Edwardzetes edwardsi* (Nicolet, 1855)* [Recent] Qt western Norway

Fuscozetes Sellnick, 1928 Quaternary – Recent

259. *Fuscozetes fuscipes* (C. L. Koch, 1844)* [Recent] Qt western Norway

Melanozetes Hull, 1916 Paleogene – Recent

260. *Melanozetes foderatus* Sellnick, 1931 Pa Baltic amber

261. *Melanozetes mollicomnus* [Recent] *fossilis* Sellnick, 1931 Pa Baltic amber

262. *Melanozetes meridianus* Sellnick, 1928 [Recent] Qt Greenland

- Melanozetes* sp. in Karppinen et al. (1979) Qt Karelia, Russia

<i>Oromucia</i> Thor, 1930	Quaternary – Recent
263. <i>Oromucia bicuspidata</i> Thor, 1930* [Recent]	Qt western Norway
264. <i>Oromucia lucens</i> (C. L. Koch, date?) [Recent]	Qt Greenland
<i>Sphaerozetes</i> Berlese, 1885	Paleogene – Recent
265. <i>Sphaerozetes convexulus</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
266. <i>Sphaerozetes pirifomis</i> (Nicolet, 1855) [Recent]	Qt Finland
267. <i>Sphaerozetes primus</i> Sellnick, 1931	Pa Baltic amber
<i>Trichoribates</i> Berlese, 1910	Quaternary – Recent
268. <i>Trichoribates biarea</i> Gjelstrup & Solhøy, 1994 [Recent]	Qt western Norway
269. <i>Trichoribates incisellus</i> (Kramer, 1897) [Recent]	Qt Europe
270. <i>Trichoribates monticola</i> (Trägårdh, 1902) [Recent]	Qt western Norway
271. <i>Trichoribates setiger</i> (Trägårdh, 1910) [Recent]	Qt western Norway
272. <i>Trichoribates trimaculatus</i> (C. L. Koch, 1835)* [Recent]	Qt northern Europe
CHAMOBATIDAE Thor, 1937	Paleogene – Recent
<i>Chamobates</i> Hull, 1916	Paleogene – Recent
273. <i>Chamobates borealis</i> (Trägårdh, 1902) [Recent]	Qt western Norway
274. <i>Chamobates cuspidatus</i> (Michael, 1884) [Recent]	Qt Finland
275. <i>Chamobates difficilis</i> Sellnick, 1931	Pa Baltic amber
EUZETIDAE Grandjean, 1954b	Quaternary – Recent
<i>Euzetes</i> Berlese, 1908	Quaternary – Recent
276. <i>Euzetes globulus</i> (Nicolet, 1855) [Recent]	Qt Finland
HUMEROBATIDAE Grandjean, 1970	Recent
no fossil record	
MYCOBATIDAE Grandjean, 1954b	Quaternary – Recent
<i>Mycobates</i> Hull, 1916	Quaternary – Recent
277. <i>Mycobates consimilis</i> Hammer, 1952 [Recent]	Qt Greenland
278. <i>Mycobates parmeliae</i> (Michael, 1884) [Recent]	Qt Karelia, Russia
279. <i>Mycobates sarekenis</i> (Trägårdh, 1910) [Recent]	Qt western Norway
<i>Puncitoribates</i> Berlese, 1908	Quaternary – Recent
280. <i>Puncitoribates punctum</i> (C. L. Koch, 1839) [Recent]	Qt Karelia, Russia
281. <i>Puncitoribates sellnicki</i> Willmann, 1928 [Recent]	Qt Europe
<i>Puncitoribates</i> sp. in Karppinen & Koponen (1973)	Qt Finland
RAMSAYELLIDAE Luxton, 1985	Recent
no fossil record	
ZETOMIMIDAE Shaldybina, 1966	Quaternary – Recent

Zetomimus author, date?	Quaternary – Recent
282. <i>Zetomimus furcatus</i> (Pearce & Warburton, 1906)* [Recent]	Qt Karelia, Russia
GALUMNOIDEA Jacot, 1925	Palaeogene – Recent
GALUMNELLIDAE Pfiffi, 1970	Quaternary – Recent
Galumnella Berlese, 1917	Quaternary – Recent
<i>Galumnella</i> sp. in Aoki (1974)	Qt Mizunami copal
GALUMNIDAE Jacot, 1925	Palaeogene – Recent
<i>Galumnidae</i> spp. in Norton & Poinar (1993)	Pa Baltic amber
Acrogalumna Grandjean, 1956b	Quaternary – Recent
283. <i>Acrogalumna longipluma</i> (Berlese, 1904)* [Recent]	Qt Karelia, Russia
Galumna von Heyden, 1826	Palaeogene – Recent
284. <i>Galumna clavata</i> Sellnick, 1931	Pa Baltic amber
285. <i>Galumna diversa</i> Sellnick, 1931	Pa Baltic amber
286. <i>Galumna lanceata</i> (Oudemans, 1900) [Recent]	Qt Karelia, Russia
287. <i>Galumna obvia</i> (Berlese, 1915) [Recent]	Qt Finland
<i>Galumna</i> sp. in Karppinen & Koponen (1974)	Qt Finland
Pergalumna Grandjean, 1936b	Quaternary – Recent
288. <i>Pergalumna dorsalis</i> (C. L. Koch, 1835) [Recent]	Qt Finland
289. <i>Pergalumna nervosa</i> (Berlese, 1914)* [Recent]	Qt northern Europe
Pilogalumna Grandjean, 1956b	Quaternary – Recent
290. <i>Pilogalumna tenuiclava</i> (Berlese, 1908) [Recent]	Qt Germany
ASTIGMATA G. Canestrini, 1891 (cohort)	Palaeogene – Recent
= ACARIDIDA author, date?	
SCHIZOGLYPHOIDEA Mahunka, 1978	Recent
SCHIZOGLYPHIDAE Mahunka, 1978	Recent
no fossil record	
HISTIOSTOMATOIDEA Berlese, 1897	Recent
GUANOLICHIDAE Fain, 1968	Recent
no fossil record	
HISTIOSTOMATIDAE Berlese, 1897	Recent
no fossil record	
CANESTRINIOIDEA Berlese, 1884	Recent
CANESTRINIIDAE Berlese, 1884	Recent
no fossil record	
CHETOCHELACARIDAE Fain, 1987	Recent

no fossil record

HETEROCOPTIDAE Fain, 1967b **Recent**

no fossil record

LEMANNIELLIDAE author, date? **Recent**

no fossil record

Superfamily?

[NB: Sidorchuk & Klimov (2011) discussed the problems in placing this extinct family.]

† **GLAESACARIDAE** Klimov & Sidorchuk *in* Sidorchuk & Klimov, 2011 **Palaeogene**

† *Glaesacarus* Klimov & Sidorchuk *in* Sidorchuk & Klimov, 2011 **Palaeogene – Recent**

291. *Glaesacarus rhombeus* (C. L. Koch & Berendt, 1854)* Pa Baltic amber

HEMISCARPOCTOIDEA Oudemans, 1908 **Neogene – Recent**

ALGOPHAGIDAE Fain, 1974 **Recent**

no fossil record

CARPOGLYPHIDAE Oudemans, 1923 **Recent**

no fossil record

CHAETODACTYLIDAE Zachvatkin, 1941 **Recent**

no fossil record

HEMISARCOPTIDAE Oudemans, 1908 **Recent**

no fossil record

HYADESIIDAE Halbert, 1915 **Recent**

no fossil record

MELIPONOCOPTIDAE author, date? **Recent**

no fossil record

WINTERSCHMIDTIIDAE Oudemans, 1923 **Neogene – Recent**

† *Amphicalvolia* Türk, 1963 **Neogene – Recent**

292. *Amphicalvolia hurdi* Türk, 1963* Ne Chiapas amber

GLYCOPHAGOIDEA Berlese, date? **Recent**

AEROGLYPHIDAE Zachvatkin, 1941 **Recent**

no fossil record

CHORTOGLYPHIDAE Berlese, 1897 **Recent**

no fossil record

ECHIMYOPODIDAE Fain, 1967a	Recent
no fossil record	
EUGLYCYPHAGIDAE Fain & Phillips, 1977	Recent
no fossil record	
GLYCYPHAGIDAE Berlese, date?	Recent
no fossil record	
PEDETPODIDAE Fain, date?	Recent
no fossil record	
ROSENSTEINIIDAE Coorman, 1954	Recent
= LOPHONOTACARIDAE Fain, 1987	
= TROGLOTACARIDAE Fain, 1977	
no fossil record	
ACAROIDEA Latreille, 1802	Neogene – Recent
ACARIDAE Latreille, 1802	Recent
[query family placement?]	
† Tyroglyphites Pampaloni, 1902	Neogene – Recent
293. <i>Tyroglyphites miocenicus</i> Pampaloni, 1902*	Ne Sicily
GAUDIELLIDAE Atyeo et al., 1974	Recent
= PARTAMONACOPTIDAE author, date?	
= PLATYGLYPHIDAE Kurosa, 1976	
no fossil record	
GLYCACARIDAE Griffiths, 1977	Recent
no fossil record	
LARDOGLYPHIDAE Oudemans, 1877	Recent
no fossil record	
SAPRACARIDAE Fain, 1988	Recent
no fossil record	
SUIDASIIDAE Hughes, 1948	Recent
no fossil record	
TYROGLYPHIDAE Donnadieu, 1868	Quaternary – Recent
<i>Tyroglyphidae</i> sp. <i>in</i> Aoki (1974)	Qt Mizunami copal

HYPODERATOIDEA Murray, 1877	Recent
HYPODERATIDAE Murray, 1877	Recent
no fossil record	
PSOROPTIDIA Yunker, 1955 (unranked clade)	Neogene – Recent
PTEROLICHOIDEA Trouessart & Mégnin, 1884	Recent
= FREYANOIDEA Dubinin, 1953	
ASCOURACARIDAE Gaud & Atyeo, 1976	Recent
no fossil record	
CAUDIFERIDAE Gaud & Atyeo, 1978	Recent
no fossil record	
CHEYLABIDIDAE Gaud, 1983	Recent
no fossil record	
CRYPTUROPTIDAE Gaud, Atyeo & Berla, 1972	Recent
no fossil record	
EUSTATHIIDAE Oudemans, 1905	Recent
no fossil record	
FALCULIFERIDAE Oudemans, 1905	Recent
no fossil record	
FREYANIDAE Dubinin, 1953	Recent
no fossil record	
GABUCINIIDAE Gaud & Atyeo, 1975	Recent
no fossil record	
KIWILICHIDAE Dabert, 1994	Recent
no fossil record	
KRAMERELLIDAE Gaud & Mouchet, 1961	Recent
no fossil record	
OCHROLICHIDAE Gaud & Atyeo, 1978	Recent
no fossil record	
OCONNORIIDAE Gaud, Atyeo & Klompen, 1989	Recent
no fossil record	

PTEROLICHIDAE Trouessart & Mégnin, 1884	Recent
no fossil record	
PTILOXENIDAE Gaud, 1982	Recent
no fossil record	
RECTIJANUIDAE Gaud, 1961	Recent
no fossil record	
SYRINGOBIIIDAE Trouessart, 1897	Recent
no fossil record	
THORACOSATHESIDAE Gaud & Mouchet, 1959	Recent
no fossil record	
VEXILLARIIDAE Gaud & Mouchet, 1959	Recent
no fossil record	
ANALGOIDEA Trouessart & Mégnin, 1884	Recent
ALLOPTIDAE Gaud, 1957	Recent
no fossil record	
ANALGIDAE Trouessart & Mégnin, 1884	Recent
no fossil record	
APIONACARIDAE Gaud & Atyeo, 1977	Recent
no fossil record	
AVENZOARIIDAE Oudemans, 1905	Recent
no fossil record	
CYTODITIDAE Oudemans, 1908	Recent
no fossil record	
DERMATIONIDAE Fain, 1965	Recent
no fossil record	
DERMOGLYPHIDAE Mégnin & Trouessart, 1884	Recent
no fossil record	
EPIDERMOPТИDAE Trouessart, 1892	Recent
no fossil record	
GAUDOGLYPHIDAE Bruce & Johnston, 1976	Recent

no fossil record

HETEROPSORIDAE Oudemans, 1908 Recent

no fossil record

KNEMIDOKOPTIDAE Dubinin, 1953 Recent

no fossil record

LAMINOSILOPTIDAE Vitzthum, 1931 Recent

no fossil record

PROCTOPHYLLODIDAE Mégnin & Trouessart, 1884 Recent

no fossil record

PSORALGIDAE Oudemans, 1908 Recent

no fossil record

PSOROPTOIDIDAE Gaud, 1983 Recent

no fossil record

PTYSSALGIDAE Atyeo & Gaud, 1979 Recent

no fossil record

PYROGLYPHIDAE Cunliffe, 1958 Recent

no fossil record

TARSOCHEYLIDAE Atyeo & Gaud, 1979 Recent

no fossil record

THYSANOCERCIDAE Atyeo & Peterson, 1972 Recent

no fossil record

TROUESSARTIIDAE Gaud, 1957 Recent

no fossil record

TURBINOPTIDAE Fain, 1957 Recent

no fossil record

XOLALGIDAE Dubinin, 1953 Recent

no fossil record

SARCOPTOIDEA Murray, 1877 Neogene–Recent

= PSOROPTIOIDEA Canestrini, 1892

- ACAROPTIDAE** Womersley, 1953 Recent
no fossil record
- ATOPOMELIDAE** Gunter, 1942 Neogene–Recent
?Apotomelidae sp. [originally as Listrophoridae in Poinar 1988] Ne Dominican amber
- AUDYCOPTIDAE** Lavoipierre, 1964 Recent
no fossil record
- CHIRODISCIDAE** Trouessart, 1892 Recent
no fossil record
- CHIRORHYNCHOBIIDAE** Fain, 1967 Recent
no fossil record
- GALAGALIDAE** Fain, 1963 Recent
no fossil record
- GASTRONYSSIDAE** Fain, 1956 Recent
no fossil record
- LEMURNYSIIDAE** Fain, 1957 Recent
no fossil record
- LISTROPHORIDAE** Mégnin & Trouessart, 1884 Recent
no fossil record
- LOBALGIDAE** Fain, 1965 Recent
no fossil record
- MYCOPTIDAE** author, date? Recent
no fossil record
- PSOROPTIDAE** Canestrini, 1892 Recent
no fossil record
- PNEUMOCOPTIDAE** Fain, 1957 Recent
no fossil record
- RHYNCOPTIDAE** Lawrence, 1956 Recent
no fossil record
- SARCOPTIDAE** Murray, 1877 Recent
no fossil record

NOMINA DUBIA

1. *Acarus resinosus* Presl, 1822 Pa Baltic amber

NOMINA NUDA

1. *Erythraeus hirsutissimus* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
2. *Gymnodamaeus kulczynskii* Petrunkevitch, 1955a Pa Baltic amber
3. *Trombidium fossile* Keferstein, 1834 Pa Aix-en-Provence?

c. 36,900 Recent species according to Hallan (2004)

RICINULEI

15 currently valid species of fossil ricinuleid

RICINULEI Thorell, 1876c Carbon. – Recent

= RHINOGASTRA Cook, 1899

= PODOGONA Cook, 1899

† **PALAEORICINULEI Selden, 1992 (suborder)** Carboniferous

† **CURCULOIDIDAE Cockerell, 1916** Carboniferous

† **Amarixys Selden, 1992** Carboniferous

1. *Amarixys gracilis* (Petrunkevitch, 1945a) C Mazon Creek

2. *Amarixys stellaris* Selden, 1992 C Mazon Creek

3. *Amarixys sulcata* (Melander, 1903)* C Mazon Creek

† **Curculioides Buckland, 1837** Carboniferous

4. *Curculioides adompha* Brauckmann, 1987 C Hagen-Vorhalle

5. *Curculioides ansticii* Buckland, 1837* C Coalbrookdale

6. *Curculioides eltringhami* Petrunkevitch, 1949 C Crawcrook

7. *Curculioides gigas* Selden, 1992 C Mazon Creek

8. *Curculioides granulatus* Petrunkevitch, 1949 C Ilkeston

9. *Curculioides mcluckiei* Selden, 1992 C Mazon Creek

10. *Curculioides pococki* Selden, 1992 C Coseley

11. *Curculioides scaber* (Scudder, 1890b) C Mazon Creek

† **POLIOCHERIDAE Scudder, 1884** Carboniferous

† **Poliochera Scudder, 1884** Carboniferous

12. *Poliochera gibbsi* Selden, 1992 C Illinois

13. *Poliochera glabra* Petrunkevitch, 1913 C Mazon Creek

14. *Poliochera punctulata* Scudder, 1884* C Mazon Creek

† **Terpsicroton Selden, 1992** Carboniferous

15. *Terpsicroton alticeps* Selden, 1992* C Coseley

NEORICINULEI Selden, 1992 (suborder) Recent

RICINOIDIDAE Ewing, 1929 Recent

= CRYPTOSTEMMIDAE Westwood, 1874

no fossil record

NOMINA DUBIA

1. *Poliochera / Curculioides pustulatus* Laurentiaux-Viera & Laurentiaux, 1963 C Kiaping

55 Recent species according to Harvey (2003)

ARACHNIDA and/or PANTETRAPULMONATA

incertae sedis

3 currently valid, unplaced fossil arachnid and/or tetrapulmonate species

- all three species below have been suggested as possible members of the so-called pantetrapulmonate arachnids; i.e. spiders and their closest relatives

† *Ecchosis* Selden & Shear, 1991 Devonian

1. *Ecchosis pulchribothrium* Selden & Shear in Selden et al. 1991* D Gilboa

† *Saccogulus* Dunlop, Fayers, Hass & Kerp, 2006 Devonian

2. *Saccogulus seldeni* Dunlop, Fayers, Hass & Kerp, 2006* D Rhynie chert

† *Xenarachne* Dunlop & Poschmann, 1997 Devonian

3. *Xenarachne wilwerathensis* Dunlop & Poschmann, 1997* D Willwerath

no Recent species

TRIGONOTARBIDA

65 currently valid species of fossil trigonotarbid

- † **TRIGONOTARBIDA** Petrunkevitch, 1949 Silurian – Permian
- = ANTHRACOMARTI Karsch, 1882
 - = MERIDOGASTRA Thorell & Lindström, 1885
 - = EURYMARTI Matthew, 1895
- plesion genus**
- † **Palaeotarbus** Dunlop, 1999 Silurian
- = † *Eotarbus* Dunlop, 1996 [preoccupied]
 - 1. *Palaeotarbus jerami* (Dunlop, 1996)* S Ludford Lane
- † **PALAEOCHARINIDAE** Hirst, 1923 Devonian
- † **Aculeatarbus** Shear, Selden & Rolfe, 1987 Devonian
- 2. *Aculeatarbus depresso* Shear, Selden & Rolfe, 1987* D Gilboa
- † **Gelasinotarbus** Shear, Selden & Rolfe, 1987 Devonian
- 3. *Gelasinotarbus bifidus* Shear, Selden & Rolfe, 1987 D Gilboa
 - 4. *Gelasinotarbus bonamoae* Shear, Selden & Rolfe, 1987* D Gilboa
 - 5. *Gelasinotarbus heptops* Shear, Selden & Rolfe, 1987 D Gilboa
 - 6. *Gelasinotarbus reticulatus* Shear, Selden & Rolfe, 1987 D Gilboa
- † **Gigantocharinus** Shear, 2000 Devonian
- 7. *Gigantocharinus szatmaryi* Shear, 2000* D Red Hill, USA
- † **Gilboarachne** Shear, Selden & Rolfe, 1987 Devonian
- 8. *Gilboarachne griersoni* Shear, Selden & Rolfe, 1987* D Gilboa
- † **Palaeocharinus** Hirst, 1923 Devonian
- = † *Palaeocharinoides* Hirst, 1923
 - 9. *Palaeocharinus calmani* Hirst, 1923 D Rhynie cherts
 - 10. *Palaeocharinus hornei* (Hirst, 1923) D Rhynie cherts
 - 11. *Palaeocharinus kidstoni* Hirst, 1923 D Rhynie cherts
 - 12. *Palaeocharinus rhyniensis* Hirst, 1923* D Rhynie cherts
 - 13. *Palaeocharinus scourfieldi* Hirst, 1923 D Rhynie cherts
 - 14. *Palaeocharinus tuberculatus* Fayers, Dunlop & Trewin, 2005 D Rhynie cherts
- † **Spinocharinus** Poschmann & Dunlop, 2011 Devonian
- 15. *Spinocharinus steinmeyeri* Poschman & Dunlop, 2011* D Bürdenbach
- † **ARCHEOMARTIDAE** Poschmann & Dunlop, 2010 Devonian
- † **Archaeomartus levis** Størmer, 1970 Devonian
- 16. *Archaeomartus levis* Størmer, 1970* D Alken an der Mosel
 - i. = *Archaeomartus tuberculatus* Størmer, 1970 D Alken an der Mosel

- † ANTHRACOMARTIDAE Haase, 1890 Carboniferous
- = † PROMYGALIDAE Frič, 1904
 - = † BRACHYPYGIDAE Pocock, 1911
 - = † CORYPHOMARTIDAE Petrunkevitch, 1945
 - = † PLEOMARTIDAE Petrunkevitch, 1945
- † *Anthracomartus* Karsch, 1882 Carboniferous
- = † *Brachylycosa* Frič, 1904
 - = † *Cleptomartus* Petrunkevitch, 1949
 - = † *Coryphomartus* Petrunkevitch, 1945a
 - = † *Cryptomartus* Petrunkevitch, 1945a
 - = † *Oomartus* Petrunkevitch, 1953
 - = † *Perneria* Frič, 1904
 - = † *Pleomartus* Petrunkevitch, 1945a
 - = † *Promygale* Frič, 1901
17. *Anthracomartus bohemica* (Frič, 1901) C Nýřany
18. *Anthracomartus carcinoides* (Frič, 1901) C Nýřany
- i. = *Promygale rotundata* Frič, 1901 C Nýřany
 - ii. = *Perneria salticoides* Frič, 1904 C ?Nýřany
19. *Anthracomartus elegans* Frič, 1901 C Nýřany
20. *Anthracomartus hindi* Pocock, 1911 C Coseley
- i. = *Cleptomartus hangardi* Guthörl, 1965 C Saar, Germany
 - ii. = *Cryptomartus meyeri* Guthörl, 1964 C Aachen
 - iii. = *Cleptomartus planus* Petrunkevitch, 1949 C Coseley
 - iv. = *Cryptomartus rebskei* Brauckmann, 1984 C Saarbrücken
21. *Anthracomartus granulatus* Frič, 1904 C Nowa Ruda
22. *Anthracomartus janae* (Opluštil, 1986) C Kladno
23. *Anthracomartus kustae* Petrunkevitch, 1953 C Rakovník
24. *Anthracomartus minor* Kušta, 1884 C Rakovník
- i. = *Anthracomartus socius* Kušta, 1888 C Rakovník
25. *Anthracomartus nyranensis* (Petrunkevitch, 1953) C Nýřany
26. *Anthracomartus palatinus* Ammon, 1901 C Brücke, Germany
27. *Anthracomartus presti* Pocock, 1911 C Coseley
- i. = *Anthracomartus denuiti* Pruvost, 1922 C Charleroi
 - ii. = *Cleptomartus plautus* Petrunkevitch, 1949 C Coseley
28. *Anthracomartus radvanicensis* (Opluštil, 1985) C Radvanice
29. *Anthracomartus triangularis* Petrunkevitch, 1913 C Joggins
30. *Anthracomartus trilobitus* Scudder, 1884 C Fayetteville
31. *Anthracomartus voelkelianus* Karsch, 1882* C Nowa Ruda
- † *Brachypyge* Woodward, 1878b Carboniferous
32. *Brachypyge carbonis* Woodward, 1878b* C Mons
- † *Maiocercus* Pocock, 1911 Carboniferous

33. *Maiocercus celticus* (Pocock, 1902)* C Coal Measures
 i. = *Maiocercus orbicularis* Gill, 1911 C Westhoughton
- † ANTHRACOSIRONIDAE Pocock, 1903a Devonian – Carbon.
 † *Anthracosiro* Pocock, 1903a Carboniferous
34. *Anthracosiro fritschii* Pocock, 1903b C Coseley
 i. = *Anthracosiro elongatus* Waterlot, 1934 C Marlebach, France
35. *Anthracosiro woodwardi* Pocock, 1903a* C Coal Measures
 i. = *Anthracosiro corsini* Pruvost, 1926 C Noeux, France
 ii. = *Anthracosiro latipes* Gill, 1909 C Ryton-on-Tyne, UK
- † *Arianrhoda* Dunlop & Selden, 2004 Devonian
36. *Arianrhoda bennetti* Dunlop & Selden, 2004* D Tredomen
- † *Vratislavia* Frič, 1904 Carboniferous
37. *Vratislavia silesica* (Roemer, 1878)* C Silesia
- † TRIGONOTARBIDAE Petrunkevitch, 1949 Devonian – Carbon.
 † *Trigonotarbus* Pocock, 1911 Devonian – Carbon.
38. *Trigonotarbus arnoldi* Petrunkevitch, 1955b C Decazeville
 39. *Trigonotarbus johnsoni* Pocock, 1911* C Coseley
 40. *Trigonotarbus stoermeri* Schultka, 1991 D Rheinischen Schieff.
- Family uncertain**
- † *Namurotarbus* Poschmann & Dunlop, 2010 Carboniferous
 41. *Namurotarbus roessleri* Dunlop & Brauckmann, 2006 C Hagen-Vorhalle
- † LISSOMARTIDAE Dunlop, 1995 Carboniferous
 † *Lissomartus* Petrunkevitch, 1949 Carboniferous
42. *Lissomartus carbonarius* (Petrunkevitch, 1913) C Mazon Creek
 43. *Lissomartus schucherti* (Petrunkevitch, 1913) C Mazon Creek
- † APHANTOMARTIDAE Petrunkevitch, 1945a Devonian – Permian
 = † TRIGONOMARTIDAE Petrunkevitch, 1949
- † *Alkenia* Størmer, 1970 Devonian
44. *Alkenia mirabilis* Størmer, 1970* D Alken an der Mosel
- † *Aphantomartus* Pocock, 1911 Carbon. – Permian
- = † *Trigonomartus* Petrunkevitch, 1913
 = † *Phrynomartus* Petrunkevitch, 1945a
45. *Aphantomartus areolatus* Pocock, 1911* C–P Coal Measures
 i. = *Aphantomartus pococki* Pruvost, 1912 C Anzin, France
 ii. = *Trigonomartus dorlodoti* Pruvost, 1930 C Rien, France
 iii. = *Eophrynum waechteri* Guthörl, 1938 C Saar
 iv. = ?*Trigonomartus pruvosti* van der Heide, 1951 C Limbourg

- v. = *?Brachylycosa manebachensis* Müller, 1957 C Rotliegenden
46. *Aphantomartus ilfeldicus* (Scharf, 1924) P Rotliegend
47. *Aphantomartus pustulatus* (Scudder, 1884) C Coal Measures
- i. = *?Kreischeria villeti* Pruvost, 1912 C Pas de Calais
- ii. = *Cleptomartus plötzensis* Simon, 1971 C Halleschen Mulde
- † **KREISCHERIIDAE Haase, 1890** Carboniferous
- † **Anzinia Petrunkevitch, 1953** Carboniferous
48. *Anzinia thevenini* (Pruvost, 1919)* C Anzin
- † **Gondwanarache Pinto & Hünicken, 1980** Carboniferous
49. *Gondwanarache argentinensis* Pinto & Hünicken, 1980* C Bajo de Véliz
- † **Hemikreischeria Frič, 1904** Carboniferous
50. *Hemikreischeria geinitzi* (Thevenin, 1902)* C France
- † **Kreischeria Geinitz, 1882** Carboniferous
51. *Kreischeria wiedei* Geinitz, 1882* C Zwickau
- † **Pseudokreischeria Petrunkevitch, 1953** Carboniferous
52. *Pseudokreischeria pococki* (Gill, 1924) C Crawcrook
- i. = *Eophrynus varius* Petrunkevitch, 1949 C Crawcrook
- † **EOPHRYNIDAE Karsch, 1882** Carboniferous
- = † **HEMIPHRYNIDAE Frič, 1904**
- † **Eophrynus Woodward, 1871b** Carboniferous
53. *Eophrynus prestvicii* (Buckland, 1837)* C Coalbrookdale
54. *Eophrynus udus* Brauckmann, Koch & Kemper, 1985 C Hagen-Vorhalle
- † **Nyranytarbus Harvey & Selden, 1995** Carboniferous
- = † *Hemiphrynus* Frič, 1901 [preoccupied]
55. *Nyranytarbus hofmanni* (Frič, 1901) C Nýřany
56. *Nyranytarbus longipes* (Frič, 1901)* C Nýřany
- † **Petrovicia Frič, 1904** Carboniferous
57. *Petrovicia proditoria* Frič, 1904* C Petrovice
- † **Planomartus Petrunkevitch, 1953** Carboniferous
58. *Planomartus krejci* (Kušta, 1883)* C Rakovník
- i. = *Anthracomartus affinis* Kušta, 1885 C Rakovník
- † **Pleophrynus Petrunkevitch, 1945a** Carboniferous
59. *Pleophrynus verrucosus* (Pocock, 1911) C Coal Measures
- i. = *Eophrynus warei* Dix & Pringle, 1930 C Glyncoch, UK
- ii. = *Pleophrynus ensifer* Petrunkevitch, 1945a* C Mazon Creek
- iii. = *Eophrynus jugatus* Ambrose & Romano, 1972 C Kilmersdon, UK
- † **Pocononia Petrunkevitch, 1953** Carboniferous
60. *Pocononia whitei* (Ewing, 1930)* C Pocono Shales
- † **Somaspidion Jux, 1982** Carboniferous
61. *Somaspidion hammapheron* Jux, 1982* C Dinslaken

- † *Stenotrogulus* Frič, 1904 Carboniferous
 = † *Cyclotrogulus* Frič, 1904
 = † *Pseudoeophrynnus* Příbyl, 1958
62. *Stenotrogulus salmii* (Stur, 1877)* C Ostrava
 i. = *Cyclotrogulus sturii* Frič, 1904 [non Hasse, 1890] C Ostrava
 ii. = *Pseudoeophrynnus ostraviensis* Příbyl, 1958 C Ostrava
- TRIGONOTARBIDA *incertae sedis*
- † *Anthracophrynnus* Andrée, 1913 Carboniferous
 63. *Anthracophrynnus tuberculatus* Andrée, 1913* C Dudweiler
- † *Areomartus* Petrunkevitch, 1913 Carboniferous
 64. *Areomartus ovatus* Petrunkevitch, 1913* C West Virginia
- † 'Eophrynnus'
 65. 'Eophrynnus' *scharfi* Scharf, 1924 P Rotliegend

NOMINA DUBIA

1. *Anthracomartus buchi* (Goldenberg, 1873) C Saarbrücken
2. *Anthracomartus hageni* (Goldenberg, 1873) C Saarbrücken
3. *Elaverimartus pococki* Petrunkevitch, 1953 C Ellismuir
4. *Eurymartus latus* Matthew, 1895 C Fern Ledges
5. ?*Eurymartus spinulosus* Matthew, 1895 C Fern Ledges
6. *Trigonomartus woodruffi* (Scudder, 1893) C Rhode Island

no Recent species

URARANEIDA

2 currently valid species of uraraneid

- The uraraneids were previously interpreted as true spiders (Araneae), but are now thought to be a more basal lineage which produced silk but lacked spinnerets.

† URARANEIDA Selden & Shear *in Selden et al., 2008* Devonian – Permian

† Attercopus Selden & Shear *in Selden et al. (1991)* Devonian

1. *Attercopus fimbriunguis* (Shear, Selden & Rolfe, 1987)* D Gilboa, New York

† PERMARACHNIDAE Eskov & Selden, 2005 Permian

† Permarachne Eskov & Selden, 2005 Permian

2. *Permarachne novokshonovi* Eskov & Selden, 2005* P Matveyevka

ARANEAE

1,141 currently valid species of fossil spider

ARANEAE Clerck, 1757	Carbon. – Recent
‘mesotheles’	Carbon. – Recent
† ARTHROLYCOSIDAE Frič, 1904	Carboniferous
† <i>Arthrolycosa</i> Harger, 1874	Carbon. – Permian
1. <i>Arthrolycosa antiqua</i> Harger, 1874*	C Mazon Creek
2. <i>Arthrolycosa danielsi</i> Petrunkevitch, 1913	C Mazon Creek
<i>Arthrolycosa</i> sp. in Eskov & Selden (2005)	P Kityak river
† <i>Eocteniza</i> Pocock, 1911	Carboniferous
3. <i>Eocteniza silvicola</i> Pocock, 1911*	C Coseley
† ARTHROMYGALIDAE Petrunkevitch, 1923	Carboniferous
† <i>Arthromyiale</i> Petrunkevitch, 1923	Carboniferous
4. <i>Arthromyale fortis</i> (Frič, 1904)*	C Rakovník
i. = <i>Arthrolycosa beecheri</i> Frič, 1904	C Rakovník
† <i>Eolycosa</i> Kušta, 1885	Carboniferous
5. <i>Eolycosa lorenzi</i> Kušta, 1885*	C Rakovník
† <i>Geralycosa</i> Kušta, 1888	Carboniferous
6. <i>Geralycosa fritschi</i> Kušta, 1888*	C Rakovník
† <i>Kustaria</i> Petrunkevitch, 1953	Carboniferous
= † <i>Scudderia</i> Kušta, 1888 [preoccupied]	
7. <i>Kustaria carbonaria</i> (Kušta, 1888)*	C Rakovník
† <i>Palaranea</i> Frič, 1873	Carboniferous
8. <i>Palaranea borassifoliae</i> Frič, 1873*	C Czech Republic
† <i>Protocteniza</i> Petrunkevitch, 1949	Carboniferous
9. <i>Protocteniza britannica</i> Petrunkevitch, 1949*	C Coseley
† <i>Protolycosa</i> Roemer, 1866	Carboniferous
10. <i>Protolycosa anthracophilia</i> Roemer, 1866*	C Silesia
11. <i>Protolycosa cebennensis</i> Laurentiaux-Viera & Laurentiaux, 1963	C Cévennes, France
† <i>Rakovnicia</i> Kušta, 1884a	Carboniferous
12. <i>Rakovnicia antiqua</i> Kušta, 1884a*	C Rakovník
† PYRITARANEIDAE Petrunkevitch, 1953	Carboniferous
† <i>Dinopilio</i> Frič, 1904	Carboniferous
13. <i>Dinopilio gigas</i> Frič, 1904*	C Rakovník

14. *Dinopilo parvus* Petrunkevitch, 1953 C Kent, UK
- † *Pyritaranea* Frič, 1901 Carboniferous
15. *Pyritaranea tubifera* Frič, 1901* C Nýřany
- MESOTHELAE Pocock, 1892** Carbon. – Recent
- plesion genus
- † *Palaeothele* Selden, 2000 Carboniferous
- = † *Eothele* Selden, 1996 [preoccupied]
16. *Palaeothele montceauensis* (Selden, 1996)* C Montceau-les-Mines
- LIPHISTIIDAE Pocock, 1892** Recent
- = HEPTATHELIDAE Haupt, 1983
- no fossil record
- OPISTHOTHELAE Pocock, 1892** Triassic – Recent
- Opisthothelae incertae sedis*
- † *Eoatypus* McCook, 1888 Palaeogene
17. *Eoatypus woodwardii* McCook, 1888* Pa Isle of Wight
- MYGALOMORPHAE Pocock, 1892** Triassic – Recent
- Mygalomorpha indet. 1–3 in Wunderlich (2008d) K Myanmar amber
- ATYPIDAE Thorell, 1870a** Cretaceous – Recent
- = CALOMMATOIDAE Thorell, 1887
- † *Ambiortiphagus* Eskov & Zonstein, 1990 Cretaceous
18. *Ambiortiphagus ponomarenkoi* Eskov & Zonstein, 1990* K Central Mongolia
- † *Balticatypus* Wunderlich, 2011h Palaeogene
19. *Balticatypus beigeli* Wunderlich, 2011h Pa Baltic amber
20. *Balticatypus juvenis* Wunderlich, 2011h* Pa Baltic amber
21. *Balticatypus spinosus* Wunderlich, 2011h Pa Baltic amber
- ANTRODIAETIDAE Gertsch in Comstock, 1940** Cretaceous – Recent
- = BRACHYBOTHRIDAE Simon, 1892
- = ACCATYMIDAE Kishida, 1930
- † *Cretacattyma* Eskov & Zonstein, 1990 Cretaceous
22. *Cretacattyma raveni* Eskov & Zonstein, 1990* K Central Mongolia
- MECICOBOTHRIIDAE Holmberg, 1882** Cretaceous – Recent
- = HEXURIDAE Simon, 1889b
- † *Cretohexura* Eskov & Zonstein, 1990 Cretaceous
23. *Cretohexura coylei* Eskov & Zonstein, 1990* K Transbaikalia
- † *Cretomegahexura* Eskov & Zonstein, 1990 Cretaceous
24. *Cretomegahexura platnicki* Eskov & Zonstein, 1990* K Central Mongolia

HEXATHELIDAE Simon, 1892b	Triassic – Recent
† <i>Rosamygale</i> Selden & Gall, 1992	Triassic
25. <i>Rosamygale grauvogeli</i> Selden & Gall, 1992*	Tr Vosges, France
DIPLURIDAE Simon, 1889b	Cretaceous – Recent
† <i>Clostes</i> Menge, 1869	Palaeogene
26. <i>Clostes priscus</i> Menge, 1869*	Pa Baltic / Bitt. amber
† <i>Cretadiplura</i> Selden in Selden et al., 2006	Cretaceous
27. <i>Cretadiplura ceara</i> Selden in Selden et al., 2006*	K Crato Formation
† <i>Dinodiplura</i> Selden in Selden et al., 2006	Cretaceous
28. <i>Dinodiplura ambulacra</i> Selden in Selden et al., 2006*	K Crato Formation
<i>Ischnothelae</i> Ausserer, 1875	?Neogene – Recent
? <i>Ischnothelae</i> sp. in Wunderlich (1988)	Ne Dominican amber
<i>Masteria</i> L. Koch, 1873	Neogene – Recent
= † <i>Microsteria</i> Wunderlich, 1988	
29. <i>Masteria sexoculata</i> (Wunderlich, 1988)	Ne Dominican amber
? <i>Masteria</i> sp. in Schawaller (1982c: as ? <i>Ischnothelae</i>)	Ne Dominican amber
genus uncertain		
Dipluridae sp. 1–3 in Wunderlich (2004a)	Pa Baltic amber
Dipluridae sp. in Wunderlich (2004a)	Ne Dominican amber
CYRTAUCHENIIDAE Simon, 1892b	Neogene – Recent
<i>Bolostromus</i> Ausserer, 1875	Neogene – Recent
30. <i>Bolostromus destructus</i> Wunderlich, 1988	Ne Dominican amber
CTENIZIDAE Thorell, 1887	Palaeogene – Recent
= HALONOPROCTIDAE Pocock, 1903	
† <i>Baltocteniza</i> Eskov & Zonstein, 2000	Palaeogene
31. <i>Baltocteniza kulickae</i> Eskov & Zonstein, 2000	Pa Baltic amber
† <i>Electrocteniza</i> Eskov & Zonstein, 2000	Palaeogene
32. <i>Electrocteniza sadilenkoi</i> Eskov & Zonstein, 2000	Pa Baltic amber
<i>Ummidia</i> Thorell, 1875	Palaeogene – Recent
33. <i>Ummidia damzeni</i> Wunderlich, 2000	Pa Baltic amber
34. <i>Ummidia malinowskii</i> Wunderlich, 2000	Pa Baltic amber
<i>Ummidia</i> sp. in Wunderlich (2004a)	Pa Baltic amber
? <i>Ummidia</i> sp. in Wunderlich (2011h)	Pa Bitterfeld amber
IDIOPIDAE Simon, 1892b	Recent
no fossil record	
ACTINOPODIDAE Simon, 1892b	Recent

= ERIODONTIDAE C. L. Koch & Berendt, 1854
 [based on a generic synonym; listed in Bonnet as syn. of Clubionidae!]
 no fossil record

MIGIDAE Simon, 1892b Recent

no fossil record

NEMESIIDAE Simon, 1892b Cretaceous – Recent

= PYCNOTHELIDAE Chamberlin, 1917

† **Cretamygale Selden, 2002** Cretaceous

35. *Cretamygale chasei* Selden, 2002* K Isle of Wight

† **Eodiplurina Petrunkevitch, 1922** Palaeogene

36. *Eodiplurina cockerelli* Petrunkevitch, 1922* Pa Florissant

MICROSTIGMATIDAE Roewer, 1942 Neogene – Recent

= MICROMYGALIDAE Wunderlich, 2004b

† **Parvomygale Wunderlich, 2004b** Neogene

37. *Parvomygale distincta* Wunderlich, 2004b* Ne Dominican amber

BARYCHELIDAE Simon, 1889b Neogene – Recent

Psalistops Simon, 1889b Neogene – Recent

38. *Psalistops hispaniolensis* Wunderlich, 1988* Ne Dominican amber

THERAPHOSIDAE Thorell, 1870a Neogene – Recent

= AVICULARIIDAE Simon, 1874

Theraphosidae gen. et sp. indet. in Dunlop et al. (2008) Ne Chiapas amber

Hemirraghus Simon, 1903 Neogene – Recent

Hemirraghus sp. in García-Villafuerte (2008) Ne Chiapas amber

† **Ischnocolinopsis Wunderlich, 1988** Neogene

39. *Ischnocolinopsis acutus* Wunderlich, 1988* Ne Dominican amber

PARATROPIDIIDAE Simon, 1889a Recent

no fossil record

ARANEOMORPHAE Smith, 1902 Triassic – Recent

ARANEOMORPHAE indet.

† **Argyrarachne Selden in Selden et al., 1999** Triassic

40. *Argyrarachne solitus* Selden in Selden et al., 1999* Tr Virginia

† **Triassaraneus Selden in Selden et al., 1999** Triassic

41. *Triassaraneus andersonorum* Selden in Selden et al., 1999* Tr KwaZulu-Natal

HYPOCHILIDAE Marx, 1888 Recent

= ECTATOSTICTIDAE Lehtinen, 1967

no fossil record

AUSTRALOCHILOIDEA Zapfe, 1955 Cretaceous – Recent

AUSTROCHILIDAE Zapfe, 1955 Recent

= THAIDIDAE Lehtinen, 1967

= HICKMANIIDAE Lehtinen, 1967

no fossil record

GRADUNGULIDAE Forster, 1955 Recent

no fossil record

ARANEOCLADA Platnick, 1977 Triassic – Recent

HAPLOGYNAE Simon, 1893 Jurassic – Recent

FILISTATIDAE Ausserer, 1867 Neogene – Recent

Misionella Ramírez & Grismado, 1997 Neogene – Recent

42. *Misionella didicostae* Penney, 2005a Ne Dominican amber

SICARIIDAE Keyserling, 1880a Neogene – Recent

= LOXOSCELIDAE Simon, 1893

Loxosceles Heineken & Lowe, 1832 Neogene – Recent

43. *Loxosceles aculicaput* Wunderlich, 2004c Ne Dominican amber

44. *Loxosceles defecta* Wunderlich, 1988 Ne Dominican amber

45. *Loxosceles deformis* Wunderlich, 1988 Ne Dominican amber

Loxosceles sp. in Wunderlich (1988) Ne Dominican amber

SCYTODIDAE Blackwall, 1864 Palaeogene – Recent

Syctodidae sp. 1–2 in Wunderlich (2004b) Pa Bitterfeld amber

Scytodes Latreille, 1804a Palaeogene – Recent

46. *Scytodes marginalis* Wunderlich, 2004as Qt Madagascan copal

47. *Scytodes piliformis* Wunderlich, 1988 Ne Dominican amber

48. *Scytodes planithorax* Wunderlich, 1988 Ne Dominican amber

49. *Scytodes stridulans* Wunderlich, 1988 Ne Dominican amber

50. *Scytodes weitschati* Wunderlich, 1993a Pa Baltic amber

Scytodes sp. in Wunderlich (1988) Ne Dominican amber

Scytodes sp. in Wunderlich (2011h) Pa Baltic amber

PERIEGOPIDAE Simon, 1893 Recent

no fossil record

DRYMUSIDAE Simon, 1893 Recent

no fossil record

† **PRAETERLEPTONETIDAE** Wunderlich 2008d Cretaceous

Praeterleptonetidae indet. <i>in</i> Wunderlich (2008d)	K	Myanmar amber
† <i>Palaeohygropoda</i> Penney, 2004c		Cretaceous
51. <i>Palaeohygropoda myanmarensis</i> Penney, 2004c*	K	Myanmar amber
† <i>Pholcochyrocer</i> Wunderlich, 2008d		Cretaceous
52. <i>Pholcochyrocer guttulaequae</i> Wunderlich, 2008d*	K	Myanmar amber
† <i>Praeterleptoneta</i> Wunderlich, 2008d		Cretaceous
53. <i>Praeterleptoneta spinipes</i> Wunderlich, 2008d*	K	Myanmar amber
54. <i>Praeterleptoneta tibialis</i> Wunderlich, 2011 <i>i</i>	K	Myanmar amber
 LEPTONETIDAE Simon, 1890		Palaeogene – Recent
† <i>Eoleptoneta</i> Wunderlich, 1991		Palaeogene
55. <i>Eoleptoneta curvata</i> Wunderlich, 2004c	Pa	Bitterfeld amber
56. <i>Eoleptoneta duocalcar</i> Wunderlich, 2004c	Pa	Baltic amber
57. <i>Eoleptoneta kutscheri</i> Wunderlich, 1991*	Pa	Bitterfeld amber
58. <i>Eoleptoneta multispinae</i> Wunderlich, 2011 <i>h</i>	Pa	Baltic amber
59. <i>Eoleptoneta pseudoarticulata</i> Wunderlich, 2011 <i>h</i>	Pa	Baltic amber
60. <i>Eoleptoneta similis</i> Wunderlich, 2004c	Pa	Baltic amber
† <i>Oligoleptoneta</i> Wunderlich 2004c		Palaeogene
61. <i>Oligoleptoneta altoculus</i> Wunderlich 2004c*	Pa	Baltic amber
62. <i>Oligoleptoneta cymbiospina</i> Wunderlich, 2011 <i>h</i>	Pa	Baltic amber
 TELEMIDAE Fage, 1913		Palaeogene – Recent
<i>Telema</i> Simon, 1882		Palaeogene – Recent
63. ? <i>Telema moritzi</i> Wunderlich, 2004c	Pa	Baltic / Bitt. amber
 OCHYROCERATIDAE Fage, 1912		Neogene – Recent
† <i>Arachnolithulus</i> Wunderlich, 1988		Neogene
64. <i>Arachnolithulus longipes</i> Wunderlich, 2004c	Ne	Dominican amber
65. <i>Arachnolithulus pygmaeus</i> Wunderlich, 1988*	Ne	Dominican amber
? <i>Arachnolithulus</i> sp. <i>in</i> Wunderlich (1988)	Ne	Dominican amber
 † EOPSIODERCIDAE Wunderlich, 2008d		Cretaceous
?Eopsilodercidae indet. 1–3 <i>in</i> Wunderlich (2008d)	K	Myanmar amber
† <i>Eopsiloderces</i> Wunderlich, 2008d		Cretaceous
66. <i>Eopsiloderces loxosceloides</i> Wunderlich, 2008 <i>d</i>	K	Myanmar amber
† <i>Furcembolus</i> Wunderlich, 2008d		Cretaceous
67. <i>Furembolus andersoni</i> Wunderlich, 2008 <i>d</i>	K	Myanmar amber
 PHOLCIDAE C. L. Koch, 1851		Palaeogene – Recent
Pholcidae sp. 1–2 <i>in</i> Wunderlich (2004 <i>b</i>)	Pa	Baltic amber
Pholcidae sp. <i>in</i> Wunderlich (2004 <i>au</i>)	Pa	Fu Shun amber
<i>Coryssocnemis</i> Simon, 1893		Neogene – Recent

68. ?*Coryssocnemis velteni* Wunderlich, 2004c Ne Dominican amber
- Leptopholcus Simon, 1893** Neogene
69. *Leptopholcus kiskeya* Huber & Wunderlich, 2006 Ne Dominican amber
- Modisimus Simon, 1893** Neogene – Recent
70. *Modisimus calcar* Wunderlich, 1988 Ne Dominican amber
71. *Modisimus calcaroides* Wunderlich, 1988 Ne Dominican amber
72. *Modisimus crassifemoralis* Wunderlich, 1988 Ne Dominican amber
73. *Modisimus oculatus* Wunderlich, 1988 Ne Dominican amber
74. *Modisimus tuberosus* Wunderlich, 1988 Ne Dominican amber
- Modisimus* sp. in Wunderlich (1988) Ne Dominican amber
- † **Paraspermophora Wunderlich, 2004c** Palaeogene
75. *Paraspermophora bitterfeldensis* Wunderlich, 2004c Pa Bitterfeld amber
76. *Paraspermophora perplexa* Wunderlich, 2004c* Pa Baltic amber
- Paraspermophora* sp. in Wunderlich (2004c, 2011h) Pa Baltic / Bitt. amber
- Pholcophora Banks, 1896** Neogene – Recent
77. *Pholcophora brevipes* Wunderlich, 1988 Ne Dominican amber
78. *Pholcophora gracilis* Wunderlich, 1988 Ne Dominican amber
79. *Pholcophora longicornis* Wunderlich, 1988 Ne Dominican amber
- Quamtana Huber, 2003** Palaeogene – Recent
80. *Quamtana huberi* Penney, 2007a Pa Le Quesnoy amber
- † **Serratochorus Wunderlich, 1988** Neogene
81. *Serratochorus pygmaeus* Wunderlich, 1988* Ne Dominican amber
- PLECTREURIDAE Simon, 1893** Jurassic – Recent
- † **Eoplectreurus Selden & Huang, 2010** Jurassic
82. *Eoplectreurus gertschi* Selden & Huang, 2010 J Daohugou
- † **Palaeoplectreurus Wunderlich, 2004c** Palaeogene
83. *Palaeoplectreurus baltica* Wunderlich, 2004c* Pa Baltic amber
- Plectreurus Simon, 1893** Neogene – Recent
84. *Plectreurus pittfieldi* Penney, 2009 Ne Dominican amber
- DIGUETIDAE F. O. P.-Cambridge, 1899** Recent
- no fossil record
- CAPONIIDAE Simon, 1890** Neogene – Recent
- = COLOPHONIDAE O. P.-Cambridge, 1874 [based on a generic homonym]
- Nops MacLeay, 1839** Neogene – Recent
85. *Nops lobatus* Wunderlich, 1988 Ne Dominican amber
- i. = *Nops segmentatus* Wunderlich, 1988 Ne Dominican amber
- Nops* sp. in Wunderlich (1988) Ne Dominican amber
- TETRABLEMMIDAE O. P.-Cambridge, 1873** Palaeogene – Recent

= PHAEDOMOIDAE Thorell, 1890 [based on a generic homonym]	
= PACULLIDAE Simon, 1894	
† <i>Balticoblemma</i> Wunderlich, 2004c	Palaeogene
86. <i>Balticoblemma unicorniculum</i> Wunderlich, 2004c*	Pa Baltic amber
<i>Monoblemma</i> Gertsch, 1941	Neogene
87. ? <i>Monoblemma spinosum</i> Wunderlich, 1988*	Ne Dominican amber
DYSDEROIDEA Bristowe, 1938	Cretaceous – Recent
?Dysderoidea s. l. indet 1–2 in Wunderlich (2008d)	K Myanmar amber
SEGESTRIIDAE Simon, 1893	Cretaceous – Recent
?Segestriidae indet in Wunderlich (2008d)	K Myanmar amber
Ariadna Audouin, 1826	Cretaceous – Recent
88. ? <i>Ariadna amissiocoli</i> Wunderlich, 2008d	K Jordanian amber
89. <i>Ariadna copalis</i> Wunderlich, 2008a	Qt ?Madagascan copal
90. <i>Ariadna defuncta</i> Wunderlich 2004c	Pa Bitterfeld amber
91. <i>Ariadna hintzei</i> Wunderlich, 2004as	Qt Madagascan copal
92. <i>Ariadna ovalis</i> Wunderlich, 2008a	Pa Baltic amber
93. <i>Ariadna parva</i> Wunderlich, 2008a	Pa Baltic amber
94. <i>Ariadna paucispinosa</i> Wunderlich, 1988	Ne Dominican amber
95. <i>Ariadna resinae</i> Hickman, 1957	Ne? Australian copal
? <i>Ariadna</i> sp. in Wunderlich (1988)	Ne Dominican amber
† <i>Lebansegestria</i> Wunderlich 2008d	Cretaceous
96. <i>Lebansegestria azari</i> Wunderlich, 2008d*	K Lebanese amber
† <i>Microsegestria</i> Wunderlich & Milki, 2004	Cretaceous
97. <i>Microsegestria poinari</i> Wunderlich & Milki, 2004*	K Lebanese amber
† <i>Palaeosegestria</i> Penney, 2004a	Cretaceous
98. <i>Palaeosegestria lutzii</i> Penney, 2004a*	K New Jersey amber
Segestria Latreille, 1804a	Cretaceous – Recent
99. <i>Segestria cristata</i> Menge in C. L. Koch & Berendt, 1854	Pa Baltic amber
100. <i>Segestria flexio</i> Wunderlich, 2004c	Pa Baltic amber
101. <i>Segestria mortalis</i> Wunderlich 2004c	Pa Baltic amber
102. <i>Segestria plicata</i> Petrunkevitch, 1950	Pa Baltic amber
103. <i>Segestria scudderii</i> Petrunkevitch, 1922	Pa Florissant
104. <i>Segestria secessa</i> Scudder, 1890a	Pa Florissant
105. <i>Segestria succinei</i> Berland, 1939	Pa Baltic amber
106. <i>Segestria tomentosa</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
i. = <i>Segestria plicata</i> Petrunkevitch, 1950 [provisional]	Pa Baltic amber
<i>Segestria</i> sp. in Penney (2002)	K New Jersey amber
<i>Segestria</i> sp. in Wunderlich (2004c)	Pa Baltic amber
† <i>Vetsegestria</i> Wunderlich, 2004c	Palaeogene
107. <i>Vetsegestria quinquespinosa</i> Wunderlich, 2004c*	Pa Bitterfeld amber

DYSDERIDAE C. L. Koch, 1837	Palaeogene – Recent
† <i>Dasumiana</i> Wunderlich, 2004c	Palaeogene
108. <i>Dasumiana emicans</i> Wunderlich, 2004c*	Pa Baltic amber
109. ? <i>Dasumiana subita</i> (Petrunkevitch, 1958)	Pa Baltic amber
110. <i>Dasumiana valga</i> Wunderlich, 2004c	Pa Baltic amber
<i>Dysdera</i> Latreille, 1804	Palaeogene – Recent
111. <i>Dysdera dilatata</i> Zhang, Sun & Zhang, 1994	Ne Shanwang
<i>Harpactea</i> Bristowe, 1939	Palaeogene – Recent
112. <i>Harpactea communis</i> Wunderlich, 2004c	Pa Baltic amber
113. <i>Harpactea extincta</i> Petrunkevitch, 1950	Pa Baltic amber
114. <i>Harpactea hombergi</i> (Scopoli, 1763) [Recent]	Qt England
115. <i>Harpactea longibulbus</i> Wunderlich, 2011h	Pa Baltic amber
116. <i>Harpactea tersa</i> (C. L. Koch & Berendt, 1854) ... [provisional transfer]	Pa Baltic amber
<i>Harpactea</i> sp. in Wunderlich (2011h)	Pa Bitterfeld amber
Dysderidae?	
† <i>Mistura</i> Petrunkevitch, 1971	Neogene
117. <i>Mistura perplexa</i> Petrunkevitch, 1971*	Ne Chiapas amber
OONOPIDAE Simon, 1890	Cretaceous – Recent
Oonopidae gen. et sp. in Penney (2002)	K New Jersey amber
† <i>Burmorchestina</i> Wunderlich, 2008a	Cretaceous
118. <i>Burmorchestina pulcher</i> Wunderlich, 2008a*	K Myanmar amber
† <i>Canadaorchestina</i> Wunderlich, 2008a	Cretaceous
119. <i>Canadaorchestina albertensis</i> (Penney, 2006a)*	K Manitobian amber
† <i>Eogamasomorpha</i> Wunderlich, 2008d	Cretaceous
120. <i>Eogamasomorpha nubila</i> Wunderlich, 2008d*	K Myanmar amber
† <i>Eoscaphiella</i> Wunderlich, 2011i	Cretaceous
121. <i>Eoscaphiella ohlhoffi</i> Wunderlich, 2011i*	K Myanmar amber
† <i>Fossilopaea</i> Wunderlich, 1988	Neogene
122. <i>Fossilopaea sulci</i> Wunderlich, 1988*	Ne Dominican amber
<i>Heteroonops</i> Dalmas, 1916	?Neogene – Recent
<i>Heteroonops</i> sp. in Wunderlich (1988)	Ne Dominican amber
<i>Opopaea</i> Simon, 1891	?Neogene – Recent
? <i>Opopaea</i> sp. in Wunderlich (1988)	Ne Dominican amber
<i>Orchestina</i> Simon, 1882	Cretaceous – Recent
123. <i>Orchestina baltica</i> Petrunkevitch, 1942	Pa Baltic amber
124. <i>Orchestina (Baltorchestina) bitterfeldensis</i> Wunderlich, 2008a	Pa Bitterfeld amber
125. <i>Orchestina breviembolus</i> Wunderlich, 1981	Pa Baltic amber
126. <i>Orchestina (Baltorchestina) brevis</i> Wunderlich, 2008a	Pa Baltic amber
127. <i>Orchestina crassiembolus</i> Wunderlich, 1981	Pa Baltic amber

128. *Orchestina (Baltorchestina) crassipatellaris* Wunderlich, 1981 Pa Baltic amber
129. *Orchestina (Baltorchestina) crassitibialis* Wunderlich, 1981 Pa Baltic amber
130. *Orchestina (Baltorchestina) colchembolus* Wunderlich, 1981 Pa Baltic amber
131. *Orchestina colombiensis* Wunderlich, 2004at Qt Colombian copal
132. *Orchestina dominicana* Wunderlich, 1981 Ne Dominican amber
133. *Orchestina forceps* Wunderlich, 1981 Pa Baltic amber
134. *Orchestina (Baltorchestina) forfex* Wunderlich, 2011h Pa Baltic amber
135. *Orchestina (Baltorchestina) furca* Wunderlich, 1981 Pa Baltic amber
136. *Orchestina fushunensis* Wunderlich, 2004au Pa Fu Shun amber
137. *Orchestina gracilithibialis* Wunderlich, 2004c Pa Baltic amber
138. *Orchestina (Baltorchestina) imperialis* Petrunkevitch, 1963 Pa Baltic/Bitter. amber
139. *Orchestina kenyana* Wunderlich, 1981 Qt East African copal
140. *Orchestina longimana* Wunderlich, 1981 Qt East African copal
141. *Orchestina madagascariensis* Wunderlich, 2004as Qt Madagascan copal
142. *Orchestina mortua* Petrunkevitch, 1971 Ne Chiapas amber
143. *Orchestina (Baltorchestina) multisetae* Wunderlich, 2008a Pa Baltic amber
144. *Orchestina (Gallorchestina) parisiensis* Penney, 2007b Pa Le Quesnoy amber
145. *Orchestina (Baltorchestina) perfecta* Wunderlich, 2008a Pa Baltic amber
146. *Orchestina pusilla* (Menge in C. L. Koch & Berendt, 1854) Pa Baltic amber
147. *Orchestina (Baltorchestina) rectangulata* Wunderlich, 2008a Pa Baltic amber
148. *Orchestina (Baltorchestina) rectangulata* Wunderlich, 2011h Pa Bitterfeld amber
Homonym of the 2008 name above!
149. *Orchestina (Baltorchestina) sternalis* Wunderlich, 2008a Pa Baltic amber
150. *Orchestina tibialis* Wunderlich, 1988 Ne Dominican amber
151. *Orchestina truncata* Wunderlich, 2004at Qt Colombian copal
152. *Orchestina tuberosa* Wunderlich, 1981 Pa Baltic amber
Orchestina sp. in Nishikawa (1974) Qt Mizunami copal
Orchestina sp. in Wunderlich (2011h) Pa Bitterfeld amber
- Stenoonops* Simon, 1891** **Palaeogene – Recent**
153. *Stenoonops incertus* (Wunderlich, 1988) Ne Dominican amber
154. ?*Stenoonops rugosus* Wunderlich, 2004c Pa Bitterfeld amber
155. *Stenoonops seldeni* (Penney, 2000) Ne Dominican amber
- ORSOLOBIDAE Cooke, 1965** **Recent**
- no fossil record
- † **PLUMORSOLIDAE** Wunderlich, 2008d **Cretaceous**
- ?Plumorsolidae indet. in Wunderlich (2008d) K Myanmar amber
- ?Plumorsolidae indet. in Wunderlich (2011i) K Myanmar amber
- † **Plumorsolus** Wunderlich, 2008d **Cretaceous**
156. *Plumorsolus gondwanensis* Wunderlich, 2008d K Lebanese amber

MECYSMAUCHENIIDAE Simon, 1895	Cretaceous – Recent
† <i>Archaemecys</i> Saupe & Selden, 2009	Cretaceous
176. <i>Archaemecys arcantiensis</i> Saupe & Selden, 2009	K Charente amber
PARARCHAEIDAE Forster & Platnick, 1984	Recent
no fossil record	
HOLARCHEAIDAE Forster & Platnick, 1984	Recent
no fossil record	
MICROPHOLCOMMATIDAE Hickman, 1944	Palaeogene – Recent
† <i>Cenotextricella</i> Penney in Penney et al., 2007	Palaeogene
177. <i>Cenotextricella simoni</i> Penney in Penney et al., 2007	Pa Le Quesnoy amber
HUTTONIIDAE Simon, 1893	Cretaceous – Recent
unnamed genus and species in Penney & Selden (2006)	K Manitoban amber
STENOCHILIDAE Thorell, 1873	Recent
no fossil record	
† MICROPALPIMANIDAE Wunderlich, 2008d	Cretaceous
† <i>Micropalpimanus</i> Wunderlich, 2008d	Cretaceous
178. <i>Micropalpimanus poinari</i> Wunderlich, 2008d	K Myanmar amber
PALPIMANIDAE Thorell, 1870a	Neogene – Recent
= OTITHOPOIDAE Thorell, 1869 [younger name protected by usage]	
= CHERSIDAE Canestrini & Pavesi, 1870	
<i>Otiothops</i> MacLeay, 1839	Neogene – Recent
<i>Otiothops</i> sp. 1–2 in Wunderlich (1988)	Ne Dominican amber
† LAGONOMEGOPIDAE Eskov & Wunderlich, 1995	Cretaceous
† <i>Burlagonomegops</i> Penney, 2005b	Cretaceous
179. <i>Burlagonomegops alavensis</i> Penney, 2006b	K Álava amber
180. <i>Burlagonomegops eskovi</i> Penney, 2005b*	K Myanmar amber
† <i>Lagonomegops</i> Eskov & Wunderlich, 1995	Cretaceous
181. <i>Lagonomegops americanus</i> Penney, 2005b	K New Jersey amber
182. <i>Lagonomegops sukatchevae</i> Eskov & Wunderlich, 1995*	K Taimyr amber
† <i>Zarquagonomegops</i> Kaddumi, 2007	Cretaceous
183. <i>Zarquagonomegops wunderlichi</i> Kaddumi, 2007*	K Jordanian amber
† GRANDOCULIDAE Penney, 2011	Cretaceous
† <i>Grandoculus</i> Penney, 2004b	Cretaceous

184. *Grandoculus chemahawinensis* Penney, 2004b* K Manitobian amber
- † SPATIATORIDAE Petrunkevitch, 1942 Palaeogene
- † *Spatiator* Petrunkevitch, 1942 Palaeogene
185. *Spatiator caulis* Wunderlich, 2008a Pa Baltic amber
186. *Spatiator martensi* Wunderlich, 2006 Pa Baltic amber
187. *Spatiator praeceps* Petrunkevitch, 1942* Pa Baltic amber
- Spatiator* sp. in Wunderlich (2011h) Pa Baltic amber
- MALKARIDAE Davies, 1980** Recent
- = STERNODIDAE Moran, 1986
- no fossil record
- MIMETIDAE Simon, 1881** Palaeogene – Recent
- = CTENOPHORIDAE Blackwall, 1870 [younger name protected by usage]
- Mimetini* sp. 1–4 in Wunderlich (2004q) Pa Baltic amber
- Ero C. L. Koch, 1836** Palaeogene – Recent
- = †*Palaeoero* Wunderlich, 2004q
- = †*Succinero* Wunderlich, 2004q
188. *Ero carboneana* Petrunkevitch, 1942 Pa Baltic amber
189. *Ero longitarsus* (Wunderlich, 2004q) Pa Baltic amber
190. *Ero permunda* Petrunkevitch, 1942 Pa Baltic amber
191. *Ero rovnoensis* (Wunderlich, 2004ar) Pa Rovno amber
- Mimetus Hentz, 1832** Palaeogene – Recent
192. *Mimetus bituberculatus* Wunderlich, 1988 Ne Dominican amber
193. ?*Mimetus longipes* Wunderlich, 2004q Pa Baltic amber
- i. = *Mimetus brevipes* Wunderlich, 2004q Pa Baltic amber
- ?*Mimetus* sp. in Wunderlich (1988) Ne Dominican amber
- Protomimetus Wunderlich, 2011** Palaeogene
194. ?*Protomimetus breviclypeus* Wunderlich, 2011h Pa Baltic amber
195. *Protomimetus longiclypeus* Wunderlich, 2011h* Pa Baltic amber
- ERESOIDEA C. L. Koch, 1851** Cretaceous – Recent
- ERESIDAE C. L. Koch, 1851** ?Miocene – Recent
- no body fossil record, but a web attributed to the extant genus *Seothyra* was described by Pickford (2000) from Miocene aeolianites in the Namib Desert of Namibia
- 'OECOBIOIDEA'**
- Oecobioidea fam. indet. in Wunderlich (2008d) K Myanmar amber
- OECOBIIDAE Blackwall, 1862** Cretaceous – Recent
- = UROCTEIDAE Thorell, 1869

- † *Lebanoecobius* Wunderlich, 2004e Cretaceous
196. *Lebanoecobius schleei* Wunderlich, 2004e* K Lebanese amber
- † *Mizalia* C. L. Koch & Berendt, 1854 Palaeogene
- = † *Paruroctea* Petrunkevitch, 1942
197. *Mizalia blauvelti* (Petrunkevitch, 1942) Pa Baltic amber
198. *Mizalia gemini* Wunderlich, 2004e Pa Baltic amber
199. *Mizalia rostrata* C. L. Koch & Berendt, 1854* Pa Baltic amber
- i. = *Mizalia pilosula* C. L. Koch & Berendt, 1854 Pa Baltic amber
200. *Mizalia spirembolus* Wunderlich, 2004e Pa Baltic amber
- Mizalia* sp. in Wunderlich (2011h) Pa Baltic/Blter. amber
- Oecobius* Lucas, 1846 ?Cretaceous – Recent
201. *Oecobius piliformis* Wunderlich, 1988 Ne Dominican amber
- ?*Oecobius* sp. indet in Penney (2002) K New Jersey amber
- Uroctea* Dufour, 1820 Palaeogene – Recent
202. *Uroctea galloprovincialis* Gourret, 1887 Pa Aix-en-Provence
- † *Zamilia* Wunderlich, 2008d Cretaceous
203. *Zamilia antecessor* Wunderlich, 2008d K Myanmar amber
- HERSILIIDAE Thorell, 1870a** Cretaceous – Recent
- = CHALINUROIDAE Thorell, 1873
- Hersiliidae sp. 1–3 in Wunderlich (2004d) Pa Baltic amber
- Hersiliidae sp. in Wunderlich (2011f) Qt Madagascar copal
- † *Burmesiola* Wunderlich, 2011i Cretaceous
204. *Burmesiola cretacea* Wunderlich, 2011i* K Myanmar amber
- † "Fictotama" Petrunkevitch, 1963 (*nomen dubium*) Neogene
- [Wunderlich 2011f placed a new species in this genus, which was previously considered a *nomen dubium*. He did not formally revalidate the genus]
205. "Fictotama" *maculosa* Wunderlich, 2011g Ne Dominican amber
- † *Gerdia* Menge, 1869 Palaeogene
206. *Gerdia myura* Menge, 1869* Pa Baltic amber
- † *Gerdiopsis* Wunderlich, 2004e Palaeogene
207. *Gerdiopsis infringens* Wunderlich, 2004e* Pa Baltic amber
- † *Gerdiorum* Wunderlich 2004e Palaeogene
208. *Gerdiorum inflexum* Wunderlich 2004e* Pa Baltic amber
- Hersilia* Audouin, 1826 Palaeogene
209. *Hersilia aquisextana* Gourret, 1887 Pa Aix-en-Provence
210. *Hersilia longipes* Giebel, 1856 Pa Baltic amber
211. ?*Hersilia miranda* C. L. Koch & Berendt, 1854 Pa Baltic amber
- † *Hersiliiana* Wunderlich, 2004e Quaternary – Recent
212. *Hersiliiana brevipes* Wunderlich, 2004e* Qt Madagascan copal
- † *Hersiliopsis* Wunderlich, 2004e Quaternary – Recent
213. *Hersiliopsis madagascarensis* Wunderlich, 2004e Qt Madagascan copal

† <i>Prototama</i> Petrunkevitch, 1971	Neogene
= † <i>Priscotama</i> Petrunkevitch, 1971	
214. <i>Prototama antiqua</i> (Petrunkevitch, 1971)	Ne Chiapas amber
215. <i>Prototama maior</i> (Wunderlich, 1988)	Ne Dominican amber
216. <i>Prototama media</i> (Wunderlich, 1988)	Ne Dominican amber
217. <i>Prototama minor</i> (Wunderlich, 1987)	Ne Dominican amber
218. <i>Prototama succinea</i> Petrunkevitch, 1971*	Ne Chiapas amber
<i>Prototama</i> sp. in Wunderlich (1988)	Ne Dominican amber
Superfamily uncertain	
† BURMASCUTIDAE Wunderlich, 2008d	Cretaceous
† Burmascutum Wunderlich, 2008d	Cretaceous
219. <i>Burmascutum aenigma</i> Wunderlich, 2008d*	K Myanmar amber
† SALTICOIDIDAE Wunderlich, 2008d	Cretaceous
† Salticoidus Wunderlich, 2008d	Cretaceous
220. <i>Salticoidus kaddumiorum</i> Wunderlich, 2008d*	K Jordanian amber
'CANOE TAPETUM' CLADE	Triassic – Recent
ORBICULARIAE Walckenaer, 1802	Triassic – Recent
DEINOPOIDEA C. L. Koch, 1851	Cretaceous – Recent
DEINOPIDAE C. L. Koch, 1851	Cretaceous – Recent
<i>Deinopis</i> MacLeay, 1839	Quaternary – Recent
221. <i>Deinopis</i> ? <i>madagascariensis</i> Lenz, 1886 [Recent]	Qt Madagascar copal
Menneus Simon, 1876b	Palaeogene – Recent
222. ? <i>Menneus pietrzeniukae</i> Wunderlich, 2004g	Pa Baltic amber
? <i>Menneus</i> sp. 1–3 in Wunderlich (2004g)	Pa Baltic amber
† Palaeomicromennus Penney, 2003b	Cretaceous
223. <i>Palaeomicromenneus lebanensis</i> Penney, 2003b*	K Lebanese amber
ULOBORIDAE Thorell, 1869	Cretaceous – Recent
Uloboridae indet. in Wunderlich (2011f)	Qt Madagascar copal
† Burmuloborus Wunderlich, 2008d	Cretaceous
224. <i>Burmuloborus parvus</i> Wunderlich, 2008d*	K Myanmar amber
† Eomiagrammopes Wunderlich, 2004f	Palaeogene
225. <i>Eomiagrammopes major</i> Wunderlich, 2004f	Pa Baltic amber
226. <i>Eomiagrammopes minor</i> Wunderlich, 2004f	Pa Baltic amber
227. <i>Eomiagrammopes semiapertus</i> Wunderlich, 2011h	Pa Baltic amber
228. <i>Eomiagrammopes singularis</i> Wunderlich, 2004f*	Pa Baltic amber
229. <i>Eomiagrammopes spinipes</i> Wunderlich, 2004f	Pa Baltic amber
<i>Eomiagrammopes</i> sp. 1–2 in Wunderlich (2004f)	Pa Baltic amber
? <i>Eomiagrammopes</i> sp. in Wunderlich (2004f)	Pa Baltic amber

† <i>Hyptiomopes</i> Wunderlich, 2004f	Palaeogene
230. <i>Hyptiomopes bitterfeldensis</i> Wunderlich 2004f*	Pa Baltic amber
? <i>Hyptiomopes</i> sp. in Wunderlich (2004f)	Pa Baltic amber
<i>Hyptiotes</i> Walckenaer, 1837	Palaeogene – Recent
= † <i>Androgeus</i> C. L. Koch & Berendt, 1854	
231. <i>Hyptiotes convexus</i> Wunderlich, 2004f	Pa Baltic amber
232. <i>Hyptiotes glaber</i> Wunderlich, 2004f	Pa Baltic amber
233. <i>Hyptiotes saetosus</i> Wunderlich, 2004f	Pa Baltic amber
234. <i>Hyptiotes stellatus</i> Wunderlich, 2004f	Pa Baltic amber
235. <i>Hyptiotes triqueter</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
† <i>Jerseyuloborus</i> Wunderlich, 2011 <i>i</i>	Cretaceous
236. <i>Jerseyuloborus longisoma</i> Wunderlich, 2011 <i>i</i> *	K New Jersey amber
<i>Miagrammopes</i> O. P.-Cambridge, 1870	Neogene – Recent
237. <i>Miagrammopes dominicanus</i> Wunderlich, 2004e	Ne Dominican amber
<i>Miagrammopes</i> sp. in Penney (2001)	Ne Dominican amber
<i>Miagrammopes</i> sp. in Wunderlich (2011f)	Qt Madagascar copal
† <i>Opellianus</i> Wunderlich, 2004f	Palaeogene
238. <i>Opellianus excellens</i> Wunderlich, 2004f*	Pa Baltic amber
239. <i>Opellianus kazimierasi</i> Wunderlich 2004f	Pa Baltic amber
240. <i>Opellianus ludwigi</i> Wunderlich 2004f	Pa Baltic amber
† <i>Palaeomiagrammopes</i> Wunderlich, 2008d	Cretaceous
241. <i>Palaeomiagrammopes vesica</i> Wunderlich, 2008d*	K Myanmar amber
† <i>Palaeouloborus</i> Selden, 1990	Cretaceous
242. <i>Palaeouloborus lacasae</i> Selden, 1990*	K Sierra de Montsech
† <i>Paramiagrammopes</i> Wunderlich, 2008d	Cretaceous
243. <i>Paramiagrammopes cretaceus</i> Wunderlich, 2008d*	K Myanmar amber
<i>Paramiagrammopes</i> sp. in Wunderlich (2008d)	K Myanmar amber
† <i>Ulobomopes</i> Wunderlich, 2004f	Palaeogene
244. <i>Ulobomopes unicus</i> Wunderlich, 2004f*	Pa Baltic amber
ARANEOIDEA Latreille, 1806	Triassic – Recent
Araneoidea fam indet. in Wunderlich (2008d)	K Myanmar amber
† <i>Mesarania</i> Hong, 1984	Jurassic
245. <i>Mesarania hebeiensis</i> Hong, 1984*	J Hebei, China
CYATHOLIPIDAE Simon, 1894	Palaeogene – Recent
= TEEMENAARIDAE Davies, 1978	
† <i>Balticolipus</i> Wunderlich, 2004m	Palaeogene
246. <i>Balticolipus kruemmeri</i> Wunderlich, 2004m*	Pa Baltic / Bitt. amber
† <i>Cyathosuccinus</i> Wunderlich, 2004m	Palaeogene
247. <i>Cyathosuccinus elongatus</i> Wunderlich, 2004m*	Pa Baltic amber
† <i>Erigolipus</i> Wunderlich, 2004m	Palaeogene

248. *Erigolipus griswoldi* Wunderlich, 2004m* Pa Baltic amber
- † ***Spinilipus*** Wunderlich, 1993b Palaeogene
249. *Spinilipus bispinosus* Wunderlich, 2004m Pa Bitterfeld amber
250. *Spinilipus curvatus* Wunderlich, 2004m Pa Bitterfeld amber
251. *Spinilipus glinki* Wunderlich, 2004m Pa Baltic amber
252. *Spinilipus kerneggeri* Wunderlich, 1993b* Pa Baltic amber
253. *Spinilipus longembolus* Wunderlich, 2004m Pa Baltic amber
- † ***Succinilipus*** Wunderlich, 1993b Palaeogene
254. *Succinilipus abditus* Wunderlich, 2004m Pa Baltic / Bitt. amber
255. *Succinilipus aspinosus* Wunderlich, 2004m Pa Bitterfeld amber
256. *Succinilipus saxonensis* Wunderlich, 1993b Pa Bitterfeld amber
257. *Succinilipus similis* Wunderlich, 2004m Pa Bitterfeld amber
258. *Succinilipus teuberi* Wunderlich, 1993b* Pa Baltic amber
- Succinilipus* sp. in Wunderlich (2004m) Pa Baltic / Bitt. amber
- SYNOTAXIDAE Simon, 1894** Palaeogene – Recent
- † ***Acrometa*** Petrunkevitch, 1942 Palaeogene
- = † *Eogonatum* Petrunkevitch, 1942
- = † *Litiken* Petrunkevitch, 1942
- = † *Theridiometa* Petrunkevitch, 1942
- = † *Viocurus* Petrunkevitch, 1958
259. *Acrometa clava* Wunderlich, 2004n Pa Baltic amber
260. *Acrometa cristata* Petrunkevitch, 1942* Pa NE Europe ambers
- i. = *Theridiometa edwardsi* Petrunkevitch, 1942 Pa Baltic amber
- ii. = *Viocurus fossilis* Petrunkevitch, 1958 Pa Baltic amber
261. *Acrometa eichmanni* Wunderlich, 2004n Pa Baltic amber
262. *Acrometa incidunt* Wunderlich, 2004n Pa Baltic amber
263. *Acrometa minutum* (Petrunkevitch, 1942) Pa Baltic amber
264. *Acrometa pala* Wunderlich, 2004n Pa Baltic amber
265. *Acrometa robusta* (Petrunkevitch, 1942) Pa Baltic amber
266. *Acrometa pseudorobusta* Dunlop & Jekel, 2009 Pa Baltic amber
- i. = *Acrometa robusta* (Petrunkevitch, 1946) [preoccupied]
267. *Acrometa samlandica* (Petrunkevitch, 1942) Pa Baltic amber
268. *Acrometa setosus* (Petrunkevitch, 1942) Pa Baltic amber
269. *Acrometa succini* Petrunkevitch, 1942 Pa Baltic amber
- † ***Anandrus*** Menge, 1856 Palaeogene
- = † *Elucus* Petrunkevitch, 1942
270. *Anandrus inermis* (Petrunkevitch, 1942) Pa Baltic amber
271. *Anandrus infelix* (Petrunkevitch, 1950)* Pa Baltic amber
272. *Anandrus quaesitus* (Petrunkevitch, 1958) Pa Baltic amber
273. *Anandrus redemptus* (Petrunkevitch, 1958) Pa Baltic amber
- † ***Chelicerinus*** Wunderlich, 2008a Palaeogene

274. *Chelicerinus abnormis* Wunderlich, 2008a Pa Bitterfeld amber
- † ***Cornuanandrus* Wunderlich, 1986** Palaeogene
275. *Cornuanandrus bifurcatus* Wunderlich, 2004n Pa Bitterfeld amber
276. *Cornuanandrus bitterfeldensis* Wunderlich, 2004n Pa Bitterfeld amber
277. *Cornuanandrus corniculans* Wunderlich, 2004n Pa Baltic amber
278. *Cornuanandrus maior* Wunderlich, 1986* Pa Baltic amber
279. *Cornuanandrus minor* Wunderlich, 2004n Pa Baltic amber
- † ***Dubiosnotaxus* Wunderlich, 2004n** Palaeogene
280. *Dubiosnotaxus perfectus* Wunderlich, 2004n* Pa Baltic amber
- † ***Eosynotaxus* Wunderlich, 2004n** Palaeogene
281. *Eosynotaxus bispinosus* Wunderlich, 2004n Pa Baltic amber
282. *Eosynotaxus bitterfeldensis* Wunderlich, 2004n Pa Bitterfeld amber
283. *Eosynotaxus custodens* Wunderlich, 2004n Pa Baltic amber
284. *Eosynotaxus fastigatus* Wunderlich, 2004n Pa Baltic amber
285. *Eosynotaxus paucispina* Wunderlich, 2004n Pa Baltic amber
286. *Eosynotaxus spinipes* Wunderlich, 2004n Pa Baltic amber
287. *Eosynotaxus wegneri* Wunderlich, 2004n* Pa Baltic amber
- † ***Gibbersnotaxus* Wunderlich, 2004n** Palaeogene
288. *Gibbersnotaxus parvus* Wunderlich, 2004n* Pa Baltic amber
- † ***Protophysoglenes* Wunderlich, 2004n** Palaeogene
289. *Protophysoglenes impressum* Wunderlich, 2004n* Pa Baltic amber
- † ***Pseudoacrometa* Wunderlich, 1986** Palaeogene
290. *Pseudoacrometa gracilipes* Wunderlich, 1986* Pa Baltic amber
291. *Pseudoacrometa wittmanni* Wunderlich, 2004n Pa Baltic amber
- † ***Succinitaxus* Wunderlich, 2004n** Palaeogene
292. *Succinitaxus brevis* Wunderlich, 2004n* Pa Baltic/Bitt. amber
293. ?*Succinitaxus minutus* Wunderlich, 2004n Pa Baltic amber
- † ***Sulcosnotaxus* Wunderlich, 2004n** Palaeogene
294. *Sulcosnotaxus cavatus* Wunderlich, 2004n* Pa Baltic amber
- NESTICIDAE Simon, 1894** Palaeogene – Recent
- † ***Balticonesticus* Wunderlich, 1986** Palaeogene
295. *Balticonesticus flexuosus* Wunderlich, 1986* Pa Baltic amber
- Eidmanella* Roewer, 1935** Quaternary
296. *Eidmanella pallida* (Emerton, 1875) [Recent] Qt Madagascar copal
- † ***Eopopino* Petrunkevitch, 1942** Palaeogene
297. *Eopopino budrys* Eskov & Marusik, 1992 Pa Baltic amber
298. *Eopopino inopinatus affinis* Wunderlich, 1986 Pa Baltic amber
299. *Eopopino inopinatus inopinatus* Wunderlich, 1986 Pa Baltic amber
300. *Eopopino longipes* Petrunkevitch, 1942* Pa Baltic amber
301. *Eopopino palanga* Eskov & Marusik, 1992 Pa Baltic amber

302. *Eopopino rarus rarus* Wunderlich, 1986 Pa Baltic amber
303. *Eopopino rarus solitarius* Wunderlich, 1986 Pa Baltic amber
304. *Eopopino rudloffii* Wunderlich, 2004o Pa Bitterfeld amber
- Eopopino* sp. in Wunderlich (1986) Pa Bitterfeld amber
- † **Heteronesticus** Wunderlich, 1986 Palaeogene
305. *Heteronesticus magnoparacymbialis* Wunderlich, 1986* Pa Baltic amber
- † **Hispanonesticus** Wunderlich, 1986 Neogene
306. *Hispanonesticus latopalpus* Wunderlich, 1986* Ne Dominican amber
- THERIDIIDAE Sundevall, 1833** ?Cretaceous – Recent
- = PHYCOIDAE Thorell, 1873
- = EPISINIDAE O. P.-Cambridge, 1879a
- = HADROTARSIDAE Thorell, 1881
- Theridiidae gen. et sp. in Nishikawa (1974) Qt Mizunami copal
- Achaearanea Strand, 1929** Neogene – Recent
307. *Achaearanea extincta* Wunderlich, 1988 Ne Dominican amber
- Achaearanea* sp. in Wunderlich (1988) Ne Dominican amber
- Argyrodes Simon, 1864** Neogene – Recent
308. *Argyrodes (Ariamnes) copalis* Wunderlich, 2008b Qt Colombian copal
309. *Argyrodes (Ariamnes) resina* Wunderlich, 2011f Qt Madagascar copal
310. *Argyrodes (Rhomphaea) gibbifera* Wunderlich, 2004as Qt Madagascar copal
311. *Argyrodes parvipatellaris* Wunderlich, 1988 Ne Dominican amber
- Argyrodes* sp. in Wunderlich (1988) Ne Dominican amber
- † **Balticoridion** Wunderlich, 2008b Palaeogene
312. *Balticoridion dubium* Wunderlich, 2008b* Pa Baltic / Bitt. amber
- † **Balticpholcomma** Wunderlich, 2008b Palaeogene
313. *Balticpholcomma scutatum* Wunderlich, 2008b* Pa Baltic amber
- † **Caudasinus** Wunderlich, 2008b Palaeogene
314. *Caudasinus bispinosus* Wunderlich, 2008b Pa Baltic amber
315. *Caudasinus caudatus* Wunderlich, 2008b* Pa Baltic amber
316. *Caudasinus regeneratus* Wunderlich, 2008b Pa Baltic amber
- Caudasinus* sp. in Wunderlich (2008b) Pa Baltic amber
- Chrosiothes Simon, 1894** Neogene – Recent
317. *Chrosiothes biconigerus* Wunderlich, 1988 Ne Dominican amber
318. *Chrosiothes curvispinosus* Wunderlich, 1988 Ne Dominican amber
319. *Chrosiothes emulgatus* Wunderlich, 1988 Ne Dominican amber
320. *Chrosiothes longispinosus* Wunderlich, 1988 Ne Dominican amber
321. *Chrosiothes monoceros* Wunderlich, 1988 Ne Dominican amber
322. *Chrosiothes tumulus* Wunderlich, 1988 Ne Dominican amber
323. *Chrosiothes unicornis* Wunderlich, 1988 Ne Dominican amber
- Chrysso O. P.-Cambridge, 1882a** Neogene – Recent
324. *Chrysso conspicua* Wunderlich, 1988 Ne Dominican amber

325. *Chrysso dubia* Wunderlich, 1988 Ne Dominican amber
- † ***Clavibertus* Wunderlich, 2008b** Palaeogene
326. *Clavibertus parvus* Wunderlich, 2008b Pa Baltic amber
327. *Clavibertus prominens* Wunderlich, 2008b* Pa Baltic amber
- † ***Clya* C. L. Koch & Berendt, 1854** Palaeogene
328. *Clya abdita* Wunderlich, 2008b Pa Baltic amber
329. *Clya lugubris* C. L. Koch & Berendt, 1854* Pa Baltic amber
330. *Clya calefacta* Wunderlich, 2008b Pa Baltic amber
331. *Clya gracilis* (Petrunkewitch, 1958) Pa Baltic amber
332. *Clya granulata* (C. L. Koch & Berendt, 1854) Pa Baltic amber
333. *Clya obscura* (C. L. Koch & Berendt, 1854) Pa Baltic amber
334. *Clya rotata* Wunderlich, 2008b Pa Baltic amber
335. *Clya supercalefacta* Wunderlich, 2008b Pa Baltic amber
336. *Clya superspiralis* Wunderlich, 2008b Pa Baltic amber
337. *Clya tricurvata* Wunderlich, 2008b Pa Baltic amber
- † ***Cornutidion* Wunderlich, 1988** Neogene
338. *Cornutidion elongatum* Wunderlich, 1988* Ne Dominican amber
- Craspedisia* Simon, 1894** Neogene – Recent
- Craspedisia* sp. in Wunderlich (1988) Ne Dominican amber
- † ***Cymbiopholcomma* Wunderlich, 2008b** Palaeogene
339. *Cymbiopholcomma dudum* Wunderlich, 2008b* Pa Baltic amber
340. *Cymbiopholcomma spiculum* Wunderlich, 2008b Pa Baltic amber
- † ***Dipoenata* Wunderlich, 1988** Neogene
341. *Dipoenata altioculata* Wunderlich, 1988 Ne Dominican amber
342. *Dipoenata cala* Wunderlich, 1988 Ne Dominican amber
343. *Dipoenata clypeata* Wunderlich, 1988 Ne Dominican amber
344. *Dipoenata globulus* Wunderlich, 1988 Ne Dominican amber
345. *Dipoenata praedominicana* (Wunderlich, 1986) Qt Dominican copal
346. *Dipoenata stipes* Wunderlich, 1988* Ne Dominican amber
347. *Dipoenata yolanda* Wunderlich, 1988 Ne Dominican amber
- Dipoenata* sp. in Wunderlich (1988) Ne Dominican amber
- † ***Eoasagena* Wunderlich, 2008b** Palaeogene
348. *Eoasagena scutata* Wunderlich, 2008b* Pa Baltic amber
- † ***Eolyrifer* Wunderlich, 2008b** Palaeogene
349. *Eolyrifer longitibialis* Wunderlich, 2008b* Pa Baltic amber
- † ***Eomysmena* Petrunkevitch, 1942** Palaeogene – Neogene
- = † *Antopia* Menge, 1854 [tentative synonymy]
- = † *Astodipoena* Petrunkevitch, 1958
- = † *Eodipoena* Petrunkevitch, 1942
350. *Eomysmena asta* Petrunkevitch, 1971 Ne Chiapas amber
351. *Eomysmena aviceps* Wunderlich, 2008b Pa Baltic amber

352. *Eomysmena calefacta* Wunderlich, 2008b Pa Baltic amber
353. *Eomysmena crassa* (Petrunkewitch, 1958) Pa Baltic amber
354. *Eomysmena baltica* Petrunkewitch, 1946 Pa Baltic amber
355. 'Eomysmena' *bassleri* (Petrunkewitch, 1942) Pa Baltic amber
356. ?*Eomysmena kaestneri* (Petrunkewitch, 1958) Pa Baltic amber
357. *Eomysmena militaris* (C. L. Koch & Berendt, 1854) Pa Baltic amber
358. *Eomysmena moritura* Petrunkewitch, 1942* Pa Baltic amber
- i. = *Eomysmena consulta* (Petrunkewitch, 1958)
 [tentative synonymy] Pa Baltic amber
359. *Eomysmena nielseni* (Petrunkewitch, 1958) Pa Baltic amber
360. *Eomysmena oculata* (Petrunkewitch, 1942) Pa Baltic amber
361. *Eomysmena punctulata* (C. L. Koch & Berendt, 1854) Pa Baltic amber
362. *Eomysmena recta* Wunderlich, 2008b Pa Baltic amber
363. *Eomysmena tenera* (Menge in C. L. Koch & Berendt, 1854) Pa Baltic amber
- Eomysmena* spp. in Wunderlich 2008b Pa Baltic / Bitt. Amber
- † ***Eoteutana* Wunderlich, 2008b** Palaeogene
364. *Eoteutana hirsuta* Wunderlich, 2008b* Pa Baltic amber
- Episinus* Latreille, 1809** Palaeogene – Recent
- = † *Flegia* C. L. Koch & Berendt, 1854
- = † *Impulsor* Petrunkewitch, 1942
- = † *Malleator* Petrunkewitch, 1942
- = † *Mictodipoena* Petrunkewitch, 1958
- = † *Municeps* Petrunkewitch, 1942 [tentative synonymy]
365. *Episinus anapidaeque* Wunderlich, 2008b Pa Baltic amber
366. *Episinus antecognatus* Wunderlich, 1986 Qt Dominican copal
367. *Episinus appendix* Wunderlich, 2008b Pa Baltic amber
368. *Episinus arrodens* Wunderlich, 2008b Pa Baltic amber
369. *Episinus balticus* Marusik & Penney, 2004 Pa Baltic / Bitt. amber
370. *Episinus brevipalpus* Wunderlich, 1988 Ne Dominican amber
371. *Episinus bulla* Wunderlich, 2008b Pa Baltic amber
372. *Episinus chiapasianus* (Petrunkewitch, 1971) Ne Chiapas amber
373. *Episinus clunis* Wunderlich, 2008b Pa Baltic amber
374. *Episinus cochlear* Wunderlich, 2008b Pa Baltic amber
375. *Episinus cornutus* Wunderlich, 1988 Ne Dominican amber
376. *Episinus cymbialis* Wunderlich, 2008b Pa Baltic amber
377. *Episinus dimidius* Wunderlich, 2008b Pa Baltic amber
378. *Episinus eskovi* Marusik & Penney, 2004 Pa Baltic amber
379. *Episinus isopteraque* Wunderlich, 2008b Pa Baltic amber
380. *Episinus latus* Wunderlich, 2008b Pa Baltic amber
381. *Episinus longimanus* (C. L. Koch & Berendt, 1854) Pa Baltic amber
- i. = *Malleator niger* Petrunkewitch, 1942 Pa Baltic amber
382. *Episinus longisoma* Wunderlich, 2008b Pa Baltic amber

383. *Episinus minutus* (Petrunkewitch, 1958) Pa Baltic amber
384. *Episinus mordellidaeque* Wunderlich, 2008b Pa Baltic amber
385. *Episinus musculus* Wunderlich, 2008b Pa Baltic amber
386. *Episinus mutilus* (Petrunkewitch, 1958) Pa Baltic amber
387. *Episinus nausticymbium* Wunderlich, 2008b Pa Baltic amber
388. *Episinus neglectus* (Petrunkewitch, 1942) Pa Baltic amber
389. *Episinus penneyi* Garcia-Villafuerte, 2006a Ne Chiapas amber
390. *Episinus praecognatus* Wunderlich, 1982 Ne Dominican amber
391. *Episinus pulcher* (Petrunkewitch, 1942) Pa Baltic amber
392. *Episinus regalis* (Petrunkewitch, 1958) Pa Baltic amber
393. *Episinus stridulus* (Petrunkewitch, 1958) Pa Baltic amber
394. *Episinus tibiaseta* Wunderlich, 2011g Ne Dominican amber
395. *Episinus transversus* Wunderlich, 2008b Pa Baltic amber
396. *Episinus tuberosus* Wunderlich, 1988 Ne Dominican amber
- Episinus spp.* in Wunderlich (2008b) Pa Baltic amber
- Euryopis* Menge, 1868** **Palaeogene – Recent**
397. ?*Euryopis araneoides* Wunderlich, 2008b Pa Baltic amber
398. *Euryopis bitterfeldensis* Wunderlich, 2008b Pa Baltic / Bitt. amber
399. *Euryopis nexus* Wunderlich, 2008b Pa Baltic amber
400. *Euryopis streyi* Wunderlich, 2008b Pa Baltic / Bitt. amber
- † ***Euryopus* Menge in C. L. Koch & Berendt, 1854** **Palaeogene**
401. *Euryopus gracilipes* Menge in C. L. Koch & Berendt, 1854* Pa Baltic amber
- Faiditus* Keyserling, 1884** **Neogene – Recent**
402. *Faiditus crassipatellaris* (Wunderlich, 1988) Ne Dominican amber
- † ***Femurraptor* Wunderlich, 2011g** **Neogene**
403. *Femurraptor dominicanus* Wunderlich, 2011g* Ne Dominican amber
- † ***Globulidion* Wunderlich, 2008b** **Palaeogene**
404. *Globulidion cochlea* Wunderlich, 2008b* Pa Baltic amber
- † ***Hirsutipalpus* Wunderlich, 2008b** **Palaeogene**
405. *Hirsutipalpus varipes* Wunderlich, 2008b* Pa Baltic / Bitt. Amber
- † ***Kochiuridion* Wunderlich, 2008b** **Palaeogene**
406. *Kochiuridion scutatum* Wunderlich, 2008b* Pa Baltic / Bitt. amber
- Lasaeola* Simon, 1881** **Palaeogene – Recent**
- = † *Nactodipoena* Petrunkewitch, 1942 [a subgenus in Wunderlich (2008b)]
407. *Lasaeola acumen* Wunderlich, 2008b Pa Baltic amber
408. *Lasaeola baltica* (Marusik & Penney, 2004) Pa Baltic amber
409. *Lasaeola bitterfeldensis* Wunderlich, 2008b Pa Bitterfeld amber
410. *Lasaeola communis* Wunderlich, 2008b Pa Baltic amber
411. *Lasaeola (Nactodipoena) dunbari* (Petrunkewitch, 1942) Pa Baltic amber
412. ?*Lasaeola furca* Wunderlich, 2008b Pa Baltic amber
413. *Lasaeola germanica* (Petrunkewitch, 1958) Pa Baltic amber

414. *Lasaeola infulata* (C. L. Koch & Berendt, 1854) Pa Baltic / Bitt. Amber
415. *Lasaeola larvaque* Wunderlich, 2008b Pa Baltic amber
416. *Lasaeola latisulci* Wunderlich, 2008b Pa Baltic amber
417. *Lasaeola pristina* (Wunderlich, 1986) Ne Dominican amber
418. *Lasaeola puta* Wunderlich, 1988 Ne Dominican amber
419. *Lasaeola sexsaetosa* Wunderlich, 2008b Pa Baltic amber
420. ?*Lasaeola sigillata* Wunderlich, 2008b Pa Bitterfeld amber
421. *Lasaeola vicina* (Wunderlich, 1982) Ne Dominican amber
422. *Lasaeola vicinoides* Wunderlich, 1988 Ne Dominican amber
Lasaeola sp. in Wunderlich (1988) Ne Dominican amber
Lasaeola spp. in Wunderlich (2008b) Pa Baltic / Bitt. amber
- † ***Medela* Petrunkevitch, 1942** [?Theridiidae, cf. Wunderlich (2008b)] **Palaeogene**
423. *Medela baltica* Petrunkevitch, 1942* Pa Baltic amber
- † ***Mimetidion* Wunderlich, 2008b** **Palaeogene**
424. *Mimetidion furca* Wunderlich, 2008b* Pa Baltic amber
- † ***Nanomysmena* Petrunkevitch, 1958** **Palaeogene**
425. *Nanomysmena aculeata* Petrunkevitch, 1958 Pa Baltic amber
426. *Nanomysmena munita* Petrunkevitch, 1958 Pa Baltic amber
427. *Nanomysmena palanga* Marusik & Penney, 2004 Pa Baltic amber
428. *Nanomysmena petrunkevitchi* Marusik & Penney, 2004 Pa Baltic amber
429. *Nanomysmena pseudogracilis* Marusik & Penney, 2004 Pa Baltic amber
- † ***Nanosteatoda* Wunderlich, 2008b** **Palaeogene**
430. *Nanosteatoda breviscutum* Wunderlich, 2008b Pa Baltic amber
431. *Nanosteatoda trisetae* Wunderlich, 2008b Pa Baltic amber
- † ***Obscuropholcomma* Wunderlich, 2008b** **Palaeogene**
432. *Obscuropholcomma tegens* Wunderlich, 2008b* Pa Baltic amber
- Phoroncidia* Westwood, 1835** **Quaternary – Recent**
433. *Phoroncidia* ?*aculeata* Westwood, 1835 [Recent] Qt Madagascan copal
- † ***Praetereuryopis* Wunderlich, 2008b** **Palaeogene**
434. *Praetereuryopis phoroncidoides* Wunderlich, 2008b* Pa Baltic amber
- † ***Pronepos* Petrunkevitch, 1963** **Neogene**
435. *Pronepos exilis* Petrunkevitch, 1963* Ne Chiapas amber
436. *Pronepos fossilis* Petrunkevitch, 1963 Ne Chiapas amber
- † ***Protosteatoda* Wunderlich, 2008b** **Palaeogene**
437. *Protosteatoda gutta* Wunderlich, 2008b Pa Baltic amber
- † ***Pseudoteutana* Wunderlich, 2008b** **Palaeogene**
438. *Pseudoteutana stigmatosa* (C. L. Koch & Berendt, 1854) Pa Baltic amber
i. = *Eomysmena stridens* Petrunkevitch, 1958 Pa Baltic amber
ii. = *Flegia succini* Petrunkevitch, 1942 Pa Baltic amber
- † ***Rugopholcomma* Wunderlich, 2008b** **Palaeogene**
439. *Rugopholcomma patellaris* Wunderlich, 2008b* Pa Baltic amber

† <i>Spinisinus</i> Wunderlich, 2008b	Palaeogene
440. <i>Spinisinus parvioculi</i> Wunderlich, 2008b	Pa Baltic amber
441. <i>Spinisinus splendidus</i> Wunderlich, 2008b*	Pa Baltic amber
† <i>Spinitharinus</i> Wunderlich, 2008b	Palaeogene
442. <i>Spinitharinus bulbosus</i> Wunderlich, 2008b*	Pa Baltic / Bitt. amber
443. <i>Spinitharinus cheliceratus</i> Wunderlich, 2008b	Pa Baltic / Bitt. amber
444. <i>Spinitharinus coniectens</i> Wunderlich, 2008b	Pa Baltic amber
445. <i>Spinitharinus curvatus</i> Wunderlich, 2008b	Pa Baltic amber
446. <i>Spinitharinus cymbioseta</i> Wunderlich, 2008b	Pa Baltic amber
<i>Spinitharinus</i> spp. in Wunderlich (2008b)	Pa Baltic amber
<i>Spintharus</i> Hentz, 1850	Neogene – Recent
447. <i>Spintharus longisoma</i> Wunderlich, 1988	Ne Dominican amber
<i>Steatoda</i> Sundevall, 1833	?Palaeogene – Recent
448. 'Steatoda' <i>anticus</i> (Berland, 1939)	Pa Baltic amber
<i>Stemmops</i> O. P.-Cambridge, 1894	Neogene – Recent
449. <i>Stemmops incertus</i> Wunderlich, 1988	Ne Dominican amber
450. <i>Stemmops prominens</i> Wunderlich, 1988	Ne Dominican amber
<i>Styposis</i> Simon, 1894	Neogene – Recent
451. <i>Styposis pholcoides</i> Wunderlich, 1988	Ne Dominican amber
† <i>Succinobertus</i> Wunderlich, 2008b	Palaeogene
452. <i>Succinobertus adjacens</i> Wunderlich, 2008b*	Pa Baltic / Bitt. Amber
† <i>Succinura</i> Wunderlich, 2008b	Palaeogene
453. <i>Succinura aciesaeta</i> Wunderlich, 2008b	Pa Baltic amber
454. <i>Succinura bellavista</i> Wunderlich, 2008b*	Pa Baltic amber
455. <i>Succinura circuta</i> Wunderlich, 2008b	Pa Baltic amber
456. <i>Succinura dubia</i> Wunderlich, 2008b	Pa Baltic amber
457. <i>Succinura fuscoruber</i> Wunderlich, 2008b	Pa Baltic amber
458. <i>Succinura ovalis</i> Wunderlich, 2008b	Pa Baltic amber
<i>Succinura</i> sp. in Wunderlich (2008b)	Pa Baltic amber
<i>Theridion</i> Walckenaer, 1805	?Cretaceous – Recent
459. 'Theridion' <i>alutaceum</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
460. <i>Theridion annulipes</i> Heer, 1865	Ne Öhningen
461. <i>Theridion atalus</i> Chang, 2004 [both generic and familial assignment unreliable!]	K Jehol Biota
462. 'Theridion' <i>berendti</i> Marusik & Penney, 2004	Pa Baltic amber
i. = <i>Theridion globosa</i> C. L. Koch & Berendt, 1854 [preoccupied]	
463. <i>Theridion bucklandi</i> Thorell, 1870a	Pa Aix-en-Provence
464. <i>Theridion contrarium</i> Wunderlich, 1988	Ne Dominican amber
465. <i>Theridion crassipalpum</i> Berland, 1939	Pa Aix-en-Provence
466. 'Theridion' <i>detersum</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
467. <i>Theridion erectoides</i> Wunderlich, 1988	Ne Dominican amber

468. *Theridion erectum* Wunderlich, 1988 Ne Dominican amber
469. 'Theridion' *globosus* (Presl, 1822) Pa Baltic amber
470. *Theridion globulus* Heer, 1865 Ne Öhningen
471. 'Theridion' *hirtum* C. L. Koch & Berendt, 1854 Pa Baltic amber
472. *Theridion inversum* Wunderlich, 1988 Ne Dominican amber
473. *Theridion maculipes* Heer, 1865 Ne Öhningen
474. 'Theridion' *oblongum* (Presl, 1822) Pa Baltic amber
475. 'Theridion' *ovale* C. L. Koch & Berendt, 1854 Pa Baltic amber
476. 'Theridion' *ovatum* C. L. Koch & Berendt, 1854 Pa Baltic amber
477. 'Theridion' *simplex* C. L. Koch & Berendt, 1854 Pa Baltic amber
478. *Theridion variosoma* Wunderlich, 1988 Ne Dominican amber
479. *Theridion wunderlichi* Penney, 2001 Ne Dominican amber
- i. = *Theridion ovale* Wunderlich, 1988 [preoccupied]
- † *Thyelia* C. L. Koch & Berendt, 1854 Palaeogene
480. *Thyelia anomala* C. L. Koch & Berendt, 1854 Pa Baltic amber
481. *Thyelia convexa* C. L. Koch & Berendt, 1854 Pa Baltic amber
482. *Thyelia fossula* C. L. Koch & Berendt, 1854 Pa Baltic amber
483. *Thyelia marginata* C. L. Koch & Berendt, 1854 Pa Baltic amber
484. *Thyelia pallida* C. L. Koch & Berendt, 1854 Pa Baltic amber
485. *Thyelia scotina* C. L. Koch & Berendt, 1854 Pa Baltic amber
486. *Thyelia tristis* C. L. Koch & Berendt, 1854* Pa Baltic amber
487. *Thyelia villosa* C. L. Koch & Berendt, 1854 Pa Baltic amber
- Ulesanis* L. Koch, 1872 Palaeogene – Recent
488. *Ulesanis antecessor* Wunderlich, 2008b Pa Baltic Amber
489. *Ulesanis frontprocera* Wunderlich, 2008b Pa Baltic Amber
490. *Ulesanis longicymbium* Wunderlich, 2008b Pa Baltic Amber
491. *Ulesanis ovalis* Wunderlich, 2008b Pa Baltic / Bitt. amber
492. *Ulesanis parva* Wunderlich, 2008b Pa Baltic / Bitt. amber
- † *Unispinatoda* Wunderlich, 2008b Palaeogene
493. *Unispinatoda aculeata* Wunderlich, 2008b* Pa Baltic / Bitt. Amber
- † *Vicipholcomma* Wunderlich, 2008b Palaeogene
494. *Vicipholcomma spiralis* Wunderlich, 2008b* Pa Baltic Amber
- Theridiidae incertae sedis**
495. 'Eomysmena' *succini* (Petrunkewitch, 1942) Pa Baltic amber
496. 'Anelosimus' *clypeatus* Wunderlich, 1988 Ne Dominican amber
- THERIDIOSOMATIDAE Simon, 1881** Cretaceous – Recent
- Theridiosomatidae gen. et sp. indet *in* Wunderlich (2004*i*) Pa Baltic amber
- Theridiosomatidae gen. et sp. indet *in* Wunderlich (2011*f*) Qt Madagascar copal
- † *Eocoddingtonia* Selden, 2010 Cretaceous
497. *Eocoddingtonia eskovi* Selden, 2010* K Baissa, Transbaikalia

- † *Eoepeirotypus* Wunderlich, 2004j Palaeogene
 498. *Eoepeirotypus retrobulbus* Wunderlich, 2004j* Pa Baltic amber
Eoepeirotypus sp. in Wunderlich (2004) Pa Bitterfeld amber
- † *Eotheridiosoma* Wunderlich, 2004j Palaeogene
 499. ?*Eotheridiosoma hamatum* Wunderlich, 2011e Pa Baltic amber
 500. *Eotheridiosoma tuber* Wunderlich, 2004j* Pa Bitterfeld amber
 501. *Eotheridiosoma volutum* Wunderlich, 2004j Pa Bitterfeld amber
- † *Palaeoepirotypus* Wunderlich, 1988 Neogene
 502. *Palaeoepirotypus iuvenis* Wunderlich, 1988* Ne Dominican amber
Palaeoepirotypus iuvenoides Wunderlich, 1988 Ne Dominican amber
- † *Spinitheridiosoma* Wunderlich, 2004j Palaeogene
 NB: type species designated from the wrong genus!
 504. *Spinitheridiosoma balticum* Wunderlich, 2004j Pa Baltic amber
 505. *Spinitheridiosoma bispinosum* Wunderlich, 2004j Pa Bitterfeld amber
 506. *Spinitheridiosoma rima* Wunderlich, 2004j Pa Baltic amber
- Theridiosoma* O. P.-Cambridge, 1879b Neogene – Recent
 507. *Theridiosoma incompletum* Wunderlich, 1988 Ne Dominican amber
- † *Umerosoma* Wunderlich, 2004j Palaeogene
 508. *Umerosoma multispina* Wunderlich, 2004j* Pa Baltic amber
- SYMPHYTOGNATHIDAE Hickman, 1931** Recent
no fossil record
- ANAPIDAE Simon, 1895** Palaeogene – Recent
= TEXTRICELLIDAE Hickman, 1945
- † *Balticonopsis* Wunderlich, 2004k Palaeogene
 509. *Balticonopsis bispina* Wunderlich, 2004k Pa Baltic amber
 510. *Balticonopsis bitterfeldensis* Wunderlich, 2004k Pa Bitterfeld amber
 511. *Balticonopsis bulbosa* Wunderlich, 2004k Pa Baltic amber
 512. *Balticonopsis ceranowiczae* Wunderlich, 2004k Pa Baltic amber
 513. *Balticonopsis holti* Wunderlich, 2004k* Pa Baltic amber
 514. *Balticonopsis perkovskyi* Wunderlich, 2004ar Pa Rovno amber
 515. *Balticonopsis thomasi* Wunderlich, 2004k Pa Baltic amber
Balticonopsis sp. in Wunderlich (2004k) Pa Baltic amber
- † *Dubianapis* Wunderlich, 2004k Palaeogene
 516. *Dubianapis obscura* Wunderlich, 2004k* Pa Baltic amber
- † *Flagellanapis* Wunderlich, 2004k Palaeogene
 517. *Flagellanapis voigti* Wunderlich, 2004k* Pa Baltic/Bitt. Amber
- † *Fossilanapis* Wunderlich, 2004k Palaeogene
 518. *Fossilanapis anderseri* Wunderlich, 2004k Pa Baltic amber
 519. *Fossilanapis baetcheri* Wunderlich, 2004k* Pa Baltic amber
 520. *Fossilanapis eichmanni* Wunderlich, 2004k Pa Baltic amber

521. *Fossilanapis flexiotarsus* Wunderlich, 2004k Pa Baltic amber
522. *Fossilanapis multispinae* Wunderlich, 2011h Pa Baltic amber
523. *Fossilanapis saltans* Wunderlich, 2004k Pa Baltic amber
524. *Fossilanapis unispinum* Wunderlich, 2004k Pa Baltic amber
Fossilanapis sp. in Wunderlich (2004k) Pa Bitterfeld amber
Fossilanapis sp. in Wunderlich (2011h) Pa Baltic amber
- † ***Palaeoanapis* Wunderlich, 1988** Neogene
525. *Palaeoanapis nana* Wunderlich, 1988* Ne Dominican amber
- † ***Ruganapis* Wunderlich, 2004k** Palaeogene
526. *Ruganapis scutata* Wunderlich, 2004k* Pa Baltic amber
- † ***Saxonanapis* Wunderlich, 2004k** Palaeogene
527. *Saxonanapis grabenhorsti* Wunderlich, 2004k* Pa Baltic/Bitt. Amber
- † ***Tuberanapis* Wunderlich, 2004k** Palaeogene
528. *Tuberanapis parvibulbus* Wunderlich, 2004k* Pa Baltic amber
- COMAROMIDAE Wunderlich, 2004** [stat. nov. 2011] Palaeogene – Recent
- † ***Balticorma* Wunderlich, 2004k** Palaeogene
= † *Balticorma* [sic] Weitschat & Wichard, 2002 [*nomen nudum*]
529. *Balticorma damzeni* Wunderlich, 2011h Pa Baltic amber
530. *Balticorma ernstorom* Wunderlich, 2004k Pa Baltic/Bitt. amber
531. *Balticorma gracilipes* Wunderlich 2004k Pa Baltic/Bitt. amber
532. *Balticorma reschi* Wunderlich, 2004k* Pa Baltic amber
533. *Balticorma serafinorum* Wunderlich, 2004k Pa Baltic/Bitt. amber
534. *Balticorma tibialis* Wunderlich, 2004k Pa Baltic amber
535. *Balticorma wheateri* Penney & Marusik, 2011 in Penney et al. Pa Baltic amber
- MYSMENIDAE Petrunkevitch, 1928** Palaeogene – Recent
- Mysmeninae sp. in Wunderlich (2004ar) Pa Rovno amber
- † ***Dominicanopsis* Wunderlich, 2004k** Neogene
536. *Dominicanopsis grimaldii* Wunderlich, 2004k* Ne Dominican amber
- † ***Eomysmenopsis* Wunderlich, 2004k** Palaeogene
537. *Eomysmenopsis spinipes* Wunderlich, 2004k* Pa Baltic / Bitt. Amber
- Mysmena* Simon, 1894** Palaeogene – Recent
538. *Mysmena* (s.l.) *copalis* Wunderlich, 2011f Qt Madagascan copal
539. *Mysmena curvata* Wunderlich, 2011h Pa Baltic amber
540. *Mysmena dominicana* Wunderlich, 1998 Qt Madagascan copal
541. *Mysmena fossilis* Petrunkevitch, 1971 Ne Chiapas amber
542. *Mysmena groehni* Wunderlich, 2004k Pa Baltic / Bitt. amber
543. *Mysmena grotae* Wunderlich, 2004k Pa Baltic amber
- Mysmenopsis* Simon, 1897b** Neogene – Recent
544. *Mysmenopsis lissycoleyae* Penney, 2000 Ne Dominican amber

† <i>Palaeomysmena</i> Wunderlich, 2004k	Palaeogene
545. <i>Palaeomysmena hoffeinsorum</i> Wunderlich, 2004k*	Pa Baltic amber
† BALTSUCCINIDAE Wunderlich, 2004/	Palaeogene
† <i>Baltsuccinus</i> Wunderlich, 2004/	Palaeogene
546. <i>Baltsuccinus flagellaceus</i> Wunderlich, 2004/*	Pa Baltic amber
547. <i>Baltsuccinus similis</i> Wunderlich, 2004/	Pa Baltic amber
† PROTHERIDIIDAE Wunderlich, 2004/	Cretaceous – Palaeo.
† <i>Praetheridion</i> Wunderlich, 2004/	Palaeogene
548. <i>Praetheridion fleissneri</i> Wunderlich, 2004/*	Pa Baltic amber
† <i>Protheridion</i> Wunderlich, 2004/	Palaeogene
549. <i>Protheridion bitterfeldensis</i> Wunderlich, 2004/	Pa Bitterfeld amber
550. <i>Protheridion detritus</i> Wunderlich, 2004/	Pa Baltic amber
551. <i>Protheridion obscurum</i> Wunderlich, 2004/	Pa Baltic amber
552. <i>Protheridion punctatum</i> Wunderlich, 2004/	Pa Baltic amber
553. <i>Protheridion tibialis</i> Wunderlich, 2004/*	Pa Baltic amber
† <i>Zarqaraneus</i> Wunderlich, 2008d	Cretaceous
554. <i>Zarqaraneus hudei</i> Wunderlich, 2008d*	K Jordanian amber
SYNAPHRIDAE Wunderlich, 1986	Palaeogene – Recent
† <i>lardinidis</i> Wunderlich 2004k	Palaeogene
555. <i>lardinidis brevipes</i> Wunderlich, 2004k*	Pa Baltic amber
PIMOIDAE Wunderlich, 1986	Palaeogene – Recent
<i>Pimoa</i> Chamberlin & Ivie, 1943	Palaeogene – Recent
556. <i>Pimoa expandens</i> Wunderlich, 2004r	Pa Baltic amber
557. <i>Pimoa (Eopimoa) hormigai</i> Wunderlich, 2004r	Pa Baltic amber
558. <i>Pimoa inopinata</i> Wunderlich, 2004r	Pa Baltic amber
559. <i>Pimoa liedtkei</i> Wunderlich, 2004r	Pa Baltic amber
560. <i>Pimoa lingua</i> Wunderlich, 2004r	Pa Baltic amber
561. <i>Pimoa (Eopimoa) longiscapus</i> Wunderlich, 2008a	Pa Baltic amber
562. <i>Pimoa multicuspuli</i> Wunderlich, 2004r	Pa Baltic amber
563. <i>Pimoa (Eopimoa) obruens</i> Wunderlich, 2008a	Pa Baltic amber
<i>Pimoa</i> sp. in Wunderlich (2004r)	Pa Baltic amber
<i>Pimoa (Eopimoa)</i> sp. in Wunderlich (2008a)	Pa Baltic amber
PUMILIOPIMOIDAE Wunderlich, 2008a	Palaeogene – Recent
† <i>Pumiliopimoa</i> Wunderlich, 2008a	Palaeogene
564. <i>Pumiliopimoa parma</i> Wunderlich, 2008a*	Pa Baltic amber
SINOPIMOIDAE Li & Wunderlich, 2008	Recent

no fossil record

LINYPHIIDAE Blackwall, 1859	Cretaceous – Recent
= MICRYPHANTIDAE Bertkau, 1878a	
= ERIGONIDAE Simon, 1884c	
Linyphiidae gen. et sp. indet <i>in Penney</i> (2002)	K New Jersey amber
Linyphiidae gen. et sp. indet <i>in Schmidt et al.</i> (2010)	K Ethiopian amber
Linyphiinae gen. et sp. indet <i>in Penney & Selden</i> (2002)	K Lebanese amber
† Agynetiphantes Wunderlich, 2004s	Palaeogene
565. <i>Agynetiphantes gibbiferus</i> Wunderlich, 2004s*	Pa Baltic amber
Ceratinopsis Emerton, 1882	Quaternary – Recent
566. <i>Ceratinopsis deformans</i> (Wunderlich, 1998)	Qt Madagascan copal
Cnephalocotes Simon, 1884c	Quaternary – Recent
567. <i>Cnephalocotes obscurus</i> (Blackwall, 1834b) [Recent]	Qt England
† Custodela Petrunkevitch, 1942	Palaeogene
= † <i>Obnisis</i> Petrunkevitch, 1942 [tentative synonymy]	
568. <i>Custodela acuta</i> Wunderlich, 2004s	Pa Baltic amber
569. <i>Custodela acutula</i> Wunderlich, 2004s	Pa Bitterfeld amber
570. <i>Custodela bispina</i> Wunderlich, 2004s	Pa Bitterfeld amber
571. <i>Custodela bispinosa</i> Wunderlich, 2004s	Pa Bitterfeld amber
572. <i>Custodela cheiracantha</i> (C. L. Koch & Berendt, 1854)*	Pa Baltic amber
573. <i>Custodela clava</i> Wunderlich, 2004s	Pa Baltic amber
574. <i>Custodela curva</i> Wunderlich, 2004s	Pa Baltic amber
575. <i>Custodela curvata</i> Wunderlich, 2004s	Pa Bitterfeld amber
576. <i>Custodela divergens</i> Wunderlich, 2004s	Pa Baltic amber
577. <i>Custodela expandens</i> Wunderlich, 2004s	Pa Baltic amber
578. <i>Custodela falcata</i> Wunderlich, 2004s	Pa Baltic amber
579. <i>Custodela femurspinosa</i> Wunderlich, 2004s	Pa Bitterfeld amber
580. <i>Custodela henningseni</i> Wunderlich, 2004s	Pa Baltic amber
581. <i>Custodela kochi</i> Wunderlich, 2004s	Pa Baltic amber
582. <i>Custodela lamellata</i> (Wunderlich, 1988)	Pa Baltic amber
583. <i>Custodela lanx</i> Wunderlich, 2004s	Pa Baltic amber
584. <i>Custodela oblonga</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
585. <i>Custodela obtusa</i> Wunderlich, 2004s	Pa Baltic amber
586. ? <i>Custodela parva</i> Wunderlich, 2004s	Pa Bitterfeld amber
587. <i>Custodela pseudokochi</i> Wunderlich, 2004s	Pa Baltic amber
588. <i>Custodela stridulans</i> Wunderlich, 2004s	Pa Bitterfeld amber
589. <i>Custodela tenuipes</i> (Petrunkevitch, 1942)	Pa Baltic amber
590. <i>Custodela tibialis</i> Wunderlich, 2004s	Pa Baltic amber
<i>Custodela</i> sp. <i>in</i> Wunderlich (2004s)	Pa Bitterfeld amber
† Custodela Wunderlich, 2004s	Palaeogene
591. <i>Custodela hamata</i> Wunderlich, 2004s*	Pa Bitterfeld amber

† <i>Eolabulla</i> Wunderlich, 2004s	Palaeogene
592. <i>Eolabulla falcata</i> Wunderlich, 2004s	Pa Baltic amber
593. <i>Eolabulla gladiformis</i> Wunderlich, 2004s	Pa Baltic amber
594. <i>Eolabulla laminata</i> Wunderlich, 2004s*	Pa Baltic amber
595. <i>Eolabulla perforata</i> Wunderlich, 2004s	Pa Baltic amber
596. <i>Eolabulla sagitta</i> Wunderlich, 2004s	Pa Baltic amber
597. <i>Eolabulla similis</i> Wunderlich, 2004s	Pa Baltic amber
<i>Eolabulla</i> sp. 1–2 in Wunderlich (2004s)	Pa Baltic amber
† <i>Eophantes</i> Wunderlich, 2004s	Palaeogene
598. <i>Eophantes complicatus</i> Wunderlich, 2004s*	Pa Baltic amber
<i>Erigone</i> Audouin, 1826	Neogene – Recent
<i>Erigone</i> sp. in Hopkins et al. (1976)	Qt Alaska
599. <i>Erigone atra</i> Blackwall, 1833 [Recent]	Qt England
600. ? <i>Erigone dechenii</i> Bertkau, 1878b	Ne Rott, Germany
<i>Floricomus</i> Crosby & Bishop, 1925	Neogene – Recent
601. <i>Floricomus fossilis</i> Penney, 2005c	Ne Dominican amber
<i>Gonatium</i> Menge, 1868	Quaternary – Recent
602. <i>Gonatium rubens</i> (Blackwall, 1833) [Recent]	Qt England
<i>Hypselistes</i> Simon, 1894	Quaternary – Recent
603. <i>Hypselistes jacksoni</i> (O. P.-Cambridge, 1902) [Recent]	Qt England
<i>Linyphia</i> Latreille, 1804a	Palaeogene – Recent
604. <i>Linyphia andraei</i> Bertkau, 1878b	Ne Rott, Germany
605. <i>Linyphia byrami</i> Cockerell, 1925	Pa Green River
606. <i>Linyphia florissanti</i> Petrunkevitch, 1922	Pa Florissant
607. <i>Linyphia pachynathoides</i> Petrunkevitch, 1922	Pa Florissant
608. <i>Linyphia quievreuxi</i> Berland, 1939	Pa Aix-en-Provence
609. <i>Linyphia retensa</i> Scudder, 1890a	Pa Florissant
610. <i>Linyphia rottensis</i> Bertkau, 1878b	Ne Rott, Germany
611. <i>Linyphia seclusa</i> (Scudder, 1890a)	Pa Florissant
† <i>Malepellis</i> Petrunkevitch, 1971	Neogene
612. <i>Malepellis extincta</i> Petrunkevitch, 1971*	Ne Chiapas amber
<i>Meioneta</i> Hull, 1920	Neogene – Recent
613. <i>Meioneta bigibber</i> (Wunderlich, 1988)	Ne Dominican amber
614. <i>Meioneta fastigata</i> (Wunderlich, 1988)	Ne Dominican amber
615. <i>Meioneta separata</i> (Wunderlich, 1988)	Ne Dominican amber
<i>Meioneta</i> sp. in Wunderlich (1988)	Ne Dominican amber
<i>Micryphantes</i> C. L. Koch, 1833	Palaeogene
616. <i>Micryphantes molybdinus</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
617. <i>Micryphantes regularis</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
† <i>Mystagogus</i> Petrunkevitch, 1942 ...[Wunderlich suggests possibly in Cyatholipidae]	Palaeogene
618. <i>Mystagogus dubius</i> Petrunkevitch, 1958	Pa Baltic amber

619. *Mystagogus glaber* Petrunkevitch, 1942* Pa Baltic amber
- † ***Paralabulla* Wunderlich, 2004s** Palaeogene
620. *Paralabulla bitterfeldensis* Wunderlich, 2004s* Pa Bitterfeld amber
621. ?*Paralabulla dubia* Wunderlich, 2004s Pa Baltic amber
622. *Paralabulla succinifera* Wunderlich, 2004s Pa Baltic amber
- Paralabulla* sp. in Wunderlich (2004s) Pa Bitterfeld amber
- Pocadicnemis* Simon, 1884c** Quaternary – Recent
623. *Pocadicnemis pumila* (Blackwall, 1841) [Recent] Qt England
- Savignia* Blackwall, 1833** Quaternary – Recent
624. *Savignia frontata* Blackwall, 1833 [Recent] Qt England
- Selenyphantes* Gertsch & Davis, 1946** Neogene – Recent
- = † *Palaeolinypbia* Wunderlich, 1986
625. *Selenyphantes flagellifera* (Wunderlich, 1986) Ne Dominican amber
- † ***Succineta* Wunderlich, 2004s** Palaeogene
626. *Succineta brevispina* Wunderlich, 2004s Pa Baltic amber
627. *Succineta discoidalis* Wunderlich, 2004s* Pa Baltic amber
- Succineta* sp. in Wunderlich (2004s) Pa Baltic amber
- † ***Succiphantes* Wunderlich, 2004s** Palaeogene
628. *Succiphantes tanasevitchi* Wunderlich, 2004s Pa Baltic amber
629. *Succiphantes velteni* Wunderlich, 2004s* Pa Baltic amber
- Toschia* Caporiacco, 1949** Quaternary – Recent
630. ?*Toschia fossilis* Wunderlich, 2004as Qt Madagascan copal
- TETRAGNATHIDAE Menge, 1866** Cretaceous – Recent
- = PACHYGNATHIDAE Menge, 1866
- = METIDAE Simon, 1894
- = NANOMETIDAE Forster & Forster, 1999
- † ***Anameta* Wunderlich, 2004h** Palaeogene
631. *Anameta distenda* Wunderlich, 2004h* Pa Bitterfeld amber
632. *Anameta kuntneri* Wunderlich, 2008a Pa Baltic amber
- Azilia* Keyserling, 1882** Neogene – Recent
633. *Azilia hispaniolensis* Wunderlich, 1988 Ne Dominican amber
- i. = *Azilia muellenmeisteri* Wunderlich, 1988 Ne Dominican amber
- Azilia* sp. in Wunderlich (1988) Ne Dominican amber
- † ***Balticgnatha* Wunderlich, 2011h** Palaeogene
634. *Balticgnatha projectens* Wunderlich 2011h* Pa Baltic amber
- † ***Baltleucauge* Wunderlich, 2008a** Palaeogene
635. *Baltleucauge gillespieae* Wunderlich 2008a* Pa Baltic amber
- † ***Corneometra* Wunderlich, 2004h** Palaeogene
636. *Corneometra baltica* Wunderlich 2004h* Pa Baltic amber
637. *Corneometra pilosipes* Wunderlich 2004h Pa Baltic amber
- Cyrtognatha* Keyserling, 1882** Neogene – Recent

638. *Cyrtognatha weitschati* Wunderlich, 1988 Ne Dominican amber
- † ***Eometa* Petrunkevitch, 1958** Palaeogene
639. *Eometa calefacta* Wunderlich, 2004*h* Pa Baltic amber
640. *Eometa longipes* Petrunkevitch, 1958 Pa Baltic amber
641. *Eometa occulta* Wunderlich, 2004*h* Pa Baltic amber
642. *Eometa perfecta* Wunderlich, 2004*h* Pa Baltic amber
643. *Eometa samlandica* Petrunkevitch, 1958* Pa Baltic amber
- Eometa* sp. 1–2 in Wunderlich (2004*h*) Pa Baltic amber
- Homalometra* Simon, 1897*b*** Neogene – Recent
644. *Homalometra fossilis* Wunderlich, 1988 Ne Dominican amber
- † ***Huergina* Selden & Penney, 2003** Cretaceous
645. *Huergina diazromerali* Selden & Penney, 2003* K Las Hoyas, Spain
- † ***Macryphantes* Selden, 1990** Cretaceous
646. *Macryphantes cowdeni* Selden, 1990* K Sierra de Montsech
- Meta* C. L. Koch, 1836** Palaeogene – Recent
647. *Meta (Praetermeta) maculosa* Wunderlich, 2008*a* Pa Baltic amber
648. *Meta (Praetermeta) velans* (Wunderlich, 2004*h*) Pa Baltic amber
- † ***Palaeometa* Petrunkevitch, 1922** Palaeogene
649. *Palaeometa opertanea* (Scudder, 1890*a*)* Pa Florissant
- † ***Palaeopachygnatha* Petrunkevitch, 1922** Palaeogene
650. *Palaeopachygnatha cockerelli* Petrunkevitch, 1922 Pa Florissant
651. *Palaeopachygnatha scudderri* Petrunkevitch, 1922* Pa Florissant
- † ***Priscometa* Petrunkevitch, 1958** Palaeogene
652. *Priscometa capta* Wunderlich, 2004*h* Pa Baltic amber
653. *Priscometa minor* Wunderlich, 2004*h* Pa Baltic amber
654. *Priscometa tenuipes* Petrunkevitch, 1958* Pa Baltic amber
- Tetragnatha* Latreille, 1804*a*** Palaeogene – Recent
655. *Tetragnatha parva* (Hong, 1985) Ne Shanwang
656. *Tetragnatha pristina* Schawaller, 1982*c* Ne Dominican amber
657. *Tetragnatha tertaria* Scudder, 1885 Pa Florissant
- NEPHILIDAE Simon, 1894** Jurassic – Recent
- † ***Cretaraneus* Selden, 1990** Cretaceous
658. *Cretaraneus liaoningensis* Cheng, Meng & Wang in Cheng et al., 2008 K Jehol biota
659. *Cretaraneus martensnetoi* Mesquita, 1996 K Crato Formation
660. *Cretaraneus vilaltae* Selden, 1990* K Sierra de Montsech
- † ***Eonephila* Wunderlich, 2004*i*** Palaeogene
661. *Eonephila bitterfeldensis* Wunderlich, 2004*i* Pa Bitterfeld amber
662. *Eonephila excellens* Wunderlich, 2004*i** Pa Baltic amber
663. *Eonephila longembolus* Wunderlich, 2004*i* Pa Baltic amber

- † *Luxurioneephila* Wunderlich, 2004i Palaeogene
 664. *Luxurioneephila spinifera* Wunderlich, 2004i Pa Baltic amber
- † *Minutunguis* Wunderlich, 2011f Quaternary
 665. *Minutunguis silvestris* Wunderlich, 2011f* Qt Madagascar copal
- Nephila* Leach, 1815** Jurassic – Recent
 666. *Nephila breviembolus* Wunderlich, 1986 Ne Dominican amber
 667. *Nephila dommeli* Wunderlich, 1982 Ne Dominican amber
 668. *Nephila furca* Wunderlich, 1986 Ne Dominican amber
 669. *Nephila longembolus* Wunderlich, 1986 Ne Dominican amber
 670. *Nephila jurassica* Selden, Shih & Ren, 2011 J Daohugou
 671. *Nephila pennatipes* Scudder, 1885 Pa Florissant
 672. *Nephila tenuis* Wunderlich, 1986 Ne Dominican amber
- † *Palaeoneephila* Wunderlich, 2004i Palaeogene
 673. *Palaeoneephila brevis* Wunderlich, 2004i Pa Baltic amber
 674. *Palaeoneephila curvata* Wunderlich, 2004i* Pa Baltic amber
 675. *Palaeoneephila dilitans* Wunderlich, 2004i Pa Baltic amber
 676. *Palaeoneephila fibula* Wunderlich, 2004i Pa Baltic amber
 677. *Palaeoneephila longipes* Wunderlich, 2004i Pa Baltic amber
- † **JURARANEIDAE Eskov, 1984** Jurassic
- † ***Juraraneus* Eskov, 1984** Jurassic
 678. *Juraraneus rasnitsyni* Eskov, 1984 J Transbaikalia
- ARANEIDAE Simon, 1895** Cretaceous – Recent
 = EPEIRIDAE Sundevall, 1833 [based on a generic synonym]
 = EUETRIIDAE Thorell, 1887 [based on a generic synonym]
 = ARGIOPIDAE Simon, 1890
 = ZYGIELLIDAE Simon, 1929
 ?Araneinae sp. in Wunderlich (2004h) Pa Baltic amber
 Araneidae gen. et sp. indet. in Ribera (2003) Qt Girona, Spain
 ?Mangorini indet. in Wunderlich (2011a) Pa Baltic amber
- † *Anepeira* Wunderlich, 2004i Palaeogene
 679. *Anepeira complicata* Wunderlich, 2004i* Pa Baltic amber
- † ***Araneometa* Wunderlich, 1988** Neogene
 680. *Araneometa excelsa* Wunderlich, 1988 Ne Dominican amber
 681. *Araneometa herringi* Wunderlich, 1988* Ne Dominican amber
 682. *Araneometa spirembolus* Wunderlich, 1988 Ne Dominican amber
 Araneometa sp. in Wunderlich (1988) Ne Dominican amber
- Araneus* Clerck, 1757** ?Cretaceous – Recent
 683. *Araneus absconditus* (Scudder, 1890a) Pa Florissant
 684. *Araneus aethus* Chang, 2004 [generic assignment unreliable!] K Jehol biota
 685. *Araneus beipiaoensis* Chang, 2004 [generic assignment unreliable!] K Jehol biota

686. *Araneus carbonaceous* Zhang, Sun & Zhang, 1994 Ne Shanwang
687. *Araneus cinefactus* (Scudder, 1890a) Pa Florissant
688. *Araneus columbiae* Scudder, 1878 Pa Quesnel, Canada
689. *Araneus defunctus* Petrunkevitch, 1958 Pa Baltic amber
690. *Araneus delitus* (Scudder, 1890a) Pa Florissant
691. *Araneus emertoni* (Scudder, 1890a) Pa Florissant
692. *Araneus exustus* Petrunkevitch, 1963 Ne Chiapas amber
693. *Araneus kinchloeae* Dunlop & Jekel, 2009 Pa Florissant
 i. = *Araneus indistinctus* (Petrunkevitch, 1922) [preoccupied]
694. *Araneus inelegans* Zhang, Sun & Zhang, 1994 Ne Shanwang
695. *Araneus leptopodus* Zhang, Sun & Zhang, 1994 Ne Shanwang
696. *Araneus liaoxiensis* Chang, 2004 [generic assignment unreliable!] K Jehol biota
697. *Araneus longimanus* (Petrunkevitch, 1922) Pa Florissant
698. *Araneus (Calinurus) longipes* Dalman, 1826 Qt Copal
699. *Araneus lujianus* Zhang, Sun & Zhang, 1994 Ne Shanwang
700. *Araneus meeki* (Scudder, 1890a) Pa Florissant
701. *Araneus molassicus* (Heer, 1865) Ne Öhningen
702. *Araneus nanus* Wunderlich, 1988 Ne Dominican amber
703. *Araneus piceus* Lin, Zhang & Wang, 1989 Ne Shanwang
704. *Araneus reheensis* Chang, 2004 [generic assignment unreliable!] K Jehol biota
705. *Araneus ruidipedalis* Zhang, Sun & Zhang, 1994 Ne Shanwang
706. *Araneus troschelii* (Bertkau, 1878b) Ne Rott, Germany
707. *Araneus vulcanalis* (Scudder, 1890a) Pa Florissant
- Argiope* Audouin, 1826** Neogene – Recent
- = † *Magnaranea* Hong, 1985
708. *Argiope furva* (Hong, 1985) Ne Shanwang
- † ***Bararaneus* Wunderlich, 2004i** Palaeogene
709. ?*Bararaneus annulatus* Wunderlich, 2004i Pa Baltic amber
710. *Bararaneus evolvens* Wunderlich, 2004* Pa Baltic amber
- † ***Chrysometata* Wunderlich, 2004h** Palaeogene
711. *Chrysometata palaearctica* Wunderlich, 2004h* Pa Baltic amber
- † ***Cyclososoma* Petrunkevitch, 1958** Palaeogene
712. *Cyclososoma succini* Petrunkevitch, 1958* Pa Baltic amber
- Enacrosoma* Mello-Leitão, 1932** Neogene – Recent
713. *Enacrosoma verrucosa* (Wunderlich, 1988) Ne Dominican amber
- † ***Eoaraneus* Wunderlich, 2004i** Palaeogene
714. *Eoaraneus complexus* Wunderlich, 2004* Pa Baltic amber
- † ***Eochorizopes* Wunderlich, 2008a** Palaeogene
715. *Eochorizopes szeklinskiae* Wunderlich, 2008a* Pa Baltic amber
- † ***Eozygiella* Wunderlich, 2004h** Palaeogene
716. *Eozygiella compacta* Wunderlich, 2004h* Pa Baltic amber

- † *Fossilaraneus* Wunderlich, 1988 Neogene
 717. *Fossilaraneus incertus* Wunderlich, 1988* Ne Dominican amber
- Gea C. L. Koch, 1843a** Palaeogene – Recent
 718. *Gea krantzi* von Heyden, 1859 Ne Rott, Germany
- † *Graea* Thorell, 1869 Palaeogene
 = † *Eustaloides* Petrunkevitch, 1942
 719. ?*Graea aberrans* Wunderlich, 2004h Pa Baltic amber
 720. *Graea bitterfeldensis* Wunderlich, 2004h Pa Bitterfeld amber
 721. *Graea breviembolus* Wunderlich, 2004h Pa Baltic amber
 722. *Graea brevis* Wunderlich, 2004h Pa Baltic amber
 723. *Graea calceatus* (Petrunkevitch, 1950) Pa Baltic amber
 724. *Graea epeiroidea* (C. L. Koch & Berendt, 1854)* Pa Baltic amber
 725. *Graea impudica* Wunderlich, 2004h Pa Baltic amber
 726. *Graea lingula* Wunderlich, 2004h Pa Baltic amber
 727. *Graea minor* (Petrunkevitch, 1950) Pa Baltic amber
 728. *Graea setosa* (Petrunkevitch, 1942) Pa Baltic amber
 729. *Graea succini* Petrunkevitch, 1942 Pa Baltic amber
- † *Meditrina* Petrunkevitch, 1942 Palaeogene
 730. *Meditrina circumvallata* Petrunkevitch, 1942* Pa Baltic amber
- † *Mesozygiella* Penney & Ortuño, 2006 Cretaceous
 731. *Mesozygiella dunlopi* Penney & Ortuño, 2006* K Álava amber
- † *Miraraneus* Wunderlich, 2004i Palaeogene
 732. *Miraraneus peregrinus* Wunderlich, 2004i* Pa Baltic amber
- † *Mirometa* Petrunkevitch, 1963 Neogene
 733. *Mirometa valdespinosa* Petrunkevitch, 1963 Ne Chiapas amber
- Molinaranea** Mello-Leitão, 1940 Neogene – Recent
 734. *Molinaranea mitnickii* Saupe, Selden & Penney, 2010 Ne Dominican amber
- † *Pycnosinga* Wunderlich, 1988 Neogene
 735. *Pycnosinga fossilis* Wunderlich, 1988* Ne Dominican amber
- † *Testudinaroides* Dunlop & Jekel, 2008 Neogene
 = † *Testudinaria* Zhang, Sun & Zhang, 1994 [preoccupied]
 736. *Testudinaroides papposa* (Zhang, Sun & Zhang, 1994) Ne Shanwang
- † *Tethneus* Scudder, 1885 Palaeogene
 = † *Melanites* Hong, 1985
 737. *Tethneus guyoti* Scudder, 1890a Pa Florissant
 738. *Tethneus hentzi* Scudder, 1885* Pa Florissant
 739. *Tethneus obduratus* Scudder, 1890a Pa Florissant
 740. *Tethneus orbiculatus* (Hong, 1985) Ne Shanwang
 741. *Tethneus provectus* Scudder, 1890a Pa Florissant
 742. *Tethneus robustus* Petrunkevitch, 1922 Pa Florissant
 743. *Tethneus twenhofeli* Petrunkevitch, 1922 Pa Florissant

Zilla C. L. Koch, 1834	Palaeogene – Recent
744. <i>Zilla gracilis</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
745. <i>Zilla porrecta</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
746. <i>Zilla veterana</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
 RETROLATERAL TIBIAL APOPHYSIS CLADE	Cretaceous – Recent
?RTA-clade <i>in</i> Wunderlich (2008d)	K Myanmar amber
 LYCOSOIDEA Sundevall, 1833	Cretaceous – Recent
† <i>Eohalinobius</i> Wunderlich, 2008c	Palaeogene
747. <i>Eohalinobius scutatus</i> Wunderlich, 2008c	Pa Baltic amber
 LYCOSIDAE Sundevall, 1833	Palaeogene – Recent
Lycosidae gen. et sp. <i>in</i> Bottali (1975)	Qt Italy
Lycosidae gen. et sp. <i>in</i> Schawaller (1982d)	Ne Willershausen
Lycosidae gen. et sp. <i>in</i> Penney (2001)	Ne Dominican amber
 Alopecosa Simon, 1885b	Quaternary – Recent
748. <i>Alopecosa ?pulverulenta</i> (Clerck, 1757) [Recent]	Qt England
† <i>Dryadia</i> Zhang, Sun & Zhang, 1994	Palaeogene
749. <i>Dryadia acanthopoda</i> Zhang, Sun & Zhang, 1994	Ne Shanwang
 Lycosa Latreille, 1804a	Palaeogene – Recent
750. <i>Lycosa florissanti</i> Petrunkevitch, 1922	Pa Florissant
751. <i>Lycosa lithographica</i> Schawaller & Ono, 1979	Ne Randecker Maar
752. <i>Lycosa malleata</i> Zhang, Sun & Zhang, 1994	Ne Shanwang
753. <i>Lycosa miocaena</i> Schawaller & Ono, 1979	Ne Randecker Maar
754. <i>Lycosa subterranea</i> Zhang, Sun & Zhang, 1994	Ne Shanwang
 Pardosa C. L. Koch, 1847	Quaternary – Recent
755. <i>Pardosa pullata</i> (Clerck, 1757) [Recent]	Qt England
<i>Pardosa</i> sp. <i>in</i> Scott (2003)	Qt England
 Pirata Sundevall, 1833	Quaternary – Recent
756. <i>Pirata ?piraticus</i> (Clerck, 1757) [Recent]	Qt England
 Trochosa C. L. Koch, 1847	Quaternary – Recent
757. <i>Trochosa terricola</i> Thorell, 1856 [Recent]	Qt England
 † PARATTIDAE Petrunkevitch, 1922	Palaeogene
† Parattus Petrunkevitch, 1922	Palaeogene
758. <i>Parattus evocatus</i> (Scudder, 1890a)	Pa Florissant
759. <i>Parattus latitatus</i> (Scudder, 1890a)	Pa Florissant
760. <i>Parattus oculatus</i> Petrunkevitch, 1922	Pa Florissant
761. <i>Parattus resurrectus</i> (Scudder, 1890a)*	Pa Florissant
 TRECHALEIDAE Simon, 1890	Palaeogene – Recent

	= PERISSOBLEMMATIDAE O. P.-Cambridge, 1882b [based on a synonym]	
Trechaleidae sp. <i>in</i> Wunderlich (2004aa)	Pa	Baltic amber
+ Eotrechalea Wunderlich, 2004aa		Palaeogene
762. <i>Eotrechalea annulata</i> Wunderlich, 2004aa*	Pa	Baltic amber
+ Esuritor Petrunkevitch, 1942		Palaeogene
763. <i>Esuritor aculeatus</i> Petrunkevitch, 1958	Pa	Baltic amber
764. <i>Esuritor spinipes</i> Petrunkevitch, 1942*	Pa	Baltic amber
+ Linoptes Menge, 1854		Palaeogene
765. ?'Linoptes' <i>oculeus</i> Menge <i>in</i> C. L. Koch & Berendt, 1854*	Pa	Baltic amber
NB: <i>Linoptes</i> mentioned as a <i>nomen nudum</i> by Wunderlich (2004z); this species listed by Wunderlich (2004aa) under Trechaleidae and another species under Pisauridae (see below)		
PISAURIDAE Simon, 1890		?Cretaceous – Recent
= BRADYSTICHIDAE Simon, 1884		
= DOLOMEDIDAE Simon, 1898a		
= HALIDAE Jocqué, 1994		
Pisauridae sp. <i>in</i> Wunderlich (1988)	Pa	Dominican amber
Pisauridae sp. <i>in</i> Wunderlich (2004z)	Pa	Baltic amber
Dolomedes Latreille, 1804a		Quaternary – Recent
766. <i>Dolomedes fimbriatus</i> (Clerck, 1757) [Recent]	Qt	England
+ 'Linoptes' Menge, 1854		Palaeogene
= † <i>Eopisaurella</i> Petrunkevitch, 1958		
NB: See notes on <i>Linoptes</i> under Trechaleidae above!		
767. ?'Linoptes' <i>valdespinosa</i> (Petrunkevitch, 1958)*	Pa	Baltic amber
? 'Linoptes' sp. 1–8 <i>in</i> Wunderlich (2004z)	Pa	Baltic amber
+ Palaeoperenethis Selden & Penney, 2009		Palaeogene
768. <i>Palaeoperenethis thaleri</i> Selden & Penney, 2009*	Pa	British Columbia
Pisaura Simon 1885c		?Cretaceous – Recent
<i>Pisaura</i> sp. <i>in</i> Kim & Nam (2008) [generic assignment unreliable!]	K	Goo-ho Li, Korea
OXYOPIDAE Thorell, 1870a		Palaeogene – Recent
= SPHASIDAE O. P.-Cambridge, 1871		
= HAMATALIVIDAE Marx, 1890b		
Oxyopidae sp. <i>in</i> Wunderlich 2004ab	Pa	Bitterfeld amber
Oxyopes Latreille, 1804a		Palaeogene – Recent
769. <i>Oxyopes defectus</i> Wunderlich, 1988	Ne	Dominican amber
770. 'Oxyopes' <i>succini</i> Petrunkevitch, 1958	Pa	Baltic amber
Oxyopes sp. <i>in</i> Wunderlich (1988, 2004ab)	Ne	Dominican amber
+ Planoxyopes Petrunkevitch, 1963		Neogene
771. <i>Planoxyopes eximius</i> Petrunkevitch, 1963*	Ne	Chiapas amber
i. = <i>Planoxyopes fossilis</i> Wunderlich, 1988 [<i>lapsus</i>]	Ne	Chiapas amber

SENOCULIDAE Simon, 1890	Recent
	= NEOTHEREUTOIDAE Holmberg, 1883 [based on a generic synonym]
no fossil record	
STIPHIDIIDAE Dalmas, 1917	Recent
no fossil record	
ZOROCRATIDAE Dahl, 1913	Recent
no fossil record	
PSECHRIDAE Simon, 1890	Recent
no fossil record	
ZOROPSIDAE Bertkau, 1882	Palaeogene – Recent
Zoropsidae sp. <i>in</i> Wunderlich (2004x)	Pa Baltic / Bitt. amber
† Eomatachia Petrunkevitch, 1942	Palaeogene
772. <i>Eomatachia barbarus</i> Wunderlich, 2004x	Pa Baltic amber
773. <i>Eomatachia bipartita</i> Wunderlich, 2004x	Pa Baltic amber
774. <i>Eomatachia divergens</i> Wunderlich, 2004x	Pa Baltic amber
775. <i>Eomatachia duplex</i> Wunderlich, 2004x	Pa Baltic amber
776. <i>Eomatachia latifrons</i> Petrunkevitch, 1942*	Pa Baltic amber
777. <i>Eomatachia recedens</i> Wunderlich, 2004x	Pa Baltic amber
778. <i>Eomatachia succini</i> (Petrunkevitch, 1942)	Pa Baltic amber
779. <i>Eomatachia wegneri</i> Wunderlich, 2004x	Pa Baltic amber
780. <i>Eomatachia xanthippe</i> Wunderlich, 2004x	Pa Baltic amber
† Eoprychia Petrunkevitch, 1958	Palaeogene
781. <i>Eoprychia succini</i> Petrunkevitch, 1958*	Pa Baltic amber
782. <i>Eoprychia succinopsis</i> Wunderlich, 2004x	Pa Baltic amber
783. <i>Eoprychia vicina</i> Wunderlich, 2004x	Pa Baltic amber
<i>Eoprychia</i> sp. <i>in</i> Wunderlich (2004x)	?Pa not specified
† Succiniopsis Wunderlich, 2004x	Palaeogene
784. <i>Succiniopsis kutscheri</i> Wunderlich, 2004x*	Pa Baltic / Bitt. amber
785. <i>Succiniopsis samlandica</i> Wunderlich, 2004x	Pa Baltic amber
† INSECUTORIDAE Petrunkevitch, 1942	Palaeogene
† Insecutor Petrunkevitch, 1942	Palaeogene
786. <i>Insecutor aculeatus</i> Petrunkevitch, 1942*	Pa Baltic amber
787. <i>Insecutor mandibulatus</i> Petrunkevitch, 1942	Pa Baltic amber
788. ? <i>Insecutor pecten</i> Wunderlich, 2004y	Pa Baltic amber
789. <i>Insecutor rufus</i> Petrunkevitch, 1942	Pa Baltic amber
790. ? <i>Insecutor spinifer</i> Wunderlich, 2004y	Pa Baltic amber
? <i>Insecutor</i> sp. <i>in</i> Wunderlich (2004y)	Pa Baltic amber

ZORIDAE F. O. P.-Cambridge, 1893	Palaeogene – Recent
† <i>Succinomus</i> Wunderlich, 2008c	Palaeogene
791. <i>Succinomus duomammillae</i> Wunderlich, 2008c	Pa Baltic amber
† <i>Zorapostenus</i> Wunderlich, 2008c	Palaeogene
792. <i>Zorapostenus raveni</i> Wunderlich, 2008c	Pa Baltic amber
 CTENIDAE Keyserling, 1877	Neogene – Recent
= ACANTHOCTENIDAE Simon, 1892b	
† <i>Nanoctenus</i> Wunderlich, 1988	Neogene
793. <i>Nanoctenus longipes</i> Wunderlich, 1988*	Ne Dominican amber
 AGELENIDAE C. L. Koch, 1837	Palaeogene – Recent
= TEGENARIDAE Prach, 1860	
= † INCEPTORIDAE Petrunkevitch, 1942	
<i>Agelena</i> Walckenaer, 1805	Palaeogene – Recent
794. <i>Agelena tabida</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
<i>Histopona</i> Thorell, 1869	Palaeogene – Recent
795. ? <i>Histopona anthracina</i> Bertkau, 1878b	Ne Rott, Germany
† <i>Inceptor</i> Petrunkevitch, 1942	Palaeogene
796. <i>Inceptor aculeatus</i> Petrunkevitch, 1942*	Pa Baltic amber
797. <i>Inceptor dubius</i> Petrunkevitch, 1946	Pa Baltic amber
<i>Tegenaria</i> Latreille, 1804a	Palaeogene – Recent
798. ? <i>Tegenaria fragmentum</i> Wunderlich, 2004w	Pa Baltic amber
799. <i>Tegenaria lacazei</i> Gourret, 1887	Pa Aix-en-Provence
800. ? <i>Tegenaria obtusa</i> Wunderlich, 2004w	Pa Baltic amber
801. <i>Tegenaria virilis</i> Menge in C. L. Koch & Berendt, 1854	Pa Baltic amber
 DICTYNOIDEA O. P.-Cambridge, 1871	Palaeogene – Recent
<i>Dictynoidea incertae sedis</i>	
† <i>Sinodictyna</i> Hong, 1982	Palaeogene
802. <i>Sinodictyna fushunensis</i> Hong, 1982*	Pa Fu Shun amber
 CYBAEIDAE Simon, 1898a	Palaeogene – Recent
= ARGYRONETIDAE Thorell, 1870a [both family names protected by usage]	
<i>Argyroneta</i> Latreille, 1804a	?Neogene – Recent
803. <i>Argyroneta aquatica</i> (Clerck, 1757) [Recent]	Qt England
804. ? <i>Argyroneta longipes</i> Heer, 1865	Ne Öhningen
† <i>Vectoraneus</i> Selden, 2001	Palaeogene
805. <i>Vectoraneus yulei</i> Selden, 2001*	Pa Bemb ridge Marls
 DESIDAE Pocock, 1895	Palaeogene – Recent

<i>Myro</i> O. P.-Cambridge, 1876	Palaeogene – Recent
806. <i>Myro extinctus</i> Petrunkevitch, 1958 ...[possibly belongs in Dictynidae]..... Pa Baltic amber	
807. <i>Myro hirsutus</i> Petrunkevitch, 1942	Pa Baltic amber
 AMPHINECTIDAE Forster & Wilton, 1973	Recent
= NEOLANIDAE Forster & Wilton, 1973	
no fossil record	
 CYCLOCTENIDAE Simon, 1898a	Recent
no fossil record	
 HAHNIIDAE Bertkau, 1878a	Palaeogene – Recent
† <i>Cymbiohahnia</i> Wunderlich, 2004v	Palaeogene
808. <i>Cymbiohahnia parens</i> Wunderlich, 2004v	Pa Baltic / Bitt. amber
† <i>Eohahnia</i> Petrunkevitch, 1958	Palaeogene
809. <i>Eohahnia succini</i> Petrunkevitch, 1958*	Pa Baltic amber
† <i>Protohahnia</i> Wunderlich, 2004v	Palaeogene
810. <i>Protohahnia antiqua</i> Wunderlich, 2004v*	Pa Baltic amber
811. <i>Protohahnia tripartita</i> Wunderlich, 2004v	Pa Baltic amber
genus uncertain	
812. ‘ <i>Tegenaria</i> ’ <i>obscura</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
 DICTYNIDAE O. P.-Cambridge, 1871	Cretaceous – Recent
= RHIOIDAE Thorell, 1873	
= † ARTHRODICTYNIDAE Petrunkevitch, 1942	
Dictynidae gen. et sp. indet <i>in</i> Penney (2002)	K New Jersey amber
Dictynidae sp. 1–2 <i>in</i> Wunderlich (2004v)	Pa Baltic amber
Dictynidae sp. 1–5 <i>in</i> Wunderlich (2008d)	K Myanmar amber
<i>Argenna</i> Thorell, 1870a	Neogene – Recent
813. <i>Argenna fossilis</i> Petrunkevitch <i>in</i> Palmer, 1957	Ne Mojave Desert
† <i>Arthrodictyna</i> Petrunkevitch, 1942	Palaeogene
814. <i>Arthrodictyna segmentata</i> Petrunkevitch, 1942*	Pa Baltic amber
† <i>Balticocryphoeca</i> Wunderlich, 2004v	Palaeogene
815. <i>Balticocryphoeca curvitarsis</i> Wunderlich, 2004v*	Pa Baltic / Bitt. amber
† <i>Brommellina</i> Wunderlich, 2004v	Palaeogene
816. <i>Brommellina longungulae</i> Wunderlich, 2004v*	Pa Baltic amber
† <i>Burmadictyna</i> Wunderlich, 2008d	Cretaceous
817. <i>Burmadictyna pecten</i> Wunderlich, 2008d*	K Myanmar amber
† <i>Chelicirrum</i> Wunderlich, 2004v	Palaeogene
818. <i>Chelicirrum stridulans</i> Wunderlich, 2004v*	Pa Baltic amber
† <i>Copaldictyna</i> Wunderlich, 2004v	Quaternary
819. <i>Copaldictyna madagascariensis</i> Wunderlich, 2004v*	Qt Madagascan copal

† <i>Cryphoezaga</i> Wunderlich, 2004v	Palaeogene
820. <i>Cryphoezaga dubia</i> Wunderlich, 2004v*	Pa Baltic amber
† <i>Eobrommella</i> Wunderlich, 2004v	Palaeogene
821. <i>Eobrommella scutata</i> Wunderlich, 2004v*	Pa Baltic amber
† <i>Eocryphoeca</i> Petrunkevitch, 1946	Palaeogene
822. <i>Eocryphoeca bitterfeldensis</i> Wunderlich, 2004v	Pa Bitterfeld amber
823. <i>Eocryphoeca electrina</i> Wunderlich, 2004v	Pa Baltic amber
824. <i>Eocryphoeca falcata</i> Wunderlich, 2004v	Pa Baltic amber
825. <i>Eocryphoeca gibbifera</i> Wunderlich, 2004v	Pa Baltic amber
826. <i>Eocryphoeca gracilipes</i> (C. L. Koch & Berendt, 1854)*	Pa Baltic amber
827. <i>Eocryphoeca ligula</i> Wunderlich, 2004v	Pa Baltic amber
828. <i>Eocryphoeca mammilla</i> Wunderlich, 2004v	Pa Baltic amber
829. <i>Eocryphoeca splendens</i> Wunderlich, 2004v	Pa Baltic amber
<i>Eocryphoeca</i> sp. in Wunderlich (2004v)	Pa Baltic amber
† <i>Eocryphoecara</i> Wunderlich, 2004v	Palaeogene
830. <i>Eocryphoecara abicera</i> Wunderlich, 2004v*	Pa Baltic amber
† <i>Eodictyna</i> Wunderlich, 2004v	Palaeogene
831. <i>Eodictyna communis</i> Wunderlich, 2004v*	Pa Baltic amber
† <i>Eolathys</i> Petrunkevitch, 1950	Palaeogene
832. <i>Eolathys debilis</i> Petrunkevitch, 1950	Pa Baltic amber
833. <i>Eolathys succini</i> Petrunkevitch, 1950*	Pa Baltic amber
† <i>Gibbermastigusa</i> Wunderlich, 2004v	Palaeogene
834. <i>Gibbermastigusa lateralis</i> Wunderlich, 2004v*	Pa Baltic amber
† <i>Hispaniolyna</i> Wunderlich, 1988	Neogene
835. <i>Hispaniolyna hirsuta</i> Wunderlich, 1988	Ne Dominican amber
836. <i>Hispaniolyna magna</i> Wunderlich, 1988*	Ne Dominican amber
† <i>Mastigusa</i> Menge in C. L. Koch & Berendt, 1854	Palaeogene
= † <i>Eotetralis</i> Wunderlich, 1982 [nomen nudum]	
837. <i>Mastigusa acuminata</i> Menge in C. L. Koch & Berendt, 1854*	Pa Baltic amber
838. <i>Mastigusa arcuata</i> Wunderlich, 2004v	Pa Baltic amber
839. <i>Mastigusa bitterfeldensis</i> Wunderlich, 2004v	Pa Bitterfeld amber
840. <i>Mastigusa laticymbium</i> Wunderlich, 2004v	Pa Baltic amber
841. <i>Mastigusa magnibulbus</i> Wunderlich, 2004v	Pa Bitterfeld amber
842. <i>Mastigusa media</i> Wunderlich, 1986	Pa Baltic amber
843. <i>Mastigusa modesta</i> Wunderlich, 1986	Pa Baltic amber
844. <i>Mastigusa scutata</i> Wunderlich, 2004v	Pa Baltic amber
<i>Mastigusa</i> sp. in Wunderlich (2004v)	Pa Baltic amber
† <i>Mizagalla</i> Wunderlich, 2004v	Palaeogene
845. <i>Mizagalla quattuor</i> Wunderlich, 2004v*	Pa Baltic amber
846. <i>Mizagalla tuberculata</i> Wunderlich, 2004v	Pa Baltic amber
† <i>Palaeodictyna</i> Wunderlich, 1988	Neogene

847. *Palaeodictyna intermedia* Wunderlich, 1988 Ne Dominican amber
848. *Palaeodictyna longispina* Wunderlich, 1988 Ne Dominican amber
849. *Palaeodictyna singularis* Wunderlich, 1988 Ne Dominican amber
850. *Palaeodictyna spiculum* Wunderlich, 1988 Ne Dominican amber
851. *Palaeodictyna termitophila* Wunderlich, 1988* Ne Dominican amber
852. *Palaeodictyna unispina* Wunderlich, 1988 Ne Dominican amber
- † ***Palaeolathys* Wunderlich, 1986** **Neogene**
853. *Palaeolathys circumductus* Wunderlich, 1988 Ne Dominican amber
854. *Palaeolathys copalis* Wunderlich, 1986 Qt Dominican copal
855. *Palaeolathys quadruplex* Wunderlich, 1988 Ne Dominican amber
856. *Palaeolathys similis* Wunderlich, 1988 Ne Dominican amber
857. *Palaeolathys spinosa* Wunderlich, 1986* Ne Dominican amber
- Palaeolathys* sp. in Wunderlich (1988) Ne Dominican amber
- † ***Protomastigusa* Wunderlich, 2004v** **Palaeogene**
858. *Protomastigusa composita* Wunderlich, 2004v Pa Baltic amber
- † ***Scopulyna* Wunderlich, 2004v** **Palaeogene**
859. *Scopulyna cursor* Wunderlich, 2004v Pa Baltic amber
- † ***Succinya* Wunderlich, 1988** **Neogene**
860. *Succinya longembolus* Wunderlich, 1988 Ne Dominican amber
861. *Succinya pulcher* Wunderlich, 1988* Ne Dominican amber
862. *Succinya spinipalpus* Wunderlich, 1988 Ne Dominican amber
- Thallumetus* Simon, 1892b** **Subrecent – Recent**
863. *Thallumetus copalis* Wunderlich, 2004at Qt Colombian copal
- AMAUROBIIDAE Thorell, 1870a** **Palaeogene – Recent**
- = CINIFLONIDAE Blackwall, 1841
- [partly also Dictynidae; based on a generic synonym]
- Amaurobiinae sp. in Wunderlich (2004u) Pa Baltic amber
- PHYXELIDIDAE Lehtinen, 1967** **Recent**
- no fossil record
- TITANOECIDAE Lehtinen, 1967** **Recent**
- no fossil record
- NICODAMIDAE Simon, 1898** **Recent**
- = MEGADICTYNIDAE Lehtinen, 1967
- no fossil record
- TENGELLIDAE Dahl, 1908** **Recent**
- no fossil record
- MITURGIDAE Simon, 1885a** **Neogene – Recent**

	= CHEIRACANTHIDAE Wagner, 1887	
<i>Strotarchus</i> Simon, 1888		Neogene – Recent
	= † <i>Mimeutychurus</i> Petrunkevitch, 1963 [tentative synonymy]	
864.	<i>Strotarchus heidti</i> Wunderlich, 1988	Ne Dominican amber
865.	<i>Strotarchus paradoxus</i> (Petrunkevitch, 1963)	Ne Chiapas amber
ANYPHAENIDAE Bertkau, 1878a		Palaeogene – Recent
	= AMAUROBIOIDIDAE Hickman, 1949	
<i>Anyphaena</i> Sundevall, 1833		Palaeogene – Recent
866.	‘ <i>Anyphaena</i> ’ <i>fuscata</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
<i>Anyphaenoides</i> Berland, 1913		Neogene – Recent
867.	<i>Anyphaenoides bulla</i> (Wunderlich, 1988)	Ne Dominican amber
<i>Lupettiana</i> Brescovit, 1997		Neogene – Recent
868.	<i>Lupettiana ligula</i> (Wunderlich, 1988)	Ne Dominican amber
<i>Wulfila</i> O. P.-Cambridge, 1895		Neogene – Recent
869.	<i>Wulfila spinipes</i> Wunderlich, 1988	Ne Dominican amber
LIOCRANIDAE Simon, 1897a		Palaeogene – Recent
	?Liocranidae in Wunderlich (1988)	Ne Dominican amber
<i>Apostenus</i> Westring, 1851		Palaeogene – Recent
870.	<i>Apostenus arnoldorum</i> Wunderlich, 2004ag	Pa Baltic amber
871.	<i>Apostenus bigibber</i> Wunderlich, 2004ag	Pa Baltic / Bitt. amber
872.	<i>Apostenus spinimanus</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
<i>Donaea</i> Strand, 1932		Quaternary – Recent
873.	<i>Donaea collustrata</i> Bosselaers & Dierick, 2010 [Recent]	Qt – R Madagascar
† <i>Palaeospinisoma</i> Wunderlich, 2004ag		Palaeogene
874.	<i>Palaeospinisoma femoralis</i> Wunderlich, 2004ag*	Pa Baltic amber
CLUBIONOIDEA incertae sedis		
Wunderlich (2011d) proposed removing almost all the amber fossils from the clubionids <i>sensu stricto</i> . We follow this in part for the two genera below, but would prefer a more formal treatment before accepting all these transfers. In general the delimitation of even modern clubionids, and related forms, is problematic.		
† <i>Concursator</i> Petrunkevitch, 1958		Palaeogene
875.	<i>Concursator nudipes</i> Petrunkevitch, 1958*	Pa Baltic amber
† <i>Systariella</i> Wunderlich, 2004af		Palaeogene
876.	<i>Systariella magnioculi</i> Wunderlich, 2004af*	Pa Baltic amber
CLUBIONIDAE Simon, 1895		Palaeogene – Recent
	Clubionidae gen. et sp. in Nishikawa (1974)	Qt Mizunami copal
<i>Clubiona</i> Latreille, 1804a		Palaeogene – Recent
877.	<i>Clubiona arcana</i> Scudder, 1890a	Pa Florissant
878.	<i>Clubiona attenuata</i> C. L. Koch & Berendt, 1854	Pa Baltic amber

879. *Clubiona curvispinosa* Petrunkevitch, 1922 Pa Florissant
 880. *Clubiona florissanti* Petrunkevitch, 1922 Pa Florissant
 881. *Clubiona lanata* C. L. Koch & Berendt, 1854 Pa Baltic amber
 882. *Clubiona microphthalma* C. L. Koch & Berendt, 1854 Pa Baltic amber
 883. *Clubiona pubescens* C. L. Koch & Berendt, 1854 Pa Baltic amber
 884. *Clubiona sericea* C. L. Koch & Berendt, 1854 Pa Baltic amber
 885. *Clubiona tomentosa* C. L. Koch & Berendt, 1854 Pa Baltic amber
 † *Desultor* Petrunkevitch, 1942 Palaeogene
 886. *Desultor depressus* Petrunkevitch, 1942 Pa Baltic amber
Elaver O. P.-Cambridge, 1898 Neogene – Recent
 887. *Elaver nutua* (Wunderlich, 1988) Ne Dominican amber
 † *Eobumbatrix* Petrunkevitch, 1922 Palaeogene
 888. *Eobumbatrix latebrosa* (Scudder, 1890a)* Pa Florissant
 † *Eodoter* Petrunkevitch, 1958 Palaeogene
 889. *Eodoter eopala* Wunderlich, 2004af Pa Baltic amber
 890. *Eodoter magnificus* Petrunkevitch, 1958* Pa Baltic amber
 891. *Eodoter scutatus* Wunderlich, 2011d Pa Baltic amber
 892. ?*Eodoter tibialis* Wunderlich, 2011d Pa Baltic amber
 † *Eostentatrix* Petrunkevitch, 1922 Palaeogene
 893. *Eostentatrix cockerelli* Petrunkevitch, 1922 Pa Florissant
 894. *Eostentatrix ostentata* (Scudder, 1890a)* Pa Florissant
 † *Eoversatrix* Petrunkevitch, 1922 Palaeogene
 895. *Eoversatrix eversa* (Scudder, 1890a)* Pa Florissant
 † *Machilla* Petrunkevitch, 1958 [family uncertain] Palaeogene
 896. *Machilla setosa* Petrunkevitch, 1958* Pa Baltic amber
 † *Massula* Petrunkevitch, 1942 [family uncertain] Palaeogene
 897. *Massula klebsi* Petrunkevitch, 1942* Pa Baltic amber
 † *Prosocer* Petrunkevitch, 1963 Neogene
 898. *Prosocer mollis* Petrunkevitch, 1963* Ne Chiapas amber
Clubionidae incertae sedis
 † *Chiapasona* Petrunkevitch, 1963 Neogene
 899. *Chiapasona defuncta* Petrunkevitch, 1963* Ne Chiapas amber
CORINNIDAE Karsch, 1880a Palaeogene – Recent
 = MYRMECIIDAE C. L. Koch, 1851 [name already used for ants]
 † *Ablator* Petrunkevitch, 1942 Palaeogene
 = † *Abiliguritor* Petrunkevitch, 1942
 900. *Ablator biguttatus* Wunderlich, 2004ah Pa Baltic amber
 901. *Ablator curvatus* Wunderlich, 2004ah Pa Baltic amber
 902. *Ablator deminuens* Wunderlich, 2004ah Pa Baltic amber
 903. *Ablator depressus* Wunderlich, 2004ah Pa Baltic amber
 904. *Ablator duomammillae* Wunderlich, 2004ah Pa Baltic amber

905. *Ablator felix* (Petrunkewitch, 1958) Pa Baltic amber
906. *Ablator inevolvens* Wunderlich, 2004ah Pa Baltic amber
907. *Ablator longus* Wunderlich, 2004ah Pa Baltic amber
908. *Ablator nonguttatus* Wunderlich, 2004ah Pa Baltic amber
909. *Ablator parvus* Wunderlich, 2004ah Pa Baltic amber
910. *Ablator plumosus* (Petrunkewitch, 1950) Pa Baltic amber
911. *Ablator robustus* Wunderlich, 2004ah Pa Baltic amber
912. *Ablator scutatus* Wunderlich, 2004ah Pa Baltic amber
913. *Ablator splendens* Wunderlich, 2004ah Pa Baltic amber
914. *Ablator triguttatus* (C. L. Koch & Berendt, 1854)* Pa Baltic amber
- i. = *Philodromus microcephalus* C. L. Koch & Berendt,
1854 Pa Baltic amber
- ii. = *Philodromus squamiger* C. L. Koch & Berendt, 1854 ..Pa Baltic amber
- iii. = *Abiligurator niger* Petrunkewitch, 1942 Pa Baltic amber
- † ***Alterphrurolithus* Wunderlich, 2004ah** **Palaeogene**
915. *Alterphrurolithus longipes* Wunderlich, 2004ah Pa Baltic amber
- Castianeira* Keyserling, 1880b** **Neogene – Recent**
916. *Castianeira tenebricosa* Wunderlich, 1988 Ne Dominican amber
- † ***Chemmisomma* Wunderlich, 1988** **Neogene**
917. *Chemmisomma dubia* Wunderlich, 1988* Ne Dominican amber
- Corinna* C. L. Koch, 1842a** **Neogene – Recent**
918. *Corinna flagelliformis* Wunderlich, 1988 Ne Dominican amber
- † ***Cornucymbium* Wunderlich, 2004ah** **Palaeogene**
919. *Cornucymbium insolens* Wunderlich, 2004ah* Pa Baltic amber
- † ***Cryptoplanus* Petrunkewitch, 1958** **Palaeogene**
920. *Cryptoplanus bulbosus* Wunderlich, 2004ah Pa Baltic amber
921. *Cryptoplanus complicatus* Wunderlich, 2004ah Pa Baltic amber
922. *Cryptoplanus incidens* Wunderlich, 2004ah Pa Baltic amber
923. *Cryptoplanus lanatus* (Petrunkewitch, 1958) Pa Baltic amber
924. *Cryptoplanus paradoxus* Petrunkewitch, 1958* Pa Baltic amber
925. *Cryptoplanus sericatus* (C. L. Koch & Berendt, 1854) Pa Baltic amber
926. *Cryptoplanus sinuosus* Wunderlich, 2004ah Pa Baltic amber
- Cryptoplanus* sp. in Wunderlich (2004ah) Pa Baltic amber
- † ***Eomazax* Petrunkewitch, 1958** **Palaeogene**
927. *Eomazax pulcher* Petrunkewitch, 1958* Pa Baltic amber
- Megalostrata* Karsch, 1880a** **Neogene – Recent**
928. *Megalostrata grandis* Wunderlich, 1988 Ne Dominican amber
- † ***Myrmecorinna* Wunderlich, 2004ah** **Palaeogene**
929. *Myrmecorinna gracilis* Wunderlich, 2004ah* Pa Baltic amber
- † ***Palpiraptor* Wunderlich, 2011f** **Quaternary**
930. *Palpiraptor myrmarachnoides* Wunderlich, 2011f* Qt Madagascar copal

Phrurolithus C. L. Koch, 1839b	Palaeogene
931. <i>Phrurolithus extinctus</i> Petrunkevitch, 1958	Pa	Baltic amber
932. <i>Phrurolithus fossilis</i> Petrunkevitch, 1958	Pa	Baltic amber
933. <i>Phrurolithus ipseni</i> Petrunkevitch, 1958	Pa	Baltic amber
† Protoorthobula Wunderlich, 2004ah	Palaeogene
934. <i>Protoorthobula bifida</i> Wunderlich, 2004ah*	Pa	Baltic amber
935. <i>Protoorthobula deelemani</i> Wunderlich, 2004ah	Pa	Baltic / Bitt. amber
Trachelas L. Koch, 1872	Neogene
936. <i>Trachelas poinari</i> Penney, 2001	Ne	Dominican amber
ZODARIIDAE Thorell, 1881	Palaeogene – Recent
	=	CRYPTOTHELIDAE L. Koch, 1872 [younger name protected by usage]
	=	† ADJUTORIDAE Petrunkevitch, 1942
Zodariidae gen. et sp. indet 1–4 <i>in</i> Wunderlich (2004ae)	Pa	Baltic amber
† Adjutor Petrunkevitch, 1942	Palaeogene
937. <i>Adjutor deformis</i> Petrunkevitch, 1958	Pa	Baltic amber
938. <i>Adjutor mirabilis</i> Petrunkevitch, 1942*	Pa	Baltic amber
† Admissor Petrunkevitch, 1942	Palaeogene
939. <i>Admissor aculeatus</i> Petrunkevitch, 1942*	Pa	Baltic amber
† Adorator Petrunkevitch, 1942	Palaeogene
940. <i>Adorator hispidus</i> (C. L. Koch & Berendt, 1854)	Pa	Baltic / Rovno amber
i. = <i>Segestria cylindrica</i> C. L. Koch & Berendt, 1854	Pa	Baltic amber
ii. = <i>Eresus curtipes</i> C. L. Koch & Berendt, 1854	Pa	Baltic amber
iii. = <i>Eresus monachus</i> C. L. Koch & Berendt, 1854	Pa	Baltic amber
iv. = <i>Adorator brevipes</i> Petrunkevitch, 1942*	Pa	Baltic amber
941. <i>Adorator samlandicus</i> Petrunkevitch, 1942	Pa	Baltic amber
† Angusdarion Wunderlich, 2004ae	Palaeogene
942. <i>Angusdarion humilis</i> Wunderlich, 2004ae*	Pa	Baltic amber
† Anniculus Petrunkevitch, 1942	Palaeogene
943. <i>Anniculus balticus</i> Petrunkevitch, 1942*	Pa	Baltic amber
† Eocydrele Petrunkevitch, 1958	Palaeogene
944. <i>Eocydrele mortua</i> Petrunkevitch, 1958*	Pa	Baltic amber
† Propago Petrunkevitch, 1963	Neogene
945. <i>Propago debilis</i> Petrunkevitch, 1963*	Ne	Chiapas amber
† Spinizodarion Wunderlich, 2004ae	Palaeogene
946. <i>Spinizodarion ananulum</i> Wunderlich, 2004ae*	Pa	Baltic amber
† Zodariodamus Wunderlich 2004ae	Palaeogene
947. <i>Zodariodamus recurvatus</i> Wunderlich 2004ae*	Pa	Baltic amber
PENESTOMIDAE Simon, 1903	Recent
no fossil record		

† EPHALMATORIDAE Petrunkevitch, 1950	Palaeogene
† <i>Ephalmator</i> Petrunkevitch, 1950	Palaeogene
948. <i>Ephalmator bitterfeldensis</i> Wunderlich, 2004ad	Pa Bitterfeld amber
949. <i>Ephalmator calidus</i> Wunderlich, 2004ad	Pa Baltic amber
950. <i>Ephalmator debilis</i> Wunderlich, 2004ad	Pa Baltic amber
951. <i>Ephalmator distinctus</i> Wunderlich, 2004ad	Pa Baltic amber
952. <i>Ephalmator ellwangeri</i> Wunderlich, 2004ad	Pa Baltic amber
953. ? <i>Ephalmator eximus</i> Petrunkevitch, 1958	Pa Baltic amber
954. <i>Ephalmator fossilis</i> Petrunkevitch, 1950*	Pa Baltic amber
955. <i>Ephalmator kerneggeri</i> Wunderlich, 2004ad	Pa Baltic amber
956. <i>Ephalmator petrunkevitchi</i> Wunderlich, 2004ad	Pa Baltic amber
957. <i>Ephalmator ruthildae</i> Wunderlich, 2004ad	Pa Baltic amber
958. <i>Ephalmator trudis</i> Wunderlich, 2004ad	Pa Baltic amber
959. <i>Ephalmator turpiculus</i> Wunderlich, 2004ad	Pa Baltic amber
<i>Ephalmator</i> sp. in Wunderlich (2004ad)	Pa Baltic amber
CHUMMIDAE Jocqué, 2001	Recent
no fossil record	
HOMALONYCHIDAE Simon, 1893	Recent
no fossil record	
GNAPHOSOIDEA Simon, 1893	Palaeogene – Recent
AMMOXENIDAE Simon, 1893	Recent
no fossil record	
CITHAERONIDAE Simon, 1893	Recent
no fossil record	
GALLIENIELLIDAE Millot, 1947	Recent
no fossil record	
TROCHANTERIIDAE Karsch, 1879	Palaeogene – Recent
= PLATORIDAE Simon, 1890	
† <i>Eotrochanteria</i> Wunderlich, 2004am	Palaeogene
960. <i>Eotrochanteria kruegeri</i> Wunderlich, 2004am*	Pa Baltic amber
† Sosybius C. L. Koch & Berendt, 1854	Palaeogene
= † <i>Adamator</i> Petrunkevitch, 1942	
= † <i>Adjunctor</i> Petrunkevitch, 1942	
= † <i>Adulatrix</i> Petrunkevitch, 1942	
961. <i>Sosybius berendti</i> Wunderlich, 2004am	Pa Baltic amber
962. <i>Sosybius decumana</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
963. <i>Sosybius falcatus</i> Wunderlich, 2004am	Pa Baltic amber

964. *Sosybius fusca* (Petrunkevitch, 1942) Pa Baltic amber
965. *Sosybius kochi* Wunderlich, 2004am Pa Baltic amber
966. *Sosybius lateralis* Wunderlich, 2004am Pa Baltic amber
967. *Sosybius longipes* Wunderlich, 2004am Pa Baltic amber
968. *Sosybius major* C. L. Koch & Berendt, 1854 Pa Baltic amber
969. *Sosybius minor* C. L. Koch & Berendt, 1854* Pa Baltic amber
970. *Sosybius mizgirisi* Wunderlich, 2004am Pa Baltic amber
971. *Sosybius parva* (Petrunkevitch, 1942) Pa Baltic amber
972. *Sosybius perniciosus* Wunderlich, 2004am Pa Baltic amber
973. *Sosybius rufa* (Petrunkevitch, 1942) Pa Baltic amber
974. *Sosybius similis* Petrunkevitch, 1942 Pa Baltic amber
975. *Sosybius succineus* (Petrunkevitch, 1942) Pa Baltic amber
976. *Sosybius tibialis* Wunderlich, 2004am Pa Baltic amber
977. *Sosybius unispinosus* Wunderlich, 2004am Pa Baltic amber
- Sosybius* sp. in Wunderlich (2004am, ar) Pa Baltic / Rovno amber
- † *Thereola* Petrunkevitch, 1955 Palaeogene
- = † *Thereola* Koch & Berendt, 1854 [preoccupied]
978. *Thereola petiolata* (C. L. Koch & Berendt, 1854)* [♀ = ?*Dasuminia* sp.
according to Wunderlich 2004b] Pa Baltic amber
979. *Thereola pubescens* (Menge in C. L. Koch & Berendt, 1854) Pa Baltic amber
- † *Trochanteridromulus* Wunderlich, 2004am Palaeogene
980. *Trochanteridromulus glabripes* Wunderlich, 2004am* Pa Baltic amber
- † *Trochanteridromus* Wunderlich, 2004am Palaeogene
981. *Trochanteridromus scutatus* Wunderlich, 2004am* Pa Baltic amber
- † *Veterator* Petrunkevitch, 1963 Neogene
982. *Veterator angustus* Wunderlich, 1988 Ne Dominican amber
983. *Veterator ascutum* Wunderlich, 1988 Ne Dominican amber
984. *Veterator extinctus* Petrunkevitch, 1963* Ne Chiapas amber
985. *Veterator incompletus* Wunderlich, 1982 Ne Dominican amber
986. *Veterator longipes* Wunderlich, 1988 Ne Dominican amber
987. *Veterator loricatus* Wunderlich, 1988 Ne Dominican amber
988. *Veterator porrectus* Wunderlich, 1988 Ne Dominican amber
989. *Veterator viduus* Wunderlich, 1988 Ne Dominican amber
- Veterator* sp. 1–2 in Wunderlich (1988) Ne Dominican amber
- LAMPONIDAE Simon, 1893** Recent
- no fossil record
- PRODIDOMIDAE Simon, 1884a** Quaternary – Recent
- = MILTIIDAE Thorell, 1873 [based on a generic synonym]
- Prodidomus Hentz, 1847** Quaternary – Recent
990. *Prodidomus madagascariensis* Wunderlich, 2011c Qt Madagascar copal

GNAPHOSIDAE Pocock, 1898	?Cretaceous – Recent
	= DRASSIDAE Sundevall, 1833 [based on a generic synonym]	
† Captrix Petrunkevitch, 1942	Palaeogene
991. <i>Captrix lineata</i> (C. L. Koch & Berendt, 1854)*	Pa Baltic amber
Drassodes Westring, 1851	Palaeogene – Recent
992. <i>Drassodes cupreus</i> (Blackwall, 1834a) [Recent]	Qt England
993. ? <i>Drassodes femurus</i> Lin, Zhang & Wang, 1989	Ne Shanwang
994. ? <i>Drassodes sextii</i> Berland, 1939	Pa Aix-en-Provence
† Drassyllinus Wunderlich, 1988	Neogene
995. <i>Drassyllinus aliter</i> Wunderlich, 1988*	Ne Dominican amber
† Eognaphosops Wunderlich, 2011b	Palaeogene
996. <i>Eognaphosops cryptoplanoides</i> Wunderlich 2011b*	Pa Baltic amber
† Eomactator Petrunkevitch, 1958	Palaeogene
997. <i>Eomactator hamatus</i> Wunderlich, 2011b	Pa Baltic amber
998. <i>Eomactator hirsutipes</i> Wunderlich, 2011b	Pa Baltic amber
999. <i>Eomactator mactatus</i> Petrunkevitch, 1958*	Pa Baltic amber
1000. <i>Eomactator obscurior</i> Wunderlich, 2011b	Pa Baltic amber
Gnaphosa Latreille, 1804a	?Cretaceous – Recent
1001. <i>Gnaphosa affinis</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
i. = <i>Philodromus dubius</i> C. L. Koch & Berendt, 1854	
1002. <i>Gnaphosa ambigua</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
1003. <i>Gnaphosa liaoningensis</i> Chang, 2004	
[generic assignment unreliable!]	K Jehol biota
Micaria Westring, 1851	Palaeogene – Recent
1004. <i>Micaria procura</i> C. L. Koch & Berendt, 1954	Pa Baltic amber
1005. <i>Micaria tenella</i> Heer, 1865	Ne Öhningen
† Palaeodrassus Petrunkevitch, 1922	Palaeogene
1006. <i>Palaeodrassus cockerelli</i> Petrunkevitch, 1922	Pa Florissant
1007. <i>Palaeodrassus florissanti</i> Petrunkevitch, 1922	Pa Florissant
1008. <i>Palaeodrassus hesternus</i> (Scudder, 1890a)	Pa Florissant
1009. <i>Palaeodrassus ingenuus</i> (Scudder, 1890a)*	Pa Florissant
1010. <i>Palaeodrassus interitus</i> (Scudder, 1890a)	Pa Florissant
Scopoides Platnick, 1989	Palaeogene – Recent
<i>Scopoides dominicanus</i> Wunderlich, 2011g	Ne Dominican amber
Zelotes Gistel, 1848	Palaeogene
1011. <i>Zelotes concinna</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
1012. <i>Zelotes mundula</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
i. = <i>Melanophora nobilis</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
1013. <i>Zelotes regalis</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
† Zelotetis Wunderlich, 2011b	Palaeogene

1014. <i>Zelotetis calefacta</i> Wunderlich, 2011b	Pa	Baltic amber
SELENOPIDAE Simon, 1897a		Palaeogene – Recent
+ <i>Garcorops</i> Corronca, 2003		Quaternary – Recent
1015. <i>Garcorops jadis</i> Bosselaers, 2004	Qt	Madagascar copal
i. = <i>?Anyphops cortex</i> Wunderlich, 2004as	Qt	Madagascar copal
Selenops Latreille, 1819		Palaeogene – Recent
1016. <i>Selenops benoiti</i> Wunderlich, 2004as	Qt	Madagascar copal
1017. <i>Selenops beynai</i> Schawaller, 1984	Ne	Dominican amber
1018. <i>Selenops dominicanus</i> Wunderlich, 2004an	Ne	Dominican amber
<i>Selenops</i> sp. in Wunderlich (1988)	Ne	Dominican amber
<i>Selenops</i> sp. in García-Villafuerte (2006b)	Ne	Chiapas amber
<i>Selenops</i> sp. in Penney (2007)	Pa	Le Quesnoy amber
SPARASSIDAE Bertkau, 1872		Palaeogene – Recent
= HETEROPODIDAE Thorell, 1873		
= MICROMMATIDAE Bertkau, 1878a		
= EUSPARASSIDAE Järvi, 1912		
Sparassidae sp. 1–2 in (Wunderlich 2008c)	Pa	Baltic amber
+ <i>Caduceator</i> Petrunkevitch, 1942		Palaeogene
1019. <i>Caduceator minutus</i> Petrunkevitch, 1942*	Pa	Baltic amber
1020. <i>Caduceator quadrimaculatus</i> Petrunkevitch, 1950	Pa	Baltic amber
+ <i>Collecteus</i> Petrunkevitch, 1942		Palaeogene
1021. <i>Collecteus captivus</i> Petrunkevitch, 1942*	Pa	Baltic amber
+ <i>Eostaianus</i> Petrunkevitch, 1950		Palaeogene
1022. <i>Eostaianus succini</i> Petrunkevitch, 1950*	Pa	Baltic amber
+ <i>Eostasina</i> Petrunkevitch, 1942		Palaeogene
1023. <i>Eostasina aculeata</i> Petrunkevitch, 1942*	Pa	Baltic amber
Eusparassus Simon 1903		Palaeogene – Recent
1024. <i>Eusparassus crassipes</i> (C. L. Koch & Berendt, 1854)	Pa	Baltic amber
Heteropoda Latreille, 1804a		Palaeogene – Recent
= † <i>Retina</i> Hong, 1985		
1025. <i>Heteropoda rpbusta</i> [sic] (Hong, 1985)	Ne	Shanwang
[NB: as ‘ <i>H. robusta</i> ’ this would be a junior homonym of a living species.]		
Pseudosparianthis Simon, 1887		Neogene – Recent
1026. <i>Pseudosparianthis pfeifferi</i> (Wunderlich, 1988)	Ne	Dominican amber
Zachria L. Koch, 1875		Palaeogene – Recent
1027. <i>Zachria desiderabilis</i> Petrunkevitch, 1950	Pa	Baltic amber
1028. <i>Zachria peculiata</i> Petrunkevitch, 1946	Pa	Baltic amber
1029. <i>Zachria restincta</i> Petrunkevitch, 1958	Pa	Baltic amber

PHILODROMIDAE Thorell, 1870a	Cretaceous – Recent
Philodromidae sp. <i>in</i> Wunderlich (1988)	Ne Dominican amber
Philodromidae sp. <i>in</i> Wunderlich (2004ae)	Ne Baltic amber
† <i>Cretadromus</i> Cheng, Shen & Gao, 2009	Cretaceous
1030. <i>Cretadromus liaoningensis</i> Cheng, Shen & Gao, 2009	K Liaoning Province
† <i>Eothanatus</i> Petrunkevitch, 1950	Palaeogene – Recent
1031. <i>Eothanatus diritatis</i> Petrunkevitch, 1950*	Pa Baltic amber
THOMISIDAE Sundevall, 1833	Palaeogene – Recent
= APHANTOCHILIDAE Thorell, 1873	
= MISUMENIDAE Thorell, 1887	
= STIPHROPODIDAE Simon, 1895	
= XYSTICIDAE Dahl, 1912	
= BORBOROPACTIDAE Wunderlich, 2004ao	
Thomisidae gen. et sp. <i>in</i> Nishikawa (1974)	Qt Mizunami copal
Thomisidae gen. et sp. <i>in</i> Bottali (1975)	Qt Italy
Thomisidae gen. et sp. <i>in</i> Schawaller (1982d)	Ne Willershausen
Thomisidae gen. et sp. <i>in</i> Wunderlich (1988)	Ne Dominican amber
Thomisidae gen. et sp. 1–2 <i>in</i> Wunderlich (2004ap)	Pa Baltic amber
Thomisidae gen. et sp. <i>in</i> Garcíá-Villafuerte (2006b)	Ne Chiapas amber
Coriarachne Thorell, 1870b	Quaternary – Recent
Coriarachne sp. <i>in</i> Cutler (1970)	Qt Wyoming
† <i>Ecotona</i> Lin, Zhang & Wang, 1989 [ex Araneidae]	Neogene
1032. <i>Ecotona brunnea</i> Zhang, Sun & Zhang, 1994	Ne Shanwang
1033. <i>Ecotona pilulifera</i> Zhang, Sun & Zhang, 1994	Ne Shanwang
1034. <i>Ecotona transipeda</i> Lin, Zhang & Wang, 1989*	Ne Shanwang
† <i>Facundia</i> Petrunkevitch, 1942	Palaeogene
1035. <i>Facundia clara</i> Petrunkevitch, 1942*	Pa Baltic amber
† <i>Fiducia</i> Petrunkevitch, 1950	Palaeogene
1036. <i>Fiducia tenuipes</i> Petrunkevitch, 1950*	Pa Baltic amber
† <i>Filiolella</i> Petrunkevitch, 1955a	Palaeogene
= † <i>Filiola</i> Petrunkevitch, 1942 [preoccupied]	
1037. <i>Filiolella argentata</i> (Petrunkevitch, 1942)*	Pa Baltic amber
† <i>Heterotmarus</i> Wunderlich, 1988	Neogene
1038. <i>Heterotmarus altus</i> Wunderlich, 1988*	Ne Dominican amber
† <i>Komisumena</i> Ono, 1981	Neogene
1039. <i>Komisumena rosae</i> Ono, 1981*	Ne Dominican amber
† <i>Miothomisus</i> Zhang, Sun & Zhang, 1994	Neogene
1040. <i>Miothomisus subnudus</i> Zhang, Sun & Zhang, 1994	Ne Shanwang
1041. <i>Miothomisus sylvaticus</i> Zhang, Sun & Zhang, 1994*	Ne Shanwang
Misumena Latreille, 1804a	Palaeogene – Recent
1042. <i>Misumena samlandica</i> Petrunkevitch, 1942	Pa Baltic amber

† <i>Palaeoxysticus</i> Wunderlich, 1985	Neogene
1043. <i>Palaeoxysticus extinctus</i> Wunderlich, 1985	Ne Randecker Maar
† <i>Parvulus</i> Zhang, Sun & Zhang, 1994	Neogene
1044. <i>Parvulus latissimus</i> Zhang, Sun & Zhang, 1994*	Ne Shanwang
† <i>Succinaenigma</i> Wunderlich, 2004ap	Palaeogene
1045. <i>Succinaenigma raptor</i> Wunderlich, 2004ap*	Pa Baltic amber
† <i>Succiniraptor</i> Wunderlich, 2004ao	Palaeogene
1046. <i>Succiniraptor radiatus</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
i. = <i>Succiniraptor paradoxus</i> Wunderlich, 2004ao*	Pa Baltic amber
<i>Synema</i> Simon, 1864	Palaeogene – Recent
1047. <i>Synema enigmaticum</i> Berland, 1939	Pa Aix-en-Provence
† <i>Syphax</i> C. L. Koch & Berendt, 1854	Palaeogene
1048. <i>Syphax asper</i> Petrunkevitch, 1950	Pa Baltic amber
1049. <i>Syphax crassipes</i> Petrunkevitch, 1942	Pa Baltic amber
1050. <i>Syphax fuliginosus</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
1051. <i>Syphax gracilis</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
1052. <i>Syphax megacephalus</i> C. L. Koch & Berendt, 1854*	Pa Baltic amber
1053. <i>Syphax thoracicus</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
† <i>Thomisiraptor</i> Wunderlich, 2004ap	Palaeogene
1054. <i>Thomisiraptor liedtkei</i> Wunderlich, 2004ap*	Pa Baltic amber
<i>Thomisus</i> Walckenaer, 1805	Palaeogene – Recent
1055. <i>Thomisus defossus</i> Scudder, 1890a	Pa Florissant
1056. <i>Thomisus disjunctus</i> Scudder, 1890a	Pa Florissant
1057. <i>Thomisus lividus</i> Heer, 1865	Ne Öhningen
1058. <i>Thomisus resutus</i> Scudder, 1890a	Pa Florissant
1059. <i>Thomisus sulzeri</i> Heer, 1865	Ne Öhningen
<i>Xysticus</i> C. L. Koch, 1835	Palaeogene – Recent
1060. ? <i>Xysticus annulipes</i> Bertkau, 1878b	Ne Rott, Germany
1061. <i>Xysticus archaeopalpus</i> Leech & Matthews, 1971	Ne Alaska
1062. <i>Xysticus oeningensis</i> (Heer, 1865)	Ne Öhningen
<i>Xysticus</i> sp. in Protescu (1937)	Pa Romanian amber
SALTICIDAE Blackwall, 1841	Palaeogene – Recent
= ATTIDAE Sundevall, 1833 [based on a generic synonym]	
= LYSSOMANIDAE Peckham & Wheeler, 1889	
Salticidae gen. et sp. in Schawaller (1982d)	Ne Willershausen
† <i>Almolinus</i> Petrunkevitch, 1958	Palaeogene
1063. <i>Almolinus bitterfeldensis</i> Wunderlich, 2004aq	Pa Bitterfeld amber
1064. <i>Almolinus clarus</i> Petrunkevitch, 1958*	Pa Baltic amber
1065. <i>Almolinus ligula</i> Wunderlich, 2004aq	Pa Baltic amber
? <i>Almolinus</i> sp. in Wunderlich (2004aq)	Pa Baltic amber

† <i>Attoides</i> Brongniart, 1877	Palaeogene
1066. <i>Attoides eresiformis</i> Brongniart, 1877	Pa Aix-en-Provence
† <i>Calilinus</i> Wunderlich, 2004aq	Palaeogene
1067. <i>Calilinus fleissneri</i> Wunderlich, 2004aq*	Pa Baltic amber
† <i>Cenattus</i> Petrunkevitch, 1942	Palaeogene
1068. <i>Cenattus exophthalmicus</i> Petrunkevitch, 1942*	Pa Baltic amber
<i>Corythalia</i> C. L. Koch, 1851	Neogene – Recent
1069. <i>Corythalia ocululiter</i> Wunderlich, 1988	Ne Dominican amber
1070. <i>Corythalia pilosa</i> Wunderlich, 1982	Ne Dominican amber
1071. <i>Corythalia scissa</i> Wunderlich, 1988	Ne Dominican amber
† <i>Descangeles</i> Wunderlich, 1988	Neogene
1072. <i>Descangeles pygmaeus</i> Wunderlich, 1988*	Ne Dominican amber
<i>Descangeles</i> sp. 1–2 in Wunderlich (1988)	Ne Dominican amber
<i>Descanso</i> Peckham & Peckham, 1892	Neogene – Recent
<i>Descanso</i> sp. in Wunderlich (1988)	Ne Dominican amber
† <i>Distanilinus</i> Wunderlich, 2004aq	Palaeogene
1073. <i>Distanilinus filum</i> Wunderlich, 2004aq	Pa Baltic amber
1074. <i>Distanilinus nutus</i> Wunderlich, 2004aq*	Pa Baltic amber
1075. <i>Distanilinus paranutus</i> Wunderlich, 2004aq	Pa Baltic amber
1076. <i>Distanilinus pernatus</i> Wunderlich, 2004aq	Pa Baltic amber
† <i>Eoattopsis</i> Gourret, 1887	Palaeogene
1077. <i>Eoattopsis hirsutus</i> Gourret, 1887*	Pa Aix-en-Provence
† <i>Eolinus</i> Petrunkevitch, 1942	Palaeogene
1078. <i>Eolinus balticus</i> Żabka, 1988	Pa Baltic amber
1079. <i>Eolinus fungus</i> Wunderlich, 2004aq	Pa Baltic amber
1080. <i>Eolinus insuriens</i> Wunderlich, 2004aq	Pa Baltic amber
1081. <i>Eolinus prominens</i> Wunderlich, 2004aq	Pa Baltic amber
1082. <i>Eolinus samlandica</i> Wunderlich, 2004aq	Pa Baltic amber
1083. <i>Eolinus succineus</i> Petrunkevitch, 1942*	Pa Baltic amber
1084. <i>Eolinus theryi</i> Petrunkevitch, 1942	Pa Baltic amber
1085. <i>Eolinus theryoides</i> Wunderlich, 2004aq	Pa Baltic amber
1086. <i>Eolinus tystschenkoi</i> Proszynski & Żabka, 1980	Pa Baltic amber
1087. <i>Eolinus vates</i> Wunderlich, 2004aq	Pa Baltic amber
<i>Eolinus</i> sp. in Wunderlich (2004aq)	Pa Baltic amber
<i>Euophrys</i> C. L. Koch, 1834	Palaeogene – Recent
1088. <i>Euophrys gibberula</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
1089. <i>Euophrys randeckensis</i> Schawaller & Ono, 1979	Ne Randecker Maar
† <i>Evagoratus</i> Zhang, Sun & Zhang, 1994	Neogene
1090. <i>Evagoratus longicruris</i> Zhang, Sun & Zhang, 1994	Ne Shanwang
† <i>Gorgopsidris</i> Wunderlich, 2004aq	Palaeogene
1091. <i>Gorgopsidris bechlyi</i> Wunderlich, 2004aq*	Pa Baltic amber

† <i>Gorgopsina</i> Petrunkevitch, 1955a	Palaeogene
1092. <i>Gorgopsina amabilis</i> Wunderlich, 2004aq	Pa Baltic amber
1093. <i>Gorgopsina constricta</i> Wunderlich, 2004aq	Pa Baltic amber
1094. <i>Gorgopsina expandens</i> Wunderlich, 2004aq	Pa Baltic amber
1095. 'Gorgopsina' <i>fasciata</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
1096. <i>Gorgopsina flexuosa</i> Wunderlich, 2004aq	Pa Baltic amber
1097. <i>Gorgopsina formosa</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
1098. <i>Gorgopsina fractura</i> Wunderlich, 2004ar	Pa Rovno amber
1099. <i>Gorgopsina frenata</i> (C. L. Koch & Berendt, 1854)*	Pa Baltic amber
1100. <i>Gorgopsina inclusa</i> Wunderlich, 2004aq	Pa Baltic amber
1101. <i>Gorgopsina jucunda</i> (Petrunkevitch, 1942)	Pa Baltic amber
1102. <i>Gorgopsina marginata</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
1103. <i>Gorgopsina melanocephala</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
1104. <i>Gorgopsina naumannii</i> Giebel, 1856	Pa Baltic amber
1105. <i>Gorgopsina paulula</i> (C. L. Koch & Berendt, 1854)	Pa Baltic amber
1106. <i>Gorgopsina rectangularis</i> Wunderlich, 2011h	Pa Baltic amber
1107. <i>Gorgopsina speciosa</i> Wunderlich, 2004aq	Pa Baltic amber
<i>Heliophanus</i> C. L. Koch, 1833	Palaeogene – Recent
1108. <i>Heliophanus extinctus</i> Berland, 1939	Pa Aix-en-Provence
<i>Hyllus</i> C. L. Koch, 1846	Palaeogene – Recent
= † <i>Parevophys</i> Petrunkevitch, 1942	
1109. <i>Hyllus succini</i> (Petrunkevitch, 1942)	Pa Baltic amber
<i>Lyssomanes</i> Hentz, 1845	Neogene – Recent
1110. <i>Lyssomanes pristinus</i> Wunderlich, 1986	Ne Dominican amber
i. = <i>Lyssomanes galianoae</i> Reiskind, 1989	Ne Dominican amber
1111. <i>Lyssomanes pulcher</i> Wunderlich, 1988	Ne Dominican amber
† <i>Microlinus</i> Wunderlich, 2004aq	Palaeogene
1112. <i>Microlinus calidus</i> Wunderlich, 2004aq	Pa Baltic amber
1113. <i>Microlinus folium</i> Wunderlich, 2004aq*	Pa Baltic amber
<i>Myrmecophylax</i> MacLeay, 1839	Quaternary – Recent
= † <i>Entomocephalus</i> Holl, 1829 [suppressed; see ICZN Opinion 2258]	
1114. <i>Myrmecophylax formicoides</i> (Holl, 1829)	?Qt Copal [?not amber]
<i>Neon</i> Simon, 1876a	Quaternary – Recent
1115. <i>Neon ?reticulatus</i> (Blackwall, 1853) [Recent]	Qt England
† <i>Paralinus</i> Petrunkevitch, 1942	Palaeogene
1116. <i>Paralinus crosbyi</i> Petrunkevitch, 1942*	Pa Baltic amber
† <i>Pensacolatus</i> Wunderlich, 1988	Neogene
1117. <i>Pensacolatus coxalis</i> Wunderlich, 1988*	Ne Dominican amber
1118. <i>Pensacolatus spinipes</i> Wunderlich, 1988	Ne Dominican amber
1119. ? <i>Pensacolatus tibialis</i> Wunderlich, 2004aq	Ne Dominican amber
<i>Pensacolatus</i> sp. in Wunderlich (1988)	Ne Dominican amber

<i>Phidippus</i> C. L. Koch, 1846	Palaeogene
1120. <i>Phidippus impressus</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
1121. <i>Phidippus pusillus</i> C. L. Koch & Berendt, 1854	Pa Baltic amber
† <i>Phlegrata</i> Wunderlich, 1988	Neogene
1122. <i>Phlegrata pala</i> Wunderlich, 1988*	Ne Dominican amber
† <i>Prolinus</i> Petrunkevitch, 1958	Palaeogene
1123. <i>Prolinus fossilis</i> Petrunkevitch, 1958*	Pa Baltic amber
<i>Sarinda</i> Peckham & Peckham, 1892	Neogene – Recent
? <i>Sarinda</i> sp. in Wunderlich (2004aq)	Ne Dominican amber
† <i>Steneattus</i> Bronn, 1856	Palaeogene
= † <i>Leda</i> C. L. Koch & Berendt, 1854 [preoccupied]	
1124. <i>Steneattus promissa</i> (C. L. Koch & Berendt, 1854)*	Pa Baltic amber
<i>Thiodina</i> Simon, 1900	Neogene
1125. <i>Thiodina beugelorum</i> Wolff, 1990	Ne Dominican amber
 Araneomorphae incertae sedis	
† <i>Elvina</i> Thorell, 1870b	Neogene
1126. <i>Elvina antiqua</i> (von Heyden, 1859)	Ne Linz am Rhein
 Araneae incerte sedis	
Araneae gen. et sp. nov. in Ansorge (2003)	J Grimmen, Germany
† <i>Amphicloho</i> Gourret, 1887	Palaeogene
1127. <i>Amphicloho breviuscula</i> Gourret, 1887*	Pa Aix-en-Provence
† <i>Amphithomisus</i> Gourret, 1887	Palaeogene
1128. <i>Amphithomisus barbatus</i> Gourret, 1887*	Pa Aix-en-Provence
† <i>Atocatle</i> Feldmann, Vega, Applegate & Bishop, 1998 [really a spider?]	Cretaceous
1129. <i>Atocatle ranulfoi</i> Feldmann, Vega, Applegate & Bishop, 1998*	K Puebla, México
† <i>Cercidiella</i> Gourret, 1887	Palaeogene
1130. <i>Cercidiella aquisextana</i> Gourret, 1887*	Pa Aix-en-Provence
† <i>Clubionella</i> Gourret, 1887	Palaeogene
1131. <i>Clubionella antiqua</i> Gourret, 1887*	Pa Aix-en-Provence
† <i>Eresoides</i> Gourret, 1887	Palaeogene
1132. <i>Eresoides orbicularis</i> Gourret, 1887*	Pa Aix-en-Provence
† <i>Hersilioides</i> Gourret, 1887	Palaeogene
1133. <i>Hersilioides thanatiformis</i> Gourret, 1887*	Pa Aix-en-Provence
† <i>Opistophylax</i> Menge, 1856	Palaeogene
1134. <i>Opistophylax exarata</i> Menge, 1856*	Pa Baltic amber
† <i>Prodysdera</i> Gourret, 1887	Palaeogene
1135. <i>Prodysdera intermedia</i> Gourret, 1887*	Pa Aix-en-Provence
† <i>Protochersis</i> Gourret, 1887	Palaeogene
1136. <i>Protochersis spinosus</i> Gourret, 1887*	Pa Aix-en-Provence
† <i>Protolachesis</i> Gourret, 1887	Palaeogene

1137. *Protolachesis annulata* Gourret, 1887* Pa Aix-en-Provence
- † *Paralycosa* Dunlop & Jekel, 2009 Palaeogene
= † *Protolachesis* Gourret, 1887 [preoccupied]
1138. *Paralycosa attiformis* (Gourret, 1887)* Pa Aix-en-Provence
- † *Pseudothomisus* Gourret, 1887 Palaeogene
1139. *Pseudothomisus articulatus* Gourret, 1887* Pa Aix-en-Provence
- † *Schellenbergia* Heer, 1865 Neogene
1140. *Schellenbergia rotundata* Heer, 1865* Ne Öhningen
- † *Timeropus* Thorell, 1891 Palaeogene
= † *Lycosoides* Gourret, 1887 [preoccupied]
1141. *Timeropus hersiliformis* (Gourret, 1887)* Pa Aix-en-Provence

NOMINA DUBIA

Amaurobius C. L. Koch, 1837 [no currently valid fossil species]

1. *Amaurobius faustus* C. L. Koch & Berendt, 1854 Pa Baltic amber
2. *Amaurobius rimosus* C. L. Koch & Berendt, 1854 Pa Baltic amber

Auximus Simon, 1892 [now *Lathys* Simon, 1884: Dictynidae; no currently valid fossil species]

3. *Auximus fossilis* Petrunkevitch, 1950 Pa Baltic amber
4. *Auximus succini* Petrunkevitch, 1942 Pa Baltic amber

† *Clythia* C. L. Koch & Berendt, 1854 (*nomen dubium*) Palaeogene

5. *Clythia alma* C. L. Koch & Berendt, 1854* Pa Baltic amber

† *Corynitoides* Dunlop & Jekel, 2009 (*nomen dubium*) Palaeogene= † *Corynitis* Menge in C. L. Koch & Berendt, 1854 [preoccupied]

6. *Corynitoides spinosa* (Menge in C. L. Koch & Berendt, 1854)* Pa Baltic amber
7. *Corynitoides undulata* (Menge in C. L. Koch & Berendt, 1854) Pa Baltic amber

† *Eocryphoeca* Petrunkevitch, 1958 [also contains valid fossil species]

8. *Eocryphoeca distincta* Petrunkevitch, 1950 Pa Baltic amber
9. *Eocryphoeca fossilis* (Petrunkevitch, 1942) Pa Baltic amber

† *Eometra* Petrunkevitch, 1958 [also contains valid fossil species]

10. *Eometra aberrans* Petrunkevitch, 1958 Pa Baltic amber
11. *Eometra robusta* Petrunkevitch, 1958 Pa Baltic amber

Ero C L. Koch 1836 [also contains valid fossil species]

12. *Ero aberrans* Petrunkevitch, 1958 Pa Baltic amber
13. *Ero setulosa* C. L. Koch & Berendt, 1854 Pa Baltic amber

† *Fictotama* Petrunkevitch, 1963 (*nomen dubium*) Palaeogene

14. *Fictotama extincta* Petrunkevitch, 1963* Ne Chiapas amber

† *Memoratrix* Petrunkevitch, 1942 (*nomen dubium*) Palaeogene

NB: Regarded by Wunderlich (2004p) as a possible pimoid or linyphiid

15. *Memoratrix rydei* Petrunkevitch, 1942 Pa Baltic amber

† *Mimetarchaea* Eskov, 1992 Palaeogene

16. *Mimetarchaea gintaras* Eskov, 1992* Pa Baltic amber

NB: Name based on a subadult male

- † *Miropholcus* Petrunkevitch, 1942 (*nomen dubium*) Palaeogene
 = † *Micropholcus* Petrunkevitch, 1942 [*lapsus*]
 17. *Miropholcus heteropus* Petrunkevitch, 1942* Pa Baltic amber
- † *Perturbator* Petrunkevitch, 1971 (*nomen dubium*) Neogene
 18. *Perturbator corniger* Petrunkevitch, 1971* Ne Chiapas amber
- † *Phalangopus* Menge in C. L. Koch & Berendt, 1854 (*nomen dubium*) Palaeogene
 19. *Phalangopus subtilis* Menge in C. L. Koch & Berendt, 1854* Pa Baltic amber
- † *Praeoarces* Wunderlich, 2004q Palaeogene
 20. *Praeoarces exitus* Wunderlich, 2004q* Pa Baltic amber
- Segestria* Latreille, 1804 [also contains valid fossil species]
 21. *Segestria elongata* C. L. Koch & Berendt, 1854 Pa Baltic amber
 22. *Segestria nana* C. L. Koch & Berendt, 1854 Pa Baltic amber

NOMINA NUDA

- Amaurobius* C. L. Koch, 1837 [no currently valid fossil species]
 1. *Amaurobius spinimanus* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- † *Anatone* Menge in C. L. Koch & Berendt, 1854 (*nomen nudum*) Palaeogene
 2. *Anatone hirsuta* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 3. *Anatone marginata* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 4. *Anatone spinipes* Menge in C. L. Koch & Berendt, 1854* Pa Baltic amber
- Aranea* Clerck, 1757 [now *Araneus* Clerck, 1757; which also contains valid fossil species]
 5. *Aranea fossilis* Keferstein, 1834 Pa Aix-en-Provence
- Archaea* C. L. Koch & Berendt, 1854 [also contains valid fossil species]
 6. *Archaea incompta* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 7. *Archaea sphinx* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- † *Athera* Menge in C. L. Koch & Berendt, 1854 (*nomen nudum*) Palaeogene
 8. *Athera exilis* Menge in C. L. Koch & Berendt, 1854* Pa Baltic amber
- Attus* Walckenaer, 1805 [now *Salticus* Latreille, 1804; no currently valid fossil species]
 9. *Attus fossilis* Walckenaer, 1837 Pa Baltic amber
- Clubiona* Latreille, 1804 [also contains valid fossil species]
 10. *Clubiona eseri* Heer, 1865 Ne Öhningen
 11. *Clubiona latifrons* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 12. *Clubiona parvula* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 13. *Clubiona pilosa* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- † *Clythia* C. L. Koch & Berendt, 1854 [also contains a *nomen dubium* fossil species]
 14. *Clythia funesta* Koch & Berendt, 1854 Pa Baltic amber
 15. *Clythia gracilenta* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 16. *Clythia leptocarena* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- † *Dielacata* Menge in C. L. Koch & Berendt, 1854 (*nomen nudum*) Palaeogene
 17. *Dielacata superba* Menge in C. L. Koch & Berendt, 1854* Pa Baltic amber

- Drassus* Walckenaer, 1805** [now *Gnaphosa* Latreille, 1804; which also contains valid fossil species]
18. *Drassus oblongus* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- Dysdera* Latreille, 1804** [also contains valid fossil species]
19. *Dysdera hippopodium* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 20. *Dysdera glabrata* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 21. *Dysdera scobiculata* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 22. *Dysdera tenera* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- † ***Eolinus* Petrunkevitch, 1942** [also contains valid fossil species]
23. *Eolinus bitterfeldensis* Wunderlich, 2004aq Pa Baltic amber
 24. *Eolinus tystschenkoides* Wunderlich, 2004aq Pa Baltic amber
- Epeira* Walckenaer, 1805** [now *Araneus* Clerck, 1757; which also contains valid fossil species]
25. *Epeira eocaenica* Giebel, 1856 Pa Baltic amber
 26. *Epeira eocena* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- † ***Epeiridion* Menge in C. L. Koch & Berendt, 1854 (*nomen nudum*)** Palaeogene
27. *Epeiridion femoratum* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- † ***Erithus* Menge in C. L. Koch & Berendt, 1854 (*nomen nudum*)** Palaeogene
28. *Erithus applanatus* Menge in C. L. Koch & Berendt, 1854* Pa Baltic amber
- Ero* C. L. Koch & Berendt, 1836** [also contains valid fossil species]
29. *Ero coronata* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 30. *Ero exculta* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 31. *Ero sphaerica* C. L. Koch & Berendt, 1854 Pa Baltic amber
 32. *Ero quadripunctata* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- † ***Eyükselus* Özdīkmen, 2007 (*nomen nudum*)** Palaeogene
- = † *Propetes* Menge, 1854 [preoccupied]
33. *Eyükselus argutus* (Menge in C. L. Koch & Berendt, 1854) Pa Baltic amber
 34. *Eyükselus felinus* (Menge in C. L. Koch & Berendt, 1854) Pa Baltic amber
 35. *Eyükselus griseus* (Menge in C. L. Koch & Berendt, 1854) Pa Baltic amber
 36. *Eyükselus latifrons* (Menge in C. L. Koch & Berendt, 1854) Pa Baltic amber
 37. *Eyükselus pumilus* (Menge in C. L. Koch & Berendt, 1854) Pa Baltic amber
- Gea* C. L. Koch, 1843** [also contains valid fossil species]
38. *Gea pubescens* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- † ***Heteromma* Menge, 1856 (*nomen nudum*)** Palaeogene
39. *Heteromma intersecta* Menge, 1856* Pa Baltic amber
- † ***Idmonia* Menge in C. L. Koch & Berendt, 1854 (*nomen nudum*)** Palaeogene
40. *Idmonia virginea* Menge in C. L. Koch & Berendt, 1854* Pa Baltic amber
- Melanophora* C. L. Koch, 1833** [now *Zelotes* Gistel, 1848; which also contains valid fossil species]
41. *Melanophora lepida* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 42. *Melanophora nitida* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- Micaria* Westring, 1851** [also contains valid fossil species]
43. *Micaria ovata* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 44. *Micaria squamata* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 45. *Micaria tenuis* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber

- Micryphantes* C. L. Koch, 1833** [also contains valid fossil species]
- 46. *Micryphantes globulus* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 47. *Micryphantes turritus* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- † ***Mizalia* C. L. Koch & Berendt, 1854** [also contains valid fossil species]
- 48. *Mizalia truncata* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- † ***Ocia* Menge in C. L. Koch & Berendt, 1854 (*nomen nudum*)** Palaeogene
- 49. *Ocia hirsuta* Menge in C. L. Koch & Berendt, 1854* Pa Baltic amber
- Ocypete* C. L. Koch, 1836** [now *Heteropoda* Latreille, 1804; which also contains valid fossil species]
- 50. *Ocypete angustifrons* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 51. *Ocypete marginata* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- † ***Onca* Menge in C. L. Koch & Berendt, 1854 (*nomen nudum*)** Palaeogene
- 52. *Onca lepida* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 53. *Onca pumila* Menge in C. L. Koch & Berendt, 1854* Pa Baltic amber
- Philodromus* Walckenaer, 1826** [also contains valid fossil species]
- 54. *Philodromus griseus* Menge, 1856 Pa Baltic amber
 - 55. *Philodromus marginatus* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 56. *Philodromus reptans* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 57. *Philodromus redogradus* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 58. *Philodromus spinipes* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- Pythonissa* C. L. Koch, 1837** [now *Gnaphosa* Latreille, 1804; which also contains valid fossil species]
- 59. *Pythonissa bipunctata* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 60. *Pythonissa discophora* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 61. *Pythonissa glabra* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 62. *Pythonissa villosa* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- Segestria* Latreille, 1804** [also contains valid fossil species]
- 63. *Segestria exarata* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 64. *Segestria sulcata* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 65. *Segestria undulata* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- † ***Siga* Menge in C. L. Koch & Berendt, 1854 (*nomen nudum*)** Palaeogene
- 66. *Siga crinita* Menge in C. L. Koch & Berendt, 1854* Pa Baltic amber
- † ***Spheconia* Menge in C. L. Koch & Berendt, 1854 (*nomen nudum*)** Palaeogene
- 67. *Spheconia brevipes* Menge in C. L. Koch & Berendt, 1854* Pa Baltic amber
- † ***Syphax* C. L. Koch & Berendt, 1854** [also contains valid fossil species]
- 68. *Syphax hirtus* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- Theridium* Walckenaer, 1805** [now *Theridion* Walckenaer, 1805; which also contains valid fossil species]
- 69. *Theridium bifurcum* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 70. *Theridium chorius* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 71. *Theridium clavigerum* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 72. *Theridium crassipes* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 73. *Theridium setulosum* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- Thomisus* Walckenaer, 1805** [also contains valid fossil species]
- 74. *Thomisus matutinus* Menge, 1856 Pa Baltic amber

- † *Thyelia* C. L. Koch & Berendt, 1854 [also contains valid fossil species]
- 75. *Thyelia mengei* Giebel, 1856 Pa Baltic amber
 - 76. *Thyelia pectinata* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 77. *Thyelia spinosa* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
- † *Zilla* C. L. Koch & Berendt, 1834 [also contains valid fossil species]
- 78. *Zilla cornumana* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber
 - 79. *Zilla spinipalpa* Menge in C. L. Koch & Berendt, 1854 Pa Baltic amber

MISIDENTIFICATIONS

Aranea Clerck, 1757 [now *Araneus* Clerck, 1757; which also contains valid fossil species]

- 1. *Aranea fusca pilosa* Bloch, 1776 [*nomen dubium*; non Araneae?] Qt Copal

† *Archaeometa* Pocock, 1911 ?Devonian – Carb.

- 2. ?*Archaeometa devonica* Størmer, 1976 [unidentifiable] D Alken an der Mosel
- 3. *Archaeometa nephilina* Pocock, 1911* [not identified] C Coseley

† *Arachnometa* Petrunkevitch, 1949 Carboniferous

- 4. *Arachnometa tuberculata* Petrunkevitch, 1949* [not identified] C Coseley

† *Eopholcus* Frič, 1904 Carboniferous

- 5. *Eopholcus pedatus* Frič, 1904* [not identified] C Nýřany

† *Palaeocteniza* Hirst, 1923 Devonian

- 6. *Palaeocteniza crassipes* Hirst, 1923* [juvenile trigonotarbid?] D Rhynie chert

† *Pleurolycosa* Frič, 1904 Carboniferous

- 7. *Pleurolycosa prolifera* (Frič, 1901)* [unidentifiable] C Nýřany

42,055 Recent species according to Platnick (2011)

HAPTOPODA

1 currently valid species of fossil haptopodid

† HAPTOPODA Pocock, 1911	Carboniferous
† PLESIOSIRONIDAE Pocock, 1911	Carboniferous
† Plesiosiro Pocock, 1911	Carboniferous
1. <i>Plesiosiro madeleyi</i> Pocock, 1911	C Coseley

no Recent species

AMBLYPYGI

9 currently valid species of fossil whip spider

AMBLYPYGI Thorell, 1882 Carbon. – Recent

= PHRYNÉIDES Walckenaer, 1837

= PHRYNICHIDA Petrunkevitch, 1945a

PALAEOAMBLYPYGI Weygoldt, 1996 (suborder) Carbon. – Recent

family uncertain

† **Sorellophrynus Harvey, 2002** Carboniferous

= † *Protophrynus* Petrunkevitch, 1913 (preoccupied)

1. *Sorellophrynus carbonarius* (Petrunkevitch, 1913)* C Mazon Creek

† **Thelyphrynus Petrunkevitch, 1913** Carboniferous

2. *Thelyphrynus elongatus* Petrunkevitch, 1913 C Mazon Creek

PARACHARONTIDAE Weygoldt, 1996 Carbon. – Recent

† **Graeophonus Scudder, 1890b** Carboniferous

3. *Graeophonus anglicus* Pocock, 1911 C Coseley

4. *Graeophonus carbonarius* (Scudder, 1876)* C Cape Breton

5. *Graeophonus scudderii* Pocock, 1911 C Mazon Creek

EUAMBLYPYGI Weygoldt, 1996 (suborder) Cretaceous – Recent

CHARINIDAE Quintero, 1986 Recent

no fossil record

NEOAMBLYPYGI Weygoldt, 1996 (infraorder) Cretaceous – Recent

CHARONTIDAE Simon, 1892a Recent

no fossil record

PHRYNOIDEA Blanchard, 1852 Cretaceous – Recent

PHRYNICHIDAE Simon, 1892a Recent

no fossil record

PHRYNIDAE Blanchard, 1852 Cretaceous – Recent

= † ELECTROPHRYNIDAE Petrunkevitch, 1971

† **Britopygus Dunlop & Martill, 2002** Cretaceous

6. *Britopygus weygoldti* Dunlop & Martill, 2002 K Crato Formation

† **Electrophrynus Petrunkevitch, 1971** Neogene

7. *Electrophrynus mirus* Petrunkevitch, 1971 Ne Chiapas amber

Phrynus Lamarck, 1801 Neogene – Recent

8. *Phrynos mexicana* Poinar & Brown, 2004 Ne Chiapas amber
9. *Phrynos resinæ* (Schawaller, 1979b) Ne Dominican amber

NOMINA DUBIA

1. *Phrynos fossilis* Keferstein, 1834 Pa Aix-en-Provence
 - i. = *Phrynos marioni* Gourret, 1887 Pa Aix-en-Provence

136 Recent species according to Harvey (2003)

UROPYGI

7 currently valid species of fossil whip scorpion

UROPYGI Thorell, 1882 **Carbon. - Recent**

- = THELYPHONIDA Latreille, 1804b
- = UROTRICHA C. L. Koch, 1851
- = OXOPOEI Thorell, 1888
- = HOLOPELTIDIA Börner, 1902

plesion genera

† Geralinura Scudder, 1884 **Carboniferous**

- 1. *Geralinura britannica* Pocock, 1911 C Coseley
- 2. *Geralinura carbonaria* Scudder, 1884* C Mazon Creek
 - i. = *Geralinura gigantea* Petrunkevitch, 1913 C Mazon Creek
 - ii. = *Geralinura similis* Petrunkevitch, 1913 C Mazon Creek

† Parageralinura Tetlie & Dunlop, 2008 **Carboniferous**

- 3. *Parageralinura naufraga* (Brauckmann & Koch, 1983) C Hagen-Vorhalle
- 4. *Parageralinura neerlandicus* Laurentiaux-Viera & Laurentiaux, 1961 C Limburg

† Proschizomus Dunlop & Horrocks, 1996 **Carboniferous**

- 5. *Proschizomus petrunkevitchi* Dunlop & Horrocks, 1996 C Coseley

† Prothelyphonus Frič, 1904 **Carboniferous**

- 6. *Prothelyphonus boemicus* (Kušta, 1884b) C Rakovník
 - i. = *Prothelyphonus cordai* Frič, 1904 C Rakovník
 - ii. = *Geralinura crassa* Kušta, 1888 C Rakovník
 - iii. = *Geralinura noctua* Kušta, 1888 C Rakovník
 - iv. = *Geralinura scudderi* Kušta, 1888 C Rakovník

THELYPHONIDAE Lucas 1835 **Cretaceous – Recent**

† Mesoproctus Dunlop, 1988 **Cretaceous**

- 7. *Mesoproctus rowlandi* Dunlop, 1998 K Crato Formation
- Mesoproctus* sp. in Dunlop & Martill (2002) K Crato Formation

MISIDENTIFICATIONS

- 1. *Thelyphonus hadleyi* Pierce, 1945 [unidentifiable, ?algal] Ne California

SCHIZOMIDA

6 currently valid species of fossil schizomid from 6 published names

- the fossil family Calcitronidae cannot be meaningfully compared to the Recent families

SCHIZOMIDA Petrunkevitch, 1945b Palaeogene – Recent

= TARTARIDES Thorell, 1888 (tribe)
 = COLOPYGA Cook, 1899 (order)
 = SCHIZOPELTIDA Börner, 1902 (tribe)

† **CALCITRONIDAE Petrunkevitch, 1945b** Palaeogene – Neogene

† **Calcitro Petrunkevitch, 1945b** Palaeogene – Neogene

1. *Calcitro fisheri* Petrunkevitch, 1945b* Ne Onyx Marble
2. *Calcitro oplonis* Lin in Lin et al., 1988 Pa Shandong, China

HUBBARDIIDAE Cook, 1899 Neogene – Recent

† **Calcoschizomus** Pierce, 1951 Neogene

3. *Calcoschizomus latisternum* Pierce, 1951 Ne Onyx Marble

?**Mayazomus Reddell & Cokendolpher, 1995** ?Neogene – Recent

4. ?*Mayazomus pseudoannulatus* Krüger & Dunlop, 2010 Ne Dominican Amber

† **Onychothelyphonus** Pierce, 1950 Neogene

5. *Onychothelyphonus bonneri* Pierce, 1950 Ne Onyx Marble

Stenochrus Chamberlin, 1922 Neogene – Recent

6. *Stenochrus velteni* Krüger & Dunlop, 2010 Ne Dominican Amber

PROTOSCHIZOMIDAE Rowland, 1975 Recent

no fossil record

References

- Absolon, K. & Kratochvíl, J. 1932. Zur Kenntnis der höhlenbewohnenden Araneae der illyrischen Karstgebiete. *Mitteilungen über Höhlen- und Karstforschung*, 3: 73–81.
- Agassiz, L. 1844. *Monographie des poisons fossiles du Vieux Gres Rouge ou Systeme Devonian*. Neufchatel, folio: 171 pp.
- Allen, J. G. & Feldman, R. M. 2005. *Panduralimulus babcocki* n. gen. and sp., a new Limulacean horseshoe crab from the Permian of Texas. *Journal of Paleontology*, 79: 594–600.
- Ambrose, T. & Romano, M. 1972. New Upper Carboniferous Chelicerata (Arthropoda) from Somerset, England. *Palaeontology* 15: 569–578.
- Ambrus, B. & Hably, L. 1979. *Eriophyes daphnogene* sp. n. a fossil gall from the Upper Oligocene of Hungary. *Annales Historico-Naturales Musei Nationalis Hungarici*, 71: 55–56.
- Amerling, C. 1862. Naturökonomie der von ihm beobachteten Milben, insbesondere der Trombidieen. *Sitzungsberichte der Königlich Böhmischem Gesellschaft der Wissenschaften in Prague*, 2: 54–56.
- Ammon, L. von 1901. Ueber *Anthracomartus* aus dem Pfälzischen Carbon. *Geognostische Jahresshefte*, 13: 1–6.
- Anderson, L. I., Dunlop, J. A. & Trewin, N. H. 2000. A Middle Devonian chasmataspid arthropod from Achanarras Quarry, Caithness, Scotland. *Scottish Journal of Geology*, 36: 151–158.
- Andrée, K. 1913. Ueber *Anthracophrynx tuberculatus* nov. gen. nov. spec. aus dem productiven Karbon von Dudweiler im Saar-Revier, nebst einer Liste der bisher im Karbon Deutschland gefundenen Arachnoidenreste. *Jahres-Bericht und Mitteilungen der Oberrheinischen Geologischen Vereins*, 3: 89–93.
- Ansorge, J. 2003. Insects from the Lower Toarcian of Middle Europe and England. *Acta zoologica cracoviensia*, 46 (suppl.–Fossil Insects): 291–310.
- Aoki, J. 1965. Oribatiden (Acarina) Thailands. I. *Nature and Life in Southeast Asia*, 4: 129–193.
- Aoki, J. 1966a. A remarkable new oribatid mite from South Japan (Cryptostigmata: Tokunocepheidae, fam. nov.). *Acarologia*, 8: 358–364.
- Aoki, J. 1966b. Epizoic symbiosis: an oribatid mite, *Symbioribates papuensis*, representing a new family, from cryptogamic plants growing on backs of Papuan weevils (Acari: Cryptostigmata). *Pacific Insects*, 8: 281–289.
- Aoki, J. 1974. [On the fossil mites in Mizunami amber from Gifu Prefecture, Central Japan.] *Bulletin of the Mizunami Fossil Museum*, 1: 397–399 [in Japanese with English summary].
- Aoki, J. 1976. Oribatid mites from the IBP Study Area, Pasoh Forest Reserve, West Malaysia. *Nature and Life in Southeast Asia*, 7: 39–59.
- Aoki, J., Takaku, G. & Ito, F. 1994. Aribatidae, a new myrmecophilous oribatid mite family from Java. *International Journal of Acarology*, 20: 3–10.

- Arillo, A. & Subías, L.S. 2000. A new fossil oribatid mite, *Arachaeocheistes minguezae* n. gen. n. sp. from Spanish Lower Cretaceous amber. *Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg*, 84: 231–236.
- Arillo, A. & Subías, L.S. 2002. Second fossil oribatid mite from the Spanish Lower Cretaceous amber. *Eupterotegaeus bitranslammellatus* n. sp. (Acariformes, Oribatida, Cepheidae). *Acarologia*, 42: 403–406.
- Arillo, A., Subiás, L. S. & Shtanchaeva, U. 2008. A new fossil oribatid mite, *Ommatocepheus nortoni* sp. nov. (Acariformes, Oribatida, Cepheidae), from a new outcrop of Lower Cretaceous Álava amber (northern Spain). *Systematic and Applied Acarology*, 13: 252–255.
- Arillo, A., Subiás, L. S. & Shtanchaeva, U. 2009. A new fossil species of oribatid mite, *Ametroproctus valeriae* sp. nov. (Acariformes, Oribatida, Ametroproctidae), from the Lower Cretaceous amber of San Just, Teruel Province, Spain. *Cretaceous Research*, 30: 322–324.
- Atyeo, W. T. & Baker, E. W. 1964. Tarsocheylidae, a new family of prostigmatic mites (Acarina). *Bulletin of the University of Nebraska State Museum*, 4: 243–256.
- Atyeo W. T. & Gaud, J. 1979. Ptyssalgidae, a new family of analgoid feather mites (Acarina, Acaridida). *Journal of Medical Entomology*, 16: 306–308.
- Atyeo, W. T. & Peterson, P. C. 1972. The feather mite family Alloptidae Gaud, new status, I. The subfamilies Trouessartiinae Gaud and Thysanocercinae, new subfamily (Analgoidea). *Zoologischer Anzeiger*, 188: 56–60.
- Atyeo W. T., Baker, E. W. & Delfinado M. D. 1974. *Gaudiella minuta*, a new genus and species of mite (Acarina: Acaridia) belonging to the new family Gaudiellidae. *Journal of the Washington Academy of Sciences*, 64: 295–298.
- Audouin, V. 1826. Explication sommaire des planches d'arachnides de l'Égypte et de la Syrie. In *Description de l'Égypt ou Recueil des Observations et des Recherches qui ont été Faites en Égypte Pendant l'Expédition de l'Armée Française, 1st edition*, 1(4), 99–186. C. L. F. Panckoucke, Paris.
- Ausserer, A. 1867. Die Arachniden Tirols nach ihrer horizontalen und verticalen Verbreitung; 1. *Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien*, 17: 137–170.
- Ausserer, A. 1875. Zweiter Beitrag zur Kenntniss der Arachniden-Familie der Territelariae Thorell (Mygalidae Autor). *Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien*, 25: 125–206.
- Ayyildiz, N. & Luxton, M. 1989. Epimerellidae (Acari, Oribatida), a new mite family. *Journal of Natural History*, 23: 1381–1386.
- Baily, W. H. 1863. Remarks on some Coal Measures Crustacea belonging to the genus *Belinurus*, König, with description of two new species from Queen's County, Ireland. *Annals and Magazine of Natural History*, 11: 107–114.
- Baily, W. H. 1869. On fossils obtained at Kiltorcan Quarry, Co. Kilkenny. *British Association Report*, pp. 73–75.

- Baker, E. W. 1949. Pomerantziidae, a new family of prostigmatic mites. *Journal of the Washington Academy of Science*, 39: 269–271.
- Baker, E. W. & Pritchard, A. E. 1953. The family categories of tetranychoid mites, with a review of the new families Linotetranidae and Tuckerellidae. *Annals of the Entomological Society of America*, 46: 243–258.
- Baldwin W. & Sutcliffe, W. H. 1904. *Eoscorpius sparthenensis* n. sp. from the Middle Coal Measures of Lancashire. - *Quarterly Journal of the Geological Society of London*, 60: 395–398.
- Balogh, J. 1958. Oribatides nouvelles de l'Afrique tropicale. *Revue Zoologie Botanique Africaines*, 58: 1–34.
- Balogh, J. 1968. New Oribatids (Acari) from New Guinea. *Acta Zoologica Academiae Scientiarum Hungaricae*, 14: 259–285.
- Balogh, J. 1970. New Oribatids (Acari) from New Guinea. II. *Acta Zoologica Academiae Scientiarum Hungaricae*, 16: 291–344
- Balogh, J. 1972. *The oribatid genera of the world*. Akadémiai Kiadó, Budapest, 188 pp.
- Balogh, J. 1983. A partial revision of the Oppiidae Grandjean, 1954 (Acari: Oribatei). *Acta Zoologica Academiae Scientiarum Hungaricae*, 29: 1–79.
- Balogh, J. & Balogh, P. 1984. A review of the Oribatuloidea Thor, 1929 (Acari: Oribatei). *Acta Zoologica Hungarica* 30: 257–313.
- Balogh, J. & Balogh, P. 1992. *The oribatid mites genera of the world. I*. Hungarian National Museum Press, 263 pp.
- Balzan, L. 1888. *Chernetidae Nonnullae Sud-Americanae, III*. Asuncion.
- Balzan, L. 1892. Voyage de M. E. Simon au Venezuela (Décembre 1887 – Avril 1888). Arachnides. Chernetes (Pseudoscorpiones). *Annales de la Société Entomologique de France*, 60: 497–552.
- Bamber, R. 2007. A holistic re-interpretation of the phylogeny of the Pycnogonida Latreille, 1810 (Arthropoda). *Zootaxa*, 1668: 295–312.
- Banks, N. 1892a. A new genus of Phalangiidae. *Proceedings of the Entomological Society of Washington*, 2(2): 249–251.
- Banks, N. 1893. The Phalanginae of the United States. *The Canadian Entomologist*, 25: 205–211.
- Banks, N. 1895. Notes on the Pseudoscorpionida. *Journal of the New York Entomological Society*, 3: 1–13.
- Banks, N. 1896. New North American spiders and mites. *Transactions of the American Entomological Society*, 23: 57–77.
- Banks, N. 1905. Arachnids from the Cocos Island. *Proceedings of the Entomological Society of Washington*, 7: 20–23.
- Barbour, E. H. 1914. Carboniferous eurypterids of Nebraska. *American Journal of Science*, 4th Series, 38: 507–510.
- Beecher, C. E. 1902. Note on a new xiphosuran from the Upper Devonian of Pennsylvania. *American Geologist*, 29, 143–146.

- Beecher, C. E. 1904. Note on a new Permian xiphosuran from Kansas. *American Journal of Science, 4th Series*, 17: 23–24.
- Beier, M. 1932a. Pseudoscorpionidea I. Subord. Chthoniinea et Neobisiinea. *Tierreich*, 57: i–xx, 1–258.
- Beier, M. 1932b. Pseudoscorpionidea II. Subord. C. Cheliferina. *Tierreich*, 58: i–xxi, 1–294.
- Beier, M. 1937. Pseudoscorpione aus dem baltischen Bernstein. *Festschrift zum 60. Geburtstag von Professor Dr. Embrik Strand, Riga*, 2: 302–316.
- Beier, M. 1947a. Pseudoscorpione im Baltischen Bernstein und die Untersuchung von Bernstein-Einschlüssen. *Mikroskopie, Wien*, 1: 188–199.
- Beier, M. 1947b. Zur Kenntnis der Pseudoscorpionidenfauna des südlichen Afrika, insbesondere der südwest und südafrikanischen Trockengebiet. *Eos, Madrid*, 23: 285–339.
- Beier, M. 1955. Pseudoscorpione im baltischen Bernstein aus dem Geologischen Staatsinstitut in Hamburg. *Mitteilungen aus dem Mineralogisch-Geologischen Staatsinstitut in Hamburg*, 25: 48–54.
- Bell, W. A. 1922. A new genus of Characeae and new Merostomata from the Coal Measures of Nova Scotia. *Transactions of the Royal Society of Canada*, 4: 159–167.
- Bergström, J., Stürmer, W. & Winter, G. 1980. *Palaeoisopus, Palaeopantopus* and *Palaeothea*, pycnogonid arthropods from the Lower Devonian Hunsrück Slate, West Germany. *Paläontologische Zeitschrift*, 54: 7–54.
- Berland, L. 1913. Araignées. In *Mission du Service géographique de l'armée pour la mesure d'un arc du méridien équatorial en Amérique du Sud (1899-1906)*. Paris, 10: 78–119.
- Berland, L. 1939. Description de quelques Araignées fossiles. *Revue Française d'Entomologie*, 6: 1–9.
- Berlese, A. 1885. Acarorum Systematis. *Bullettino della Società Entomologica Italiana*, 17: 121–135.
- Berlese, A. 1888. Acari Austro-Americani quos collegit Aloysius Balzan. Manipulus primus. Species novas circiter quinquaginta complectens. *Bullettino della Società Entomologica Italiana*, 20: 171–222.
- Berlese, A. 1896. Acari, Myriapoda et Scorpiones hucusque in Italia reperta. *Acari, Myriapoda et Scorpiones in Italia reperta*, Fasc. 79, 15 pp., 6 pls.
- Berlese, A. 1899. Gli acari agrarii. Puntat II. *Rivista di Patologia Vegetale, Padova*, 7: 312–344.
- Berlese, A. 1908. Elenco di generi e specie nuove di acari. *Redia*, 5: 1–15.
- Berlese, A. 1910. Lista di nuove specie e nuovi generi di Acari. *Redia*, 6: 242–271.
- Berlese, A. 1914. Acari nuovi. *Redia*, 10: 1–150.
- Berlese, A. 1923. Centuria sesta di Acari nuovi. *Redia*, 15: 237–262.
- Bernini, F. 1975. Notulae Oribatologicae XII. Una nuova specie di *Carabodes* affine a *C. minusculus* Berlese 1923 (Acarida, Oribatei). *Redia* 56: 455–471.
- Bertkau, P. 1872. Über die Respirationsorgane der Araneen. *Archiv für Naturgeschichte*, 38: 208–233.

- Bertkau, P. 1878a. Versuch einer natürlichen Anordnung der Spinnen, nebst Bemerkungen zu einzelnen Gattungen. *Archiv für Naturgeschichte*, 44: 351–410.
- Bertkau, P. 1878b. Einige Spinnen und ein Myriapode aus der Braunkohle von Rott. *Verhandlungen des Naturhistorischen Vereins der Preussischen Rheinlande und Westfalens, Bonn*, 35: 346–360.
- Bertkau, P. 1882. Ueber das Cribellum und Calamistrum. Ein Beitrag zur Histologie, Biologie und Systematik der Spinnen. *Archiv für Naturgeschichte*, 48: 316–362.
- Beyschlag, F. & Fritsch, K. von 1899. Das jüngere Steinkohlengebirge und das Rothliegende in der Provinz Sachsen und den angrenzenden Gebieten. *Abhandlungen der Königlich Preussischen geologischen Landesanstalt*, 10: 1–263.
- Blackwall, J. 1833. Characters of some undescribed genera and species of Araneidae. *London philosophical Magazine and Journal of Science*, 3: 104–112, 187–197, 344–352, 436–443.
- Blackwall, J. 1834a. Characters of some undescribed species of Araneidae. *London philosophical Magazine and Journal of Science*, 5: 50–53.
- Blackwall, J. 1834b. *Researches in Zoology*. London, pp. 229–433.
- Blackwall, J. 1841. The difference in the number of eyes with which spiders are provided proposed as the basis of their distribution into tribes; with descriptions of newly discovered species and the characters of a new family and three new genera of spiders. *Transactions of the Linnean Society, London*, 18: 601–670.
- Blackwall, J. 1853. Descriptions of some newly discovered species of Araneida. *Annals and Magazine of Natural History, series 2*, 11: 14–25.
- Blackwall, J. 1859. Descriptions of newly discovered spiders captured by James Yate Johnson Esq., in the island of Maderia. *Annals and Magazine of Natural History, series 3*, 4: 255–267.
- Blackwall, J. 1862. Descriptions of newly-discovered spiders from the island of Madeira. *Annals and Magazine of Natural History, series 3*, 9: 370–382.
- Blackwall, J. 1864. *A History of the Spiders of Great Britain and Ireland. Part II*. The Ray Society, London, 1864 pp. 175–384.
- Blackwall, J. 1870. Notes on a collection of spiders made in Sicily in the spring of 1868, by E. Perceval Wright, M.D., with a list of the species, and descriptions of some new species and of a new genus. *Annals and Magazine of Natural History, series 4*, 5: 392–405.
- Blanchard, E. 1852. Arachnides. In *L'organisation du règne animal, 2nd Edition*, vol. 2. E. Blanchard, Paris.
- Blaszak, J., Cokendolpher, J. C. & Polyak, V. J. 1995. *Paleozеркон cavernicolous*, a new genus and new species of fossil mite from a cave in the southwestern U.S.A. (Acari, Gamasida: Zerconidae). *International Journal of Acarology*, 21: 253–259.
- Bloch, M. [E.] 1776. Naturgeschichte des Kopals. *Beschäftigungen der Berlinischen Gesellschaft Naturforschender Freunde*, 2: 91–196.
- Bode, A. 1951. Ein Liassischer Skorpionide. *Palaeontologische Zeitschrift*, 24: 58–65.

- Bolland, H. R. & Magowski, W. Ł. 1990. *Neophyllobius succineus* n. sp. from Baltic amber (Acari: Raphignathoidea: Camerobiidae). *Entomologische Berichten*, 50: 17–21.
- Bosselaers, J. 2004. A new *Garacops* species from Madagascar copal (Araneae: Selenopidae). *Zootaxa*, 445: 1–7.
- Bosselaers, J., Dierick, M., Cnudde, V., Masschaele, B., Van Hoorebeke, L. & Jacobs, P. 2010. High resolution X-ray computed tomography of an extant new *Donuea* (Araneae: Liocranidae) species in Madagascan copal. *Zootaxa*, 2427: 25–35.
- Bottali, P. 1975. Note su due rari esemplari di Araneidi (Aracnidi) rinvenuti nei depositi diatomitici (facies lacustre) di Riano Flaminio (Roma). *Fragmenta entomologica*, 11: 169–174.
- Braddy, S. J., Aldridge, R. J. & Theron, J. N. 1995. A new eurypterid from the Late Ordovician Table Mountain Group, South Africa. *Palaeontology*, 38: 563–581.
- Braddy, S. J., Selden, P. A. & Doan Nhat T. 2002. A new carcinosomatid eurypterid from the Upper Silurian of Northern Vietnam. *Palaeontology*, 45: 897–915.
- Brauckmann, C. 1982. Der Schwertschwanz *Euproops* (Xiphosurida, Limulina, Euproopacea) aus dem Ober-Karbon des Piesbergs bei Osnabrück. *Osnabücker naturwissenschaftliche Mitteilungen*, 9: 17–26.
- Brauckmann, C. 1984. Eine neue Arachniden-Art aus dem Westfalia des Saargebietes (West-Deutschland). *Dortmunder Beiträge zur Landeskunde, naturwissenschaftliche Mitteilungen*, 18: 95–103.
- Brauckmann, C. 1987. Neue Arachniden (Ricinuleida, Trigonotarbida) aus dem Namurium B von Hagen-Vorhalle (Ober-Karbon; West-Deutschland). *Dortmunder Beiträge der Landeskunde, naturwissenschaftliche Mitteilungen*, 21: 97–109.
- Brauckmann, C. & Koch, L. 1983. *Prothelyphonus naufragus* n. sp., ein neuer Geisselskorpion [Arachnida: Thelyphonida: Thelyphonidae] aus dem Namurium unteres Oberkarbon) von West-Deutschland. *Entomologica Germania*, 9: 63–74.
- Brauckmann, C., Koch, L. & Kemper, M. 1985. Spinnentiere (Arachnida) und Insekten aus den Vorhalle-Schichten (Namurian B; Ober-Karbon) von Hagen-Vorhalle (West-Deutschland). *Geologie und Paläontologie in Westfalen*, 3: 1–131.
- Brauer, F., Redtenbacher, J. & Ganglbauer, L. 1889. Fossile Insekten aus der Juraformation Ost-Siberiens. *Mémoires de l'Académie Impériale des Sciences de St.-Petersbourg, VII serie*, 36(15): 1–22.
- Braun, C. F. W. 1860. Die Thiere in den Pflanzenschifern der Gegend von Bayreuth. Programm zum Jahresbericht der Königl. Kreis-Landwirtschafts- und Gewerbschule zu Bayreuth für das Schuljahr 1859/60. *Jahresbericht von der Königl. Kreis-Landwirtschafts- und Gewerbschule zu Bayreuth für das Schuljahr 1859/60*: 11 pp.
- Brescovit, A. D. 1997. Revisão de Anyphaeninae Bertkau a nível de gêneros na região neotropical (Araneae, Anyphaenidae). *Revista Brasileira de Zoologia*, 13: 1–187.

- Briggs, T. A. 1971. Relict harvestmen from the Pacific northwest (Opiliones). *Pan-Pacific Entomologist*, 74: 165–178.
- Bristowe, W. S. 1938. The classification of spiders. *Proceedings of the Zoological Society of London*, 108: 285–322.
- Bristowe, W. S. 1939. *The comity of spiders. Volume 1*. London, 228 pp.
- Brongniart, C. 1877. Note sur une Aranéide fossile des terrains tertiaires. *Annales de la Société Entomologique de France*, (5) 7: 221–224.
- Bruce, W. A. & Johnston, D. E. 1976. *Gaudoglyphus* n. gen., based on *Analges minor* Nörner (Acari: Gaudoglyphidae n. fam.). *International Journal of Acarology*, 2: 29–33.
- Broili, F. 1928. Crustaceenfunde aus dem rheinischen Unterdevon. I. Über Extremitätenreste. *Sitzungsberichte der Bayerischen Akademie der Wissenschaften, Mathematisch-naturwissenschaftliche Abteilung*, 1928: 197–201.
- Broili, F. 1930. Über ein neues Exemplar von *Palaeopantopus*. *Sitzungsberichte der Bayerischen Akademie der Wissenschaften, Mathematisch-naturwissenschaftliche Abteilung*, 1930: 209–214.
- Bronn, H. G. 1856. *Lethaea Geognostica oder Abbildung und Beschreibung für die Gebirgs-Formationen bezeichnendsten Versteinerungen. Dritter Band*. Schweizerbart'sche Verlagshandlung und Druckerei 1853–1856, pp. 622–639.
- Buckland, W. 1837. *The Bridgewater treatises on the power, wisdom and goodness of God as manifested in the creation. Treatise IV. Geology and mineralogy with reference to natural theology. 2nd Edition*. William Pickering, London.
- Bulanova-Zachvatkina, E. M. 1974. [New genera of oribatid mites from the Upper Cretaceous of Tajmyr.] *Paleontological Journal*, 1974: 141–144. [In Russian]
- Burmeister, H. 1843. *Die Organisation der Trilobiten, aus ihren lebenden Verwandten entwickelt; nebst systematischen Uebersicht aller zeither beschrieben Arten*. G. Reimer, Berlin, 148 pp.
- Cambridge, F. O. P.- 1893. Handbook to the study of British spiders (Drassidae and Agelenidae). *British Nature Supplement*, 3: 117–170.
- Cambridge, F. O. P.- 1899. Arachnida. Araneida. Vol. 2. *Biologia Centrali-Americana*: pp. 41–88.
- Cambridge, O. P.- 1870. Descriptions and sketches of two new species of Araneida, with characters of a new genus. *Journal of the Linnean Society of London*, 10: 398–405.
- Cambridge, O. P.- 1871. Arachnida (1870). *The Zoological Record*, 7: 207–224.
- Cambridge, O. P.- 1873. On some new genera and species of Araneida. *Proceedings of the Zoological Society of London*, 1873: 112–129.
- Cambridge, O. P.- 1874. On some new genera and species of Araneida. *Annals and Magazine of Natural History, series 4*, 14: 169–183.

- Cambridge, O. P.- 1876. On a new order and some new genera of Arachnida from Kerguelen's Land. *Proceedings of the Zoological Society of London*, 1876: 258–265.
- Cambridge, O. P.- 1877. On some new species of Araneida, with characters of two new genera and remarks on the families Podophthalmides and Dinopides. *Proceedings of the Zoological Society of London*, 1877: 557–578.
- Cambridge, O. P.- 1879a. On some new and rare spiders from New Zealand, with characters of four new genera. *Proceedings of the Zoological Society of London*, 1879: 681–703.
- Cambridge, O. P.- 1879b. On some new and rare British spiders, with characters of a new genus. *Annals and Magazine of Natural History*, 4: 190–215.
- Cambridge, O. P.- 1881. On some new genera and species of Araneidea. *Proceedings of the Zoological Society of London*, 1881: 765–775.
- Cambridge, O. P.- 1882a. On new genera and species of Araneidea. *Proceedings of the Zoological Society of London*, 1882: 423–442.
- Cambridge, O. P.- 1882b. Arachnida (1881). *The Zoological Record*, 18: 1–32.
- Cambridge, O. P.- 1894. Arachnida. Araneida. Vol. 1. *Biologia Centrali-Americanana*: pp. 121–144.
- Cambridge, O. P.- 1895. Arachnida. Araneida. Vol. 1. *Biologia Centrali-Americanana*: pp. 145–160.
- Cambridge, O. P.- 1898. Arachnida. Araneida. Vol. 1. *Biologia Centrali-Americanana*: pp. 233–288.
- Cambridge, O. P.- 1902. On new and rare British Arachnida. *Proceedings of the Dorset Natural History and Antiquarian Field Club*, 23: 16–40.
- Camin, J. H. & Gorirossi, F. E. 1955. A revision of the suborder Mesostigmata (Acarina), based on new interpretations of comparative morphological data. *Chicago Academy of Sciences Special Publication*, 11: 1–70.
- Camin J. H., Moss W. W. & Oliver J. H. 1967. Cloacaridae, a new family of cheyletoid mites from the cloaca of aquatic turtles. *Journal of Medical Entomology*, 4: 261–272.
- Campos, D. R. B. 1986. Premeiro registro fóssil de Scorpinoidea na Chapada do Araripe (Cretáceo Inferior), Brasil. *Anais do Academia Brasileira dos Ciências*, 58: 135–137.
- Canestrini, G. & Fanzago, F. 1877. Intorno agli Acari italiani. - Atti del R. Istituto Veneto Scienze, Lettere ed Arti, Ser. 5 4: 69–208.
- Canestrini, G. & Pavesi, P. 1870. Catalogo sistematico degli Araneida italiani. *Archivo per la zoologia, l'anatomia e la fisiologia*, (2)2: 1–44.
- Capriacco, L. di 1949. Aracnidi della colonia de Kenya raccolti da Toschi e Meneghetti negli anni 1944–1946. *Commentationes Pontificiae Academiae Scientiarum*, 13: 309–492.
- Carvalho, M. P. G. de & Lourenço, W. R. 2001. A new family of fossil scorpions from the Early Cretaceous of Brazil. *Comptes Rendus de l'Académie de Sciences de Paris, Earth and Planetary Sciences*, 332: 711–716.

- Caster, K. E. & Brooks, H. K. 1956. New fossils from the Canadian–Chazan (Ordovician) hiatus in Tennessee. *Bulletin of American Palaeontology*, 36: 157–199.
- Caster, K. E. & Kjellesvig-Waering, E. N. 1953. *Melbournopterus*, a new Silurian eurypterid from Australia. *Journal of Paleontology*, 27: 153–156.
- Caster, K. E. & Kjellesvig-Waering, E. N. 1955. *Marsupipterus*, an unusual eurypterid from the Downtonian of England. *Journal of Paleontology*, 29: 1040–1041.
- Caster, K. E. & Kjellesvig-Waering, E. N. 1956. Some notes on the genus *Dolichopterus* Hall. *Journal of Paleontology*, 30: 19–28.
- Caster K. E. & Kjellesvig-Waering, E. N. 1964. Upper Ordovician eurypterids of Ohio. *Palaeontographica Americana*, 4 (32): 297–358.
- Chamberlin, J. C. 1923a. The genus *Pseudogarypus* Ellingsen (Pseudoscorpionida – Feallidae). *Entomological News*, 34: 146–149, 161–166.
- Chamberlin, J. C. 1923b. New and little known pseudoscorpions, principally from the islands and the adjacent shores of the Gulf of California. *Proceedings of the California Academy of Science*, (4)12: 353–387.
- Chamberlin, J. C. 1929. A synoptic classification of the false scorpions or chela-spinners, with a report on a cosmopolitan collection of the same. Part I. The Heterosphyronida (Chthoniidae) (Arachnida-Chelonethida). *Annals and Magazine of Natural History*, series 10, 4: 50–80.
- Chamberlin, J. C. 1930. A synoptic classification of the false scorpions or chela-spinners, with a report on a cosmopolitan collection of the same. Part II. The Diplosphyronida (Arachnida-Chelonethida). *Annals and Magazine of Natural History*, series 10, 5: 1–48, 585–620.
- Chamberlin, J. C. 1931a. The arachnid order Chelonethida. *Stanford University Publications, Biological Sciences*, 7: 1–284.
- Chamberlin, J. C. 1931b. A synoptic revision of the generic classification of the chelonethid family Cheliferidae Simon (Arachnida). *Canadian Entomologist*, 64: 289–294.
- Chamberlin, J. C. 1947. The Vachoniidae – a new family of false scorpions represented by two new species from caves in Yucatan (Arachnida, Chelonethida, Neobisioidea). *Bulletin of the University of Utah, Biological Series*, 10(4): 1–15.
- Chamberlin, R. V. 1917. New spiders of the family Aviculariidae. *Bulletin of the Museum of Comparative Zoology*, 61: 25–75.
- Chamberlin, R. V. 1922. Two new American arachnids of the order Pedipalpida. *Proceedings of the Biological Society of Washington*, 235: 11–12.
- Chamberlin, R. V. & Ivie, W. 1943. New genera and species of North American linyphiid spiders. *Bulletin of the University of Utah*, 33(10): 1–39.
- Chamberlin, R. V. & Mulaik, S. 1942. On a new family in the Notostigmata. *Proceedings of the Biological Society of Washington*, 55: 125–132.

- Chang A.-c. 1957. On the discovery of the Wenlockian *Eurypterus*-fauna from south China. *Acta Palaeontologica Sinica*, 5: 446–450.
- Chang J.-p. 2004. Some new species of spider and Sacculinidae fossils in Jehol biota. *Global Geology*, 23: 313–320.
- Chapman, F. 1932. Two new Australian fossil king-crabs. *Proceedings of the Royal Society of Victoria, New Series*, 44: 100–102.
- Charbonnier, S., Vannier, J. & Riou, B. 2007. New sea spiders from the Jurassic La Voulte-sur-Rhône Lagerstätte. *Proceedings of the Royal Society B*, 274: 2555–2561.
- Cheng X.-d., Meng Q.-j., Wang X.-r. & Gao C.-l. 2008. [New discovery of Nephilidae in Jehol biota (Araneae, Nephilidae).] *Acta zootaxonomica Sinica*, 33: 330–334. [in Chinese with English summary]
- Cheng X.-d., Shen C.-z. & Gao C.-l. 2009. [A new fossil spider of the Philodromidae from the Yixian Formation of western Liaoning Province, China (Arachnida, Araneae).] *Acta Arachnologica Sinica*, 18: 23–27. [in Chinese with English summary]
- Chernyshev, B. I. 1928. Nouvelles données sur les Xiphosura du bassin Donetz. *Bulletin du Comité Géologique*, 47: 519–531.
- Chernyshev, B. I. 1933. [Arthropoda from the Urals and other regions of the USSR.] *Materials of the Central Scientific and Prospecting Institute Paleontology and Stratigraphy, Magazine*, 1: 15–25. [in Russian with English summary]
- Chernyshev, B. I. 1948. New representative of Merostomata from the Lower Carboniferous. *State of Kiev, Geological Collections*, 2: 119–130.
- Chlupáč, I. 1994. Pterygotid eurypterids (Arthropoda, Chelicerata) in the Silurian and Devonian of Bohemia. *Journal of the Czech Geological Society*, 39: 147–162.
- Chlupáč, I. 1995. Lower Cambrian anthropods from the Paseky Shale (Barrandian area, Czech Republic). *Journal of the Czech Geological Society*, 40: 9–36.
- Chlupáč, I. & Havlíček, V. 1965. *Kodymirus* n. g., a new aglaspid merostome of the Cambrian of Bohemia. *Sborník Geologických Věd. Paleontologie*, 6: 7–20.
- Ciurca Jr., S. J. & Tetlie, O. E. 2007. Pterygotids (Chelicerata; Eurypterida) from the Silurian Vernon Formation of New York. *Journal of Paleontology*, 81: 725–736.
- Clarke, J. M. 1902. Notes on Paleozoic crustaceans. *New York State Museum Report*, 54: 83–110.
- Clarke, J. M. 1907. The *Eurypterus* shales of the Shawangunk Mountains in Eastern New York. *New York State Museum Bulletin* 107: p. 295.
- Clarke, J. N. & Ruedemann, R. 1912. The Eurypterida of New York. – *New York State Museum, Memoir*, 14, 1–439.
- Clarke, J. M. 1919. *Bunaia woodwardi*, a new merostome from the Silurian waterlimes of New York. *Geological Magazine, Decade 6*, 6: 531–532.

- Claypole, E. W. 1890a. Palaeontological notes from Indianapolis (A. A. A. S.) *Pterichthys – Castoroides – Euryxoma* g. n. – *American Geologist* 6: 259?.
- Claypole, E. W. 1890b. *Carcinosoma newlini*. *American Geologist*, 6: 400.
- Clerck, C. 1757. *Araneae suecici, descriptionibus et figuris oeneis illustrati, ad genera subalterna redacti speciebus ultra LX determinati. Svenska Spindlar, uti sina hufvud-slagter indelte samt...* - Stockholm, 154 pp.
- Cockerell, T. D. A. 1905. Two Carboniferous genera of xiphosurans. *American Geologist*, 36: 330.
- Cockerell, T. D. A. 1907. Some fossil arthropods from Florissant, Colorado. *Bulletin of the American Museum of Natural History*, 23: 605–616.
- Cockerell, T. D. A. 1916. The uropods of *Acanthotelson stimpsoni*. *Journal of the Washington Academy of Science*, 6: 234–236.
- Cockerell, T. D. A. 1917a. Arthropods in Burmese amber. *American Journal of Science, series 4*, 44: 360–368.
- Cockerell, T. D. A. 1917b. Arthropods in Burmese amber. *Psyche*, 24: 40–45.
- Cockerell, T. D. A. 1920. Fossil arthropods in the British Museum. I. *Annals and Magazine of Natural History, series 9*, 5: 273–279.
- Cockerell, T. D. A. 1925. Fossil insects in the United States National Museum. *Proceedings of the U. S. National Museum*, 64: 1–15.
- Coineau, Y. & Magowski, W. Ł. 1994. Caeculidae in amber. *Acarologia*, 35: 243–246.
- Coineau, Y. & Poinar Jr., G. O. 2001. Un Caeculidae de l'ambre de la République Dominicaine. *Acarologia*, 41: 141–144.
- Coineau, Y & Theron, P. 1983. Les Micropsammidae, n. fam. d'Acariens Endeostigmata des sables fin. *Acarologia*, 24: 275–280.
- Cokendolpher, J. C. 1987. A new species of fossil *Pelloobunus* from Dominican Republic amber (Arachnida: Opiliones: Phalangodidae). *Caribbean Journal of Science*, 22: 205–211.
- Cokendolpher, J. C. & Poinar Jr., G. O. 1992. Tertiary harvestmen from Dominican Republic amber (Arachnida: Opiliones: Phalangodidae). *Bulletin of the British arachnological Society*, 9: 53–56.
- Cokendolpher, J. C. & Poinar Jr., G. O. 1998. A new fossil harvestman from Dominican Republic amber (Opiliones, Samoidae, *Hummelinckiulus*). *Journal of Arachnology*, 26: 9–13.
- Comstock, J. H. 1940. *The spider book, revised and edited by Willis J. Gertsch*. Ithaca, New York, 729 pp.
- Condé, B. 1996. Les Palpigrades, 1885–1995: acquisitions et lacunes. *Revue suisse de Zoologie*, hors série 1: 87–106.
- Cook, D.R. 1967. Water mites from India. *Memoirs of the American Entomological Institute*, 9: 1–411.
- Cooke, J. A. L. 1965. Spider genus *Dysdera* (Araneae, Dysderidae). *Nature*, 205: 1027–1028.
- Corda, A. J. C. 1835. Ueber den in der Steinkohlenformation bei Cholme gefundenen fossilen Scorpion. *Verhandlungen der Gesellschaft des vaterländischen Museums in Böhmen, Prag*: 36.

- Corda, A. J. C. 1839. Ueber eine fossile Gattung der Afterscorpione. *Verhandlungen der Gesellschaft des vaterländischen Museums in Böhmen, Prag*: 14–18.
- Corronca, J. A. 2003. New genus and species of Selenopidae (Arachnida, Araneae) from Madagascar and neighbouring islands. *African Zoology*, 38: 387–392.
- Crônier, C. & Courville, P. 2005. New xiphosuran merostomata from the Upper Carboniferous of the Graissessac Basin (Massif Central, France). *Comptes Rendus Palevol*, 4: 123–133.
- Crosby, C. R. & Bishop, S. C. 1925. A new genus and two new species of spiders collected by *Bufo quercicus* (Holbrook). *Florida Entomologist* 9: 33–36.
- Cross, E. A. 1965. The generic relationships of the family Pyemotidae (Acarina: Trombidiformes). *Kansas University Science Bulletin*, 45: 29–275.
- Cunliffe, F. 1958. *Pyroglyphus morlani*, a new genus and species of mite forming a new family, Pyroglyphidae, in the Acaridae. *Proceedings of the Entomological Society of Washington*, 60: 85–86.
- Currie, L. D. 1927. On *Cyamocephalus*, a new synziphosuran from the Upper Silurian of Lesmahagow, Lanarkshire. *Geological Magazine*, 64: 153–157.
- Cutler, B. 1970. A fossil crab spider from West-ventral Wyoming (Araneae: Thomisidae). *Entomological News*, 81: 38–40.
- Daber, R. 1990. Arachnidenrest aus dem Westfal D von Zwickau-Oelsnitz. *Zeitschrift für geologische Wissenschaft, Berlin*, 18: 679–682.
- Dabert, J. 1994. Kiwilichidae fam. nov. eine neue Federfamilie (Astigmata, Pterolichoidea). *Entomologische Mitteilungen aus dem Zoologischen Museum Hamburg*, 11: 101–110.
- Daday, E. 1888. A Magyar nemzeti Muzeum álskorpiónak áttekintése. *Természetrájzi Füzetek*, 11: 111–136, 165–192.
- Dahl, F. 1908. Die Lycosiden oder Wolfsspinnen Deutschlands und ihre Stellung im Haushalt der Natur. Nach statistischen Untersuchungen dargestellt. *Nova Acta Academiae Caesareae Leopoldino-Carolinae*, 88: 175–678.
- Dahl, F. 1912. Arachnoidea. In Korschelt, E. et al. (eds). *Handwörterbuch der Naturwissenschaften*, 1: 485–514.
- Dahl, F. 1913. *Vergleichende Physiologie und Morphologie der Spinnentiere unter besonderer Berücksichtigung der Lebensweise. 1. Die Beziehungen des Körperbaues und der Farben zur Umgebung*. Jena, 1913: 113 pp.
- Dalman, J. W. 1826. Om Insekter inneslutne I Copal, jemte beskrifning på några deribland förekommande nya slägten och arter. *Kungliga Svenska Vetenskapsakademiens Handlingar*, 46: 375–410.
- Dalmas, R. de 1916. Révision du genre *Orchestina* E.S., suivie de la description de nouvelles espèces du genre *Oonops* et d'une étude sur les Dictynidae su genre *Scotolathys*. *Annales de la Société Entomologique de France*, 85 : 203–258.

- Dalmas, R. de 1917. Araignées de Nouvelle Zélande. *Annales de la Société Entomologique de France*, 86: 317–430.
- Davies, V. T. 1978. A new family of spiders (Araneae: Teemanaaridae). *Symposium of the Zoological Society of London*, 42: 293–302.
- Davies, V. T. 1980. *Malkara loricata*, a new spider (Araneidae: Malkarinae) from Australia. *Verhandlungen des 8. Internationalen Arachnologen-Kongresses. Wien, 1980*: 377–382.
- Delle, N. 1937. Zemgales lidzenuma, Augszemes un Lietuvas devona nogulumi. *Acta Universitatis Latviensis, Matēmatikas un Dabas Zinātnu Fakultātes Serija* 2(5): 105–384.
- De Geer, C. 1778. *Mémoires pour Servir à l'Histoire des Insectes*, vol. 7. Stockholm.
- De Kay, J. E. 1825. Observations on a fossil crustaceous animal of the order Branchiopoda. *Annals of the New York Lyceum of Natural History*, 1: 375–377.
- Delfinado, M. D. & Baker, E. W. 1974. Varroidae, a new family of mites on honeybees (Mesostigmata: Acarina). *Journal of the Washington Academy of Science*, 64: 4–10.
- De Lima, W. 1890. Note sur un nouval *Eurypterus* du Rothliegendes de Bussaco. *Comunicações da Comissão dos Trabalhos Geológicos da Portugal*, 2: 153–157.
- Desmarest, A.-G. 1822. Les crustacés proprement dits. 66–154. In *Histoire naturelle des crustacés fossiles, sous les rapports zoologiques et géologiques*. F.-G. Levrault, Paris, Strasbourg, **xx** pp.
- Diener, C. 1924. Eurypterida. In Diener, C. (ed.). *Fossilium Catalogus I : Animalia*. W. Junk, Berlin, pp. 1–26.
- Dix, E. & Pringle, J. 1929. On the fossil Xiphosura from the South Wales Coalfield with a note on the myriapod *Euphoberia*. *Summary of Progress, Geological Survey of Great Britain*, 1928: 90–113.
- Dix, E. & Pringle, J. 1930. Some Coal Measures arthropods from the South Wales Coalfield. *Annals and Magazine of Natural History*, 6: 136–144.
- Dohrn, A. 1881. Die Pantopoden des Golfes von Neapel und der angrenzenden Meeresabschnitte. *Monographie der Fauna und Flora des Golfes von Neapel*, 3: 1–252.
- Doleschall, L. 1852. Systematisches Verzeichnis der im Kaiserthum Österreich vorkommenden Spinnen. *Sitzungsberichte der Mathematisch-Naturwissenschaftlichen Classe der Kaiserlichen Akademie der Wissenschaft*, 9: 622–651.
- Donnadieu, A. L. 1875. *Recherches pour servir à l'histoire des Tetranyques*. – These. Faculte des Sciences de Lyon: 134 pp. [Thesis also published in a regular journal in 1876.]
- Dresco, E. 1970. Recherches sur la variabilité et la phylogénie chez les Opiliones du genre *Ischyropsalis* C. L. Koch (Fam. Ischyropsalidae), avec la création de la famille nouvelle des Sabaconidae. *Bulletin du Muséum National d'Histoire Naturelle*, 2^e Serie, 41: 1200–1213.
- Dubey, D. P. 1985. A preliminary note on the eurypterid and trilobitid remains from the Upper Vidhyan rocks around Rewa, Madhya Pradesh. *Current Trends in Geology (IV Indian Geological Congress)*, 6: 63–78.

- Dubinin, V. B. 1953. Feather mites (Analgesoidea). II Families Epidermoptidae and Freyanidae. *Fauna SSSR. Paukoobrazynye* 6 (6): 3–411. [In Russian].
- Dubinin, V. B. 1957. On the orientation of the cephalic end of the Devonian pycnogonids of the genus *Palaeoisopus* and their systematic position in the Arthropoda. *Doklady Akademii Nauk SSSR*, 117: 881–884. [In Russian].
- Dufour, L. 1820. Description de cinq Arachnides nouvelles. *Annales générales des sciences physiques*, 5: 198–209.
- Dugès, A. 1834. Recherches sur l'ordre des Acariens et la famille des Trombidés en particular. *Annales des Sciences Naturelles, Zoologie*, série 2, 1: 5–46.
- Dujardin, F. 1851. Sur des acariens à quatre pieds, parasites des végétaux et qui doivent former un genre particulier (*Phytoptus*). In *Observations Zoologiques. Annales des Sciences Naturelles*, série 3, 15: 158–175.
- Dunbar, C. O. 1923. Kansas Permian insects, Part 2. *Paleolimulus*, a new genus of Paleozoic Xiphosura, with notes on other genera. *American Journal of Science*, 5th series, 5: 443–454.
- Dunbar, C. O. 1924. Kansas Permian insects. Part 1. The geologic occurrence and the environment of the insects. *American Journal of Science*, 5th series, 7: 171–209.
- Dunlop, J. A. 1995. Redescription of the Pennsylvanian trigonotarbid arachnid *Lissomartus* Petrunkevitch 1949 from Mazon Creek, Illinois. *Journal of Arachnology*, 23: 118–124.
- Dunlop, J. A. 1996. A trigonotarbid arachnid from the Upper Silurian of Shropshire. *Palaeontology*, 39: 605–614.
- Dunlop, J. A. 1998. A fossil whipscorpion from the Lower Cretaceous of Brazil. *Journal of Arachnology*, 26: 291–295.
- Dunlop, J. A. 1999. A replacement name for the trigonotarbid arachnid *Eotarbus* Dunlop. *Palaeontology*, 42: 191.
- Dunlop, J. A. 2002. Arthropods from the Lower Devonian Severnya Zemlya Formation of October Revolution Island, Russia. *Geodiversitas*, 24: 349–379.
- Dunlop, J. A. 2004. A spiny harvestman (Arachnida: Opiliones) from the Upper Carboniferous of Missouri, USA. In Logunov, D. V. & Penney, D (eds). *Proceedings of the 21st European Colloquium of Arachnology*, St.-Petersburg, 4–9 August 2003. *Arthropoda Selecta*, Special Issue No. 1: 67–74.
- Dunlop, J. A. 2007. A large parasitengonid mite (Acari, Erythraeoidea) from the Early Cretaceous Crato Formation of Brazil. *Fossil Record*, 10: 91–98.
- Dunlop, J. A. & Anderson, L. I. 2005. A fossil harvestman (Arachnida, Opiliones) from the Mississippian of East Kirkton, Scotland. *Journal of Arachnology*, 33: 482–489.
- Dunlop, J. A. & Brauckmann, C. 2006. A new trigonotarbid from the Coal Measures of Hagen Vorhalle, Germany. *Fossil Record*, 9: 130–136.
- Dunlop, J. A. & Giribet, G. 2003. The first fossil cyphophthalmid (Arachnida, Opiliones) from Bitterfeld amber, Germany. *Journal of Arachnology*, 31: 371–378.

- Dunlop, J. A. & Horrocks, C. A. 1996. A new Upper Carboniferous whip scorpion (Arachnida: Uropygi: Thelyphonida) with a revision of the British Carboniferous Uropygi. *Zoologischer Anzeiger*, 234: 293–306.
- Dunlop, J. A. & Horrocks, C. A. 1997. Phalangiotarbid arachnids from the Coal Measures of Lancashire, UK. *Geological Magazine*, 134: 369–381.
- Dunlop, J. A. & Jekel, D. 2009. Nomenclatural notes on fossil spiders. *Bulletin of the British arachnological Society*, 14: 357–360.
- Dunlop, J. A. & Martill, D. M. 2002. The first whipspider (Arachnida: Amblypygi) and three new whipscorpions (Arachnida: Thelyphonida) from the Lower Cretaceous Crato Formation of Brazil. *Transactions of the Royal Society of Edinburgh, Earth Sciences*, 92: 325–334.
- Dunlop, J. A. & Mammitzsch, L. 2010. A new genus and species of harvestman from Baltic amber. *Palaeodiversity*, 3: 23–32.
- Dunlop, J. A. & Mitov, P. G.. 2011. The first fossil cyphophthalmid harvestman from Baltic amber. *Arachnologische Mitteilungen*, 40: 47–54.
- Dunlop, J. A. & Poschmann, M. 1997. On the Emsian (Lower Devonian) arthropods of the Rhenish Schiefergebirge: 1. *Xenarachne*, an enigmatic arachnid from Willwerath, Germany. *Paläontologische Zeitschrift*, 71: 231–236.
- Dunlop, J. A. & Rößler, R. 2003. An enigmatic, solifuge-like fossil arachnid from the Lower Carboniferous of Kamienna Góra (Intra-Sudetic Basin), Poland. *Paläontologische Zeitschrift*, 77: 389–400.
- Dunlop, J. A. & Selden, P. A. 2004. A trigonotarbid arachnid from the Lower Devonian of Tredomen, Wales. *Palaeontology*, 47: 1469–1476.
- Dunlop, J. A., Anderson, L. I. & Braddy, S. J. 1999. A new chasmataspid (Chelicerata: Chasmataspida) from the Lower Devonian of the Midland Valley of Scotland. *Transactions of the Royal Society of Edinburgh, Earth Sciences*, 89: 161–165.
- Dunlop, J. A., Anderson, L. I. & Braddy, S. J. 2004. A redescription of *Chasmataspis laurencii* Caster & Brooks (Chelicerata: Chasmataspida) from the Middle Ordovician of Tennessee, USA, with remarks on chasmataspid phylogeny. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 94: 207–205.
- Dunlop, J. A., Harms, D., Penney, D. 2008. A fossil tarantula (Araneae: Theraphosidae) from Miocene Chiapas amber, Mexico. *Revista Ibérica de Aracnología*, 15: 9–17.
- Dunlop, J. A., Sempf, C. & Wunderlich, J. 2010. A new opilioacarid mite in Baltic amber. In Nentwig, W., Entling, M. & Kropf, C. (eds). *European Arachnology 2008*, pp. 59–70.
- Dunlop, J. A., Wunderlich, J. & Poinar Jr., G. O. 2004. The first fossil opilioacariform mite (Acari: Opilioacariformes) and the first Baltic amber camel spider (Solifugae). *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 94: 261–273.

- Dunlop, J. A., Anderson, L. I., Kerp, H. & Hass, H. 2004. A harvestman (Arachnida: Opiliones) from the Early Devonian Rhynie cherts, Aberdeenshire, Scotland. *Transactions of the Royal Society of Edinburgh, Earth Sciences*, 94: 341–354.
- Dunlop, J. A., Fayers, S. F., Hass, H. & Kerp, H. 2006. A new arthropod from the early Devonian Rhynie chert, Aberdeenshire (Scotland), with a remarkable feeding device in the mouthparts. *Paläontologische Zeitschrift*, 80: 296–306.
- Ebert, T. 1892. *Prestwichia (Euproops) scheeleana*. – Abhandlung und Jahrbuch Königliche Preußische Geologisches Landesanstalt, 10: 215–220.
- Edgecombe, G. D. 1998. Early myriapodous arthropods from Australia: *Maldybulakia* from the Devonian of New South Wales. *Records of the Australian Museum*, 50: 293–314.
- Ehlers, G. M. 1935. A new eurypterid from the Upper Devonian of Pennsylvania. *Contributions from the Museum of Palaeontology, University of Michigan*, 4 (18): 291–295.
- Eichwald, E. 1854. Die Grauwackenschichten von Livl- und Esthland. *Bulletin de la Société Imperiale des Naturalistes de Moscou*, 27: 1–211.
- Eichwald, E. 1860. *Lethaea Rossica*. Vol. 1. Seconde section de l'ancienne Période. Librairie et Imprimerie de E. Schweizerbart, Stuttgart, 1657 pp.
- Eldredge, N. 1974. Revision of the suborder Synziphosurina (Chelicerata, Merostomata), with remarks on merostome phylogeny. *American Museum Novitates*, 2543: 1–41.
- Elias, M. K. 1936. Character and significance of the late Paleozoic flora of Garnett, Kansas. *Journal of Geology*, 44: 9–23.
- Eller, E. R. 1938a. A review of the xiphosuran genus *Belinurus* with the description of a new species, *B. allegayensis*. *Annals of the Carnegie Museum*, 27: 129–150.
- Eller, E. R. 1938b. A new xiphosuran, *Euproops morani*, from the Upper Devonian of Pennsylvania. *Annals of the Carnegie Museum*, 27: 152–153.
- Eller, E. R. 1940. *Belinurus carteri* a new xiphosuran from the Upper Devonian of Pennsylvania. *Annals of the Carnegie Museum*, 28: 133–136.
- Ellingsen, E. 1906. Report on the pseudoscorpions of the Guinea Coast (Africa) collected by Leonardo Fae. *Annali del Museo Civico de Storia Naturale di Genova*, (3)2: 243–265.
- Ellingsen, E. 1909. On some North American pseudoscorpions collected by Dr. F. Silvestri. *Bollettino del Laboratorio di Zoologia Generale e Agraria della R. Scuola sup. d'Agricoltura, Portici*, 3: 216–221.
- Elzinga, R. J. 1993. Larvamimidae, a new family of mites (Acari: Dermanysoidea) associated with army ants. *Acarologia*, 34: 95–103.
- Emerton, J. H. 1875 Notes on spiders from Caves in Kentucky, Virginia and Indiana. *American Naturalist*, 9: 278–281.

- Emerton, J. H. 1882. New England spiders of the family Theridiidae. *Transactions of the Connecticut Academy of Arts and Sciences*, 6: 1–86.
- Eskov, K. Y. 1984. A new fossil spider family from the Jurassic of Transbaikalia from (Araneae: Chelicerata). *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, 1984: 645–653.
- Eskov, K. Y. 1987. A new archaeid spider (Chelicerata: Araneae) from the Jurassic of Kazakhstan, with notes on the so-called “Gondwanan” ranges of recent taxa. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 175: 81–106.
- Eskov, K. Y. 1992. Archaeid spiders from Eocene Baltic amber (Chelicerata: Araneida: Arachaeidae) with remarks on the so-called “Gondwanan” ranges of Recent taxa. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 185: 311–328.
- Eskov, K. Y. & Marusik, Y. M. 1992. [Fossil spiders of the family Nesticidae.] *Palaeontologicheskii Zhurnal*, 2: 87–95. [In Russian]
- Eskov, K. Y. & Selden, P. A. 2005. First record of spiders from the Permian period (Araneae: Mesothelae). *Bulletin of the British arachnological Society*, 13: 111–116.
- Eskov, K. Y. & Wunderlich, J. 1995 (for 1994). On the spiders of the Taimyr ambers, Siberia, with the description of a new family and with general notes on the spiders from the Cretaceous resins. *Beiträge zur Araneologie*, 4: 95–107.
- Eskov, K. Y. & Zonstein, S. 1990. First Mesozoic mygalomorph spiders from the Lower Cretaceous of Siberia and Mongolia, with notes on the system and evolution of the infraorder Mygalomorphae (Chelicerata: Araneae). *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 178: 325–368.
- Eskov, K. Y. & Zonstein, S. L. 2000. The first Ctenizoid Mygalomorph Spiders from Eocene Baltic amber (Araneida: Mygalomorphae: Ctenizidae). *Paleontological Journal*, 34: S268–S274. [Translated into English; original in Russian]
- Etheridge Jr., R. 1877. On the remains of a large crustacean, probably indicative of a new species of *Eurypterus*, or allied genus (*Eurypterus?* *Stevensonii*), from the Lower Carboniferous Series (Cementstone Group) of Berwickshire. *Quarterly Journal of the Geological Society*, 33: 223–228.
- Ewing, H. E. 1922. Studies on the taxonomy and biology of the tarsnemid mites, together with a note on the transformation of *Acarapis (Tarsonemus) woodi* Rennie (Acarina). *Canadian Entomologist*, 54: 104–113.
- Ewing, H. E. 1929. A synopsis of the American arachnids of the primitive order Ricinulei. *Annals of the Entomological Society of America*, 22: 583–600.
- Ewing, H. E. 1930. A fossil arachnid from the Lower Carboniferous shales (Pococno formation) of Virginia. *Annals of the Entomological Society of America*, 23: 641–643.
- Fage, L. 1912. Etudes sur les araignées cavernicoles. I. Revision des Ochyroceratidae (n. fam.). In *Biospelogica*, XXV. *Archives de Zoologie expérimentale et générale*, 10: 97–162.

- Fage, L. 1913. Etudes sur les Araignées cavernicoles. II. Revision des Leptonetidae. In *Biospelogica*, XXIX. *Archives de Zoologie expérimentale et générale*, 10: 479–576.
- Fain, A. 1956. Une nouvelle famille d'acariens endoparasites des chauves-souris: Gastronyssidae fam. nov. *Annales de la Société Belge de Médecine Tropicale*, 36: 87–98.
- Fain, A. 1961. Une nouvelle famille d'acariens, parasites de serpents du genre *Mehelya* au Congo: Omentolaelaptidae Fam. nov. (Mesostigmata). *Revue de Zoologie et de Botanique Africaine*, 64: 283–296.
- Fain, A. 1967a. Nouveaux hypopes vivant dans les follicules pileux de Rongeurs américains. *Revue de Zoologie et de Botanique Africaine*, 76: 157–162.
- Fain, A. 1967b. Un acarien remarquable récolté sur un Tarsier (Heteroptidae f.n. : Sarcoptiformes). – *Zoologischer Anzeiger*, 178: 90–94.
- Fain, A. 1968. Deux nouveaux Acariens Cavernicoles du Gabon (Sarcoptiformes). *Revue Biologia Gabonica*, 4: 195–205.
- Fain, A. 1974. Acariens récoltés par le Dr. J. Travé aux îles subantarctiques. I. Familles Saproplyphidae et Hyadesidae (Acarigates). *Acarologia*, 16: 684–708.
- Fayers, S. R., Dunlop, J. A. & Trewin, N. H. 2005. A new early Devonian trigonotarbid arachnid from the Windyfield chert, Rhynie, Scotland. *Journal of Systematic Palaeontology*, 2: 269–284.
- Feider, Z. 1955. Arachnida, Acarina Trombidioidea. *Fauna RPR*, 5: 1–187.
- Feldmann, R. M., Vega, F. J., Applegate, S. P., & Bishop, G. A. 1998. Early Cretaceous arthropods from the Tlayua Formation at Tepexi de Rodriguez, Puebla, México. *Journal of Paleontology*, 72: 79–90.
- Fet, V. & Bechly, G. 2001. Case 3120a. Liochelidae, fam. nov. (Scorpiones): proposed introduction as a substitute name for Ischnuridae Simon, 1879, as an alternative to the suggested emendment of Ischnurinae Fraser, 1957 (Insecta, Odonata) to Ischnurinae in order to remove homonymy. *Bulletin of Zoological Nomenclature*, 58: 280–281.
- Fischer de Waldheim, G. 1839. Notes sur un crustacé fossile du genre *Eurypterus* de Podolie. *Bulletin de la Société Impériale des Naturalistes de Moscou*, 11: 125–128.
- Flower, R. H. 1945. A new Deepkill eurypterid. *American Midland Naturalist*, 34: 717–719.
- Flower, R. [H.] 1969. Merostomes from a Cotter horizon of the El Paso Group. *New Mexico Bureau of Mines and Mineral Resources Memoir*, 22: 35–44.
- Fraipont, J. 1889. Euryptérides nouveaux du Dévonien Supérieur de Belgique (Psammites du Condroy). *Annales de la Société Géologique de Belgique*, 17: 53–62.
- Forsslund, K.-H. 1941. Schwedische Arten der Gattung *Suctobelba* Paoli (Acari, Orbatei). *Zoologiska bidrag från Uppsala*, 20: 381–396.
- Forsslund, K.-H. 1947. Über die Gattung *Autogneta* Hull (Acari, Oribatei). *Zoologiska bidrag från Uppsala*, 25: 111–117.

- Forsslund, K.-H. 1956. Schwedische Oribatei (Acari). III. *Entomologisk Tidskrift*, 77: 210–218.
- Forster, R. R. 1948. A new sub-family and species of New Zealand Opiliones. *Records of the Auckland Institute and Museum*, 3: 313–318.
- Forster, R. R. 1954. The New Zealand harvestmen (sub-order Laniatores). *Canterbury Museum Bulletin*, 2: 1–329.
- Forster, R. R. 1955. A new family of spiders of the sub-order Hypochilomorphae. *Pacific Science*, 9: 277–285.
- Forster, R. R. & Forster, L. 1999. *Spiders of New Zealand and their worldwide kin*. University of Otago Press, Dunedin, vi + 270 pp.
- Forster, R. R. & Platnick, N. I. 1984. A review of archaeid spiders and their relatives, with notes on the superfamily Palpimanoidea (Arachnida: Araneae). *Bulletin of the American Museum of Natural History*, 178: 1–106.
- Forster, R. R. & Wilton, C. L. 1973. The spiders of New Zealand. Part IV. *Otago Museum Bulletin*, 4: 1–309.
- Frič, A. 1873. Fauna der Steinkohlenformation Böhmens. *Archiv für Naturwissenschaftliche Landesdurchforschung von Böhmen*, 2(2): 1–16.
- Frič, A. 1899a. On *Prolimulus woodwardi*. *Geological Magazine*, 6: 57–58.
- Frič, A. 1899b. *Fauna der Gaskohle und der Kalksteine der Permformation Böhmens*. Vol. IV: pp. 33–64.
- Frič, A. 1901. *Fauna der Gaskohle und der Kalksteine der Permformation Böhmens*. Vol. IV, part 2. Myriopoda pars II. Arachnoidea, pp. 56–63, pls 153, 154, Prague.
- Frič, A. 1904. *Palaeozoische Arachniden*. A Frič, Prague, 85 pp.
- Fritsch, K. von 1906. Beitrag zur Kenntnis der Tierwelt der deutschen Trias. *Abhandlungen der naturforschender Gesellschaft Halle*, 24: 220–285.
- Fry, W. G. 1978. A classification within the pycnogonids. *Zoological Journal of the Linnean Society*, 63: 35–58.
- García-Villafuerte, M. Á. 2006a. A new fossil *Episinus* (Araneae, Theridiidae) from Tertiary Chiapas amber, Mexico. *Revista Ibérica de Aracnología*, 13: 120–125.
- García-Villafuerte, M. Á. 2006b. Selenopidae y Thomisidae (Arachnida: Araneae) en ámbar de Chiapas, México. *Boletín Sociedad Entomológica Aragonesa*, 38: 209–212.
- García-Villafuerte, M. Á. 2008. Primer registro fósil del género *Hemirraghus* (Araneae, Theraphosidae) en ámbar del Terciario, Chiapas, México. *Revista Ibérica de Aracnología*, 16: 43–47.
- Gaud, J. & Atyeo, W. T. 1975. Gabuciniidae, famille nouvelle de Sarcoptiformes plumicoles. *Acarologia*, 16: 522–561.
- Gaud, J. & Atyeo, W. T. 1976. Ascouracarinae, n. sub-fam. des Syringobiidae, Sarcoptiformes plumicoles. *Acarologia*, 18: 143–162.
- Gaud, J. & Atyeo, W. T. 1977. A new name for *Ovacarus* and Ovacaridae (Acarina: Analgoidea). *Acarologia*, 18: 568–569.

- Gaud, J. & Atyeo, W. T. 1978. Nouvelles superfamilles pour les Acariens astigmates parasites d'oiseaux. *Acarologia*, 19: 678–685.
- Gaud, J., Atyeo, W.T. & Berla, H.F. 1972. Acariens Sarcoptiformes plumicoles parasites des Tinamous. *Acarologia*, 14: 393-453.
- Gaud, J., Atyeo, W. T. & Klompen, J. S. H. 1989. Oconnoriidae, a new family of feather mites (Acarina, Pterolichoidea). *Journal of Entomological Science*, 24: 417–421.
- Geinitz, H. B. 1882. *Kreischeria wiedei*, ein Pseudoskorpion aus der Steinkohlenformation von Zwickau. *Zeitschrift der Deutschen geologischen Gesellschaft*, 34: 238–242.
- Gerecke, R., Smith, I. M. & Cook, D. R. 1999. Three new species of *Apheviderulix* gen. nov. and proposal of *Apheviderulicidae* fam. nov. (Acari: Hydrachnidia: Eylaoidea). *Hydrobiologia*, 397: 133–147.
- Gerson, U. & Walter, D. E. 1998. Transfer of *Mecognatha* Wood from Stigmeidae to Mecognathidae, fam. nov., a new synonymy, and a key to families of Raphignathoidea (Acari: Prostigmata). *Systematic and Applied Acarology*, 3: 145–147.
- Gerstaecker, C. E. A. 1863. Pantopoda. 248–350. In Carus, J. V. & Gerstaecker, C. E. A. (eds). *Handbuch der Zoologie*, 2. W. Engelmann, Leipzig, 642 pp.
- Gertsch, W. J. 1941. Report on some arachnids from Barro Colorado Island, Canal Zone. *American Museum Novitates*, 1146: 1–14.
- Gertsch, W. J. & Davis, L. I. 1946. Report on a collection of spiders from Mexico. V. *American Museum Novitates*, 1313: 1–11.
- Gervais, P. M. 1844. Remarques sur la famille des Scorpiones et descriptions des plusiers espèces nouvelles de la collection du Muséum. *Archives du Muséum d'Histoire Naturelle, Paris*, 4: 201–240.
- Giebel, C. G. 1856. *Die Insekten und Spinnen der Vorwelt mit steter Berücksichtigung der lebenden Insekten und Spinnen; monographisch dargestellt*. Leipzig, 511 pp.
- Gill, E. L. 1909. An arachnid from the Coal Measures of the Tyne Valley. *Transactions of the Natural History Society of Northumberland, Durham and Newcastle-upon-Tyne, new series*, 3(2): 3–16.
- Gill, E. L. 1911. A Carboniferous arachnid from Lancashire. *Geological Magazine*, 48: 395–398.
- Gill, E. L. 1924. Fossil arthropods from the Tyne Coalfield. *Geological Magazine*, 61: 445–471.
- Giribet, G. & Dunlop, J. A. 2005. First identifiable Mesozoic harvestman (Opiliones: Dyspnoi) from Cretaceous Burmese amber. *Proceedings of the Royal Society B*, 272: 1007–1013.
- Gistel, J. 1848. *Naturgeschichte des Thierreichs für höhere Schulen*. Stuttgart, pp. 155–156.
- Gjelstrup, P. & Solhøy, T. 1994. Oribatid mites (Acari). In The Zoology of Iceland. *Steenstrupia*, (3) 57: 1–78.
- Glushenko, N. V. & Ivanov, V. K. 1961. [Paleolimulus from the Lower Permian of the Donetsk Basin.] *Paleontologiceskij Žurnal*, 1861: 128–130. [in Russian]
- Goldenberg, F. 1873. *Fauna Saraepontana Fossilis. Die fossilen Thiere aus der Steinkohlenformation von Saarbrücken. Erstes Heft*. Chr. Möllinger Verlag, Saarbrücken, 26 pp.

- Goodnight, J. C. & Goodnight, M. L. 1942. Phalangids from Central America and the West Indies. *American Museum Novitates*, 1184: 1–23.
- Gonzalez, R. H. 1978. A new species of xenocaligonellid mite from the Galapagos Islands (Acari). *Proceedings of the Entomological Society of Washington*, 80: 191–196.
- González-Sponga, M. A. 1997. Arácnidos de Venezuela. Una nueva familia, dos nuevos géneros y dos nuevas especies de Opiliones Laniatores. *Acta Biologica Venezuelica*, 17: 51–58.
- Gourret, P. 1887. Recherches sur les Arachnides tertiaires d'Aix en Provence. *Recueil Zoologique Suisse*, 4: 431–496.
- Grabau, A. W. 1920. A new species of *Eurypterus* from the Permian of China. *Bulletin of the Geological Survey of China*, 2: 61–68.
- Grandjean, F. 1931. Observations sur les Oribates (1^{re} Série). *Bulletin du Muséum National d'Histoire Naturelle*, 3: 131–144.
- Grandjean, F. 1932a. Observations sur les Oribates (3^e série). *Bulletin du Muséum National d'Histoire Naturelle*, 4: 292–306.
- Grandjean, F. 1932b. Au sujet des *Palaeacariformes* Trägårdh. *Bulletin du Muséum National d'Histoire Naturelle*, 4: 411–426.
- Grandjean, F. 1933. Études sur les Développement des Oribates. *Bulletin de la Société zoologique de France*, 58: 30–61.
- Grandjean, F. 1934. La notation des poils gastronotiques et des poils dorsaux du propodosoma chez les Oribates (Acariens). *Bulletin de la Société zoologique de France*, 59: 12–44.
- Grandjean, F. 1936a. Les Microzetidae n. fam. (Oribates). *Bulletin de la Société zoologique de France*, 61: 60–93.
- Grandjean, F. 1936b. Les Oribates de Jean Frédéric Hermann et de son père [Arachn. Acar.]. *Annales Société Entomologique de France*, 105: 27–110.
- Grandjean, F. 1936c. Observations sur les Oribates (10^e Série). *Bulletin du Muséum National d'Histoire Naturelle*, 8: 246–253.
- Grandjean, F. 1937. Le Genre *Pachygnathus* Dugès (*Alycus* Koch) (Acariens). Cinquième et dernière partie. *Bulletin du Muséum National d'Histoire Naturelle*, 9: 262–269.
- Grandjean, F. 1939. Quelque genres d'Acariens appartenant au groupe des Endeostigmata. *Annales des Sciences Naturelles – Zoologie et Biologie Animale*, Série 11, 2: 1–122.
- Grandjean, F. 1947a. Études sur les Smarisidae et quelques autres Èrythroïdes (Acariens). *Archives de Zoologie Expérimental et Générale*, 85: 1–126.
- Grandjean, F. 1947b. Les Enarthronota (Acariens). Première série. *Annales des Sciences Naturelles – Zoologie et Biologie Animale*, 8: 213–248.

- Grandjean, F. 1948. Les Enartronota (Acariens). (2^e série). *Annales des Sciences Naturelles – Zoologie et Biologie Animale*, 10: 29–58.
- Grandjean, F. 1950. Les Enartronota (Acariens). (3^e série). *Annales des Sciences Naturelles – Zoologie et Biologie Animale*, 12: 85–107.
- Grandjean, F. 1951. Observations sur les Oribates (22^e Série). *Bulletin du Muséum National d'Histoire Naturelle*, 23: 91–98.
- Grandjean, F. 1953. Observations sur les Oribates (25^e Série). *Bulletin du Muséum National d'Histoire Naturelle*, 25: 155–162.
- Grandjean, F. 1954a. Observations sur les Oribates (28^e série). *Bulletin du Muséum National d'Histoire Naturelle*, 26: 204–211.
- Grandjean, F. 1954b. Essai de classification des Oribates (Acariens). *Bulletin de la Société zoologique de France*, 78: 421–446.
- Grandjean, F. 1954c. Etude sur les Palaeacaroïdes (Acariens, Oribates). *Mémoires du Muséum National d'Histoire Naturelle*, 7: 179–274.
- Grandjean, F. 1956a. Sur deux espèces nouvelles d'oribates (Acariens) apparentées à *Oripoda elongata* Banks 1904. *Archives de Zoologie Expérimentale et Générale*, 93: 185–218.
- Grandjean, F. 1956b. Galumnidae sans carènes lamellaires (Acariens, Oribates), 1^{re} série. *Bulletin de la Société zoologique de France*, 81: 134–150.
- Grandjean, F. 1958a. *Perlohmannia dissimilis* (Hewitt) (Acarien, Oribate). *Mémoires du Muséum National d'Histoire Naturelle*, 16: 57–120.
- Grandjean, F. 1958b. *Charassobates cavernosus* Grandj. 1929 (Acarien, Oribate). *Mémoires du Muséum National d'Histoire Naturelle*, 16: 121–140.
- Grandjean, F. 1959. *Polypterozetes cherubin* Berl. 1916 (Oribate). *Acarologia*, 1: 147–180.
- Grandjean, F. 1960a. Les Mochlozetidae n. fam. (Oribates). *Acarologia*, 2: 101–148.
- Grandjean, F. 1960b. Les Autognetidae n. fam. (Oribates). *Acarologia*, 2: 575–609.
- Grandjean, F. 1961a. Les Plasmobatidae n. fam. (Oribates). *Acarologia*, 3: 96–129.
- Grandjean, F. 1961b. Les Amerobelidae (Oribates). (1^{re} partie). *Acarologia*, 3: 303–343.
- Grandjean, F. 1963. Les Autognetidae (Oribates). Deuxième partie. *Acarologia*, 4: 632–689.
- Grandjean, F. 1965a. Nouvelles observations sur les Oribates (4^e série). *Acarologia*, 7: 91–112.
- Grandjean, F. 1965b. Oribates mexicains (2^e série). *Stelechobates megalotrichus* n.g., n.sp. *Acarologia*, 7: 532–563.
- Grandjean, F. 1965c. Complément à mon travail de 1953 sur la classification des Oribates. *Acarologia*, 7: 713–734.
- Grandjean, F. 1966. Les Staurobatidae n. fam. (Oribates). *Acarologia*, 8: 696–727.
- Grandjean, F. 1967. Nouvelles observations sur les Oribates (5^e série). *Acarologia*, 9: 242–272.

- Grandjean, F. 1969. Considérations sur le classement des Oribates. Leur division en 6 groupes majeurs. *Acarologia*, 11: 127–153.
- Grandjean, F. 1970. Nouvelles observations sur les Oribates (8^e série). *Acarologia*, 12: 849–876.
- Grassi, B. & Calandruccio, S. 1885. Intorno ad un nuovo Aracnide Artrogastro (*Koenenia mirabilis* [sic]) che crediamo rappresentante d'un nuovo ordine (Microteliphonida). *Naturalista Siciliano*, 4: 127–133, 162–168.
- Griffiths, D. A. 1977. A new family of astigmatid mites from the Iles Crozet, sub-Antarctica, introducing a new concept relating to ontogenetic development of idiosomal setae. *Journal of Zoology, London*, 182: 291–308.
- Gromov, A.V. 1998. [A new family, genus and species of scorpions (Arachnida, Scorpiones) from southern Central Asia.] – *Zoologichesky Zhurnal*, 77: 1003–1009. [In Russian.]
- Gross, W. 1933. Die unterdevonischen Fische und Gigantostraken von Overath. *Abhandlungen der Preußischen Geologischen Landesanstalt (N. F.)*, 145: 41–77.
- Guglielmone, A. A., Robbins, R. G., Apanaskevitch, D. A., Petney, T. N., Estrada-Pena, A. & Horak, I. G. 2009. Comments on controversial tick (Acari: Ixodida) species names and species described or resurrected from 2003 to 2008. *Experimental and Applied Acarology*, 48: 311–327.
- Guthörl, P. 1934. Die Arthropoden aus dem Carbon und Perms des Saar-Nahe-Pfalz-Gebietes. *Abhandlungen der Preußischen Geologischen Landesanstalt (N.F.)*, 164: 1–219.
- Guthörl, P. 1938. *Eophrynus waechteri* n. sp. (Arac., Anthracom.) aus der Tiefbohrung Stangenmühle, Saar-Karbon. *Senckenbergiana*, 20: 465–470.
- Guthörl, P. 1964. Zur Arthropoden-Fauna des Karbons und Perms. 20. Neue Arachniden-Funde (Anthracom.) aus dem Westfal A des Aachener Karbons. *Paläontologische Zeitschrift*, 38: 98–103.
- Guthörl, P. 1965. Zur Arthropoden-Fauna des Karbons und Perms. 19. Weiteres über die Arachniden aus dem Westfal und Stefan des saar-lothringischen und pfälzischen Karbons. *Annales Universitatis Saraviensis*, 4: 10–24.
- Haase, E. 1890. Beitrag zur Kenntniss der fossilen Arachniden. *Zeitschrift der Deutsche geologische Gesellschaft*, 1890: 629–657.
- Haeckel, E. 1866. *Generale Morphologie der Organismen. Band 2*. Berlin, 574 pp.
- Hadži, J. 1931. Skorpionreste aus dem tertiären Sprudelsinter von Böttingen (Schwäbische Alb). *Paläontologische Zeitschrift*, 13: 134–148.
- Hadži, J. 1935. Ein eigentümlicher neuer Höhlen-Opilionid aus Nord-Amerika, *Cladonychium corii* g.n. sp. n. *Biologia Generalis*, 11: 49–72.
- Halbert, J. N. 1915. Clare Island Survey, 39. Acarinida. Section II. Terrestrial and marine Acarina. *Proceedings of the Royal Irish Academy*, 31: 45–136.
- Hall, J. 1859. *Natural History of New York: Palaeontology, III*. New York State Museum, 532 pp.

- Hall, C. E. 1877. Contributions to Palaeontology from the Museum of the Second Geological Survey. *Proceedings of the American Philosophical Society*, 16: 621?
- Hall, J. 1884a. Description of a New Species of *Stylonurus* from the Catskill Group. *New York State Museum (36th Annual Report)*: 76–77.
- Hall, J. 1884b. Note on Eurypteridae of the Devonian and Carboniferous Formations of Pennsylvania, with a supplementary note on the *Stylonurus excelsior*. *Proceedings of the American Association for the Advancement of Science*, 33: 420–422.
- Hall, J. 1884c. Eurypteridae from the Lower Productive Coal Measures in Beaver County, and the Lower Carboniferous Pithole Shale in Venango County. *2nd Geological Survey of Pennsylvania. Report of Progress PPP*: 23–39.
- Hall, J. & Clarke, J. M. 1888. *Paleontology of New York*. New York, 236 pp.
- Hall, J. & Clarke, J. M. 1888. Trilobites and other Crustacea of the Oriskany, Upper Helderberg, Hamilton, Portage, Chemung, and Catskill Groups. *Geological Survey of the State of New York, Palaeontology*, 7: ??.
- Hammer, M. 1966. Investigations on the Oribatid Fauna of New Zealand, Part 1. *Biologiske Skrifter udgivet af Det Kongelige Danske Videnskabernes Selskab*, 15(2): 1–108.
- Hammer, M. 1967. Some oribatids from Kodiak Island near Alaska. *Acta Arctica*, 14: 5–25.
- Hammer, M. 1973. Oribatids from Tongatapu and Eua, the Tonga Islands, and from Upolu, Western Samoa. *Biologiske Skrifter udgivet af Det Kongelige Danske Videnskabernes Selskab*, 20(3): 1–70.
- Hansen, H. J. 1894. Arthogastra Danica: en monographisk fremstilling af de i Danmark levende Meiere og Mosskorptioner med bidrag til sidstnævnte underordens systematic. *Naturhistorisk Tidsskrift*, (3) 14: 491–554.
- Hansen, H. J. & Sørensen, W. 1904. *On two orders of Archanaida*. Cambridge University Press, Cambridge, xi + 178 pp.
- Harger, O. 1874. Notice of a new spider from the Coal Measures of Illinois. *American Journal of Science*, 7: 219–223.
- Harlan, R. 1834. Critical notices of various organic remains hitherto discovered in North America. *Transactions of the Geological Society of Pennsylvania*, 1: 46–112.
- Harvey, M. S. 1990. Pezidae, a new freshwater mite family from Australia (Acarina: Halacaroidea). *Invertebrate Taxonomy*, 3: 771–781.
- Harvey, M. S. 1991. *Catalogue of the Pseudoscorpionida*. Manchester University Press, Manchester, vi + 726.
- Harvey, M. S. 1992. The phylogeny and classification of the Pseudoscorpionida (Chelicerata: Arachnida). *Invertebrate Taxonomy*, 6: 1373–1435.
- Harvey, M. S. 2002. Nomenclatural notes on Solifugae, Amblypygi, Uropygi and Araneae (Arachnida). *Records of the Western Australian Museum*, 20: 449–459.

- Harvey, M. S. 2003. *Catalogue of the smaller arachnid orders of the world*. CSIRO Publishing, Collingwood VC, xi + 385 pp.
- Harvey, M. A. & Selden, P. A. 1995. *Nyranytarbus*, replacement name for *Hemiphrynus* Frič, 1901 (Trigonotarbida: Eophrynidae). – *Bulletin of the British arachnological Society*, 10: 74.
- Haupt, H. 1956. Beitrag zu Kenntnis der eozanen Arthropodenfauna des Geiseltals. *Nova Acta Leopoldina n.s.*, 128: 1–90.
- Haupt, H. 1957. Eine spinnenartige Arthropode aus dem Rotliegenden: *Rhabdotarachnoides simoni* n. gen. n. sp. *Hallesches Jahrbuch für Mitteldeutsche Erdgeschichte*, 2(4): 246–247.
- Haupt, J. 1983. Vergleichende Morphologie der Genitalorgane und Phylogenie der liphistomorphen Webspinnen (Araneae: Mesothelae). I. Revision der bisher bekannten Arten. *Zeitschrift für zoologische Systematik und Evolutionsforschung*, 21: 275–293.
- Hauschke, N. & Wilde, V. 1987. *Paleolimulus fuchsbergensis* n. sp. (Xiphosura, Merostomata) aus der oberen Trias von Nordwestdeutschland, mit einer Übersicht zur Systematik und Verbreitung rezenter Limuliden. *Paläontologische Zeitschrift*, 61: 87–108.
- Hauschke, N., Wilde, V. & Brauckmann, C. 2004. Triassic limulids from Madagascar – missing links in the distribution of Mesozoic Limulacea. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, 2004(2): 87–94.
- Hedgpeth, J. W. 1978. A reappraisal of the Palaeopantopoda with description of a species from the Jurassic. *Zoological Journal of the Linnean Society*, 63: 23–34.
- Heer, O. 1865. *Die Urwelt der Schweiz*. Friedrich Schultheß, Zürich, xxix + 622 pp.
- Heetoff, M., Helfen, L. & Norton, R. A. 2009. Description of *Neoliodes dominicus* n. sp. (Acari, Oribatida) from Dominican Amber, aided by synchrotron X-ray microtomography. *Journal of Paleontology*, 83: 153–159.
- Heide, S. van der 1951. Les arthropodes du terrain houiller du Limbourg meridionale (excepte les scorpions et les insectes). *Mededeelingen van de Geologische Stichting Serie C-IV-3* 5: 1–84.
- Heineken C. & Lowe R. T. 1832. Descriptions of two species of Araneidae, natives of Madeira. *Zool. Journ.*, 5: 320–323.
- Henderickx, H. 2005. A new *Geogarypus* from Baltic amber (Pseudoscorpiones: Geogarypidae). *Phegea*, 33: 87–92
- Henderickx, H., Cnudde, V., Masschaele, B., Dierick, M., Vlassenbroeck, J. & Hoorebeke, L. van 2006. Description of a new fossil *Pseudogarypus* (Pseudoscorpiones: Pseudogarypidae) with the use of X-ray micro-CT to penetrate opaque amber. *Zootaxa*, 1305: 41–50.
- Hentz, N. M. 1832. On North American spiders. *American Journal of Science*, 21: 99–109.
- Hentz, N. M. 1845. Descriptions and figures of the Araneides of the United States. *Boston Journal of Natural History*, 5: 189–202.

- Hentz, N. M. 1847. Descriptions and figures of the Araneides of the United States. *Boston Journal of Natural History* 5: 443–478.
- Hentz, N. M. 1850. Descriptions and figures of the Araneides of the United States. *Boston Journal of Natural History*, 6: 18–35, 271–295.
- Herbst, J. F. W. 1798. *Naturgeschichte der Ungeflügelten Insekten. Zweytes Heft*. Berlin, **xx** pp.
- Hermann, J. F. 1804. *Mémoire Apterologique*. F. G. Levrault, Strasbourg, 144 pp.
- Heyden, C. H. G. von 1826. Versuch einer systematischen Eintheilung der Acariden. *Isis von Oken*, 18: 609–613.
- Heyden, C. H. G. von 1859. Fossile Insekten aus der Rheinischen Braunkohle. *Palaeontographica*, 8: 1–15.
- Hibbert, S. 1836. On the fresh-water limestone of Burdiehouse in the neighbourhood of Edinburgh belonging to the Carboniferous Group of rocks. With supplementary notes on other fresh-water limestones. *Transactions of the Royal Society of Edinburgh*, 13: 169–282.
- Hickman, V. V. 1931. A new family of spiders. *Proceedings of the Zoological Society of London (B)*, 1931: 1321–1328.
- Hickman, V. V. 1944. On some new Australian Apneumonomorphae with notes on their respiratory system. *Papers and Proceedings of the Royal Society of Tasmania*, 1943: 179–195.
- Hickmann, V. V. 1945. A new group of apneumone spiders. *Transactions of the Connecticut academy of Arts and Sciences*, 36: 135–148.
- Hickman, V. V. 1949. Tasmanian littoral spiders with notes on their respiratory systems, habits and taxonomy. *Papers and Proceedings of the Royal Society of Tasmania*, 1948: 31–43.
- Hickman, V. V. 1957. A fossil spider from Tertiary resin from Allendale Victoria. *Proceedings of the Royal Society of Victoria, N.S.*, 69: 25–27.
- Hilton, W. A. 1942. Pantopoda (continued) II. Family Callipallenidae. *Journal of Entomology and Zoology, Pomona College, Claremont*, 34: 38–41.
- Hirschmann, W. 1971. A fossil mite of the genus *Dendrolaelaps* (Acarina, Mesostigmata, Digamasellidae) found in amber from Chiapas, Mexico. *University of California Publications in Entomology*, 63: 69–70.
- Hirst, S. 1923. On some arachnid remains from the Old Red Sandstone (Rhynie Chert bed, Aberdeenshire). *Annals and Magazine of Natural History, Series 9*, 12: 455–474.
- Hoek, P. C. C. 1881. Report on the Pycnogonida dredged by HMS Challenger 1873–76. *Reports of the Scientific Results of the Exploring Vessel HMS Challenger*, 3(10): 1–167.
- Hoff, C. C. 1963. Sternophorid pseudoscorpions, chiefly from Florida. *American Museum Novitates*, 1875: 1–36.
- Holl, F. 1829. *Handbuch der Petrefactenkunde*. Hilscher, Dresden, 489 pp.
- Holland F. D., Jr., Erickson, J. M. & O'Brien, D. E. 1975. *Casterolimulus*: a new Late Cretaceous generic link in Limulid lineage. Studies in Paleontology and Stratigraphy. *Bulletin of American Paleontology*, 62: 235–249.

- Holmberg, E. L. 1882. Observations à propos du sous-ordre des araignées terrétoires (Territellariae), spécialement du genre nordaméricain *Catadysas* Hentz et de la sous-famille Mecicothrioidae, Holmberg. *Boletín de la Academia Nacional de Ciencias en Córdoba (Argentina)*, 4: 153–174.
- Holmberg, E. L. 1883. *Neothereutes darwini* Holmb., représentant de une nouvelle famille de Citigradas. *Boletín de la Academia Nacional de Ciencias en Córdoba (Argentina)*, 5: 35–48.
- Hong Y.-c. 1982. [Study on new spider genus in amber.] *Science in China*, 24(12): 1500–1515. [In Chinese]
- Hong Y.-c. 1983a. [Discovery of a Miocene scorpion from the diatoms of Shanwang in Shandong Province.] *Bulletin of the Tianjin Institute of Geology and Mineral Resources*, 8, 17–21. [In Chinese]
- Hong Y.-c. 1983b. [Discovery of new fossil pseudoscorpiononods in amber.] *Bulletin of the Tianjin Institute of Geology and Mineral Resources*, 8: 24–29. [In Chinese]
- Hong Y.-c. 1984. Arachnida. 185–187 In Tianjin Institute of Geology and Mineral Resources (eds). *Palaeontological Atlas of North China II. Mesozoic Volume*. Geological Publishing House, Beijing. [In Chinese with English summary]
- Hong Y.-c. 1985. *Fossil Insects, scorpionids and araneids in the diatoms of Shanwang*. Geological Publishing House, Beijing, 80 pp.
- Hopkins, D. M., Giterman, R. E. & Matthews, J. V. 1976. Interstadial mammoth remains and associated pollen and insect fossils, Kotzebue Sound area, northwestern Alaska. *Geology*, 4: 169–173.
- Huang D.-y., Selden, P. A. & Dunlop, J. A. 2009. Harvestmen (Arachnida: Opiliones) from the Middle Jurassic of China. *Naturwissenschaften*, 96: 955–962.
- Huber, B. A. 2003. Southern African pholcid spiders revision and cladistic analysis of *Quamtana gen. nov.* and *Spermophora* Hentz (Araneae: Pholcidae), with notes on male-female covariation. *Zoological Journal of the Linnean Society*, 139: 477–527.
- Huber, B. A. & Wunderlich, J. 2006. Fossil and extant species of the genus *Leptopholcus* in the Dominican Republic, with the first cases of egg-parasitism in pholcid spiders (Araneae: Pholcidae). *Journal of Natural History*, 40: 2341–2360.
- Hull, J. E. 1920. The spider family Linyphiidae: an Essay in Taxonomy. *Vasculum*, 6: 7–11.
- Hünicken, M. A. 1980. A giant fossil spider (*Megarachne servinei*) from Bajo de Véliz, Upper Carboniferous, Argentina. *Boletín de la Academia Nacional de Ciencias, Córdoba*, 53: 317–341.
- Hunter, J. R. S. 1886. Notes on the discovery of a fossil scorpion (*Paleophonous caledonicus*) in the Silurian strata of Logan water. *Transactions of the Geological Society of Glasgow*, 8: 169–170.
- Jackson, R. T. 1906. A new species of fossil *Limulus* from the Jurassic of Sweden. *Arkiv för Zoologi*, 3(11): 1–7.
- Jaekel, O. 1914. Ein großer *Pterygotus* aus dem rheinischen Unterdevon. *Palaeontologische Zeitschrift*, 1: 379–382.
- Jävi, T. H. 1912/14. Das Vaginalsystem der Sparassiden. *Annales Academiae Scientiarum Fenniae*, A4: 1–248.

- Jell, P. A. & Duncan, P. M. 1986. Invertebrates, mainly insects, from the freshwater Lower Cretaceous Koonwarra fossil bed (Korumburra Group), South Gippsland, Victoria. *Memoirs of the Association of Australian Palaeontology*, 3: 111–205.
- Jeram, A.J. 1994a. Scorpions from the Viséan of East Kirkton, West Lothian, Scotland, with a revision of the infraorder Mesoscorpionina. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 84: 283–299.
- Jeram, A.J. 1994b. Carboniferous Orthosterni and their relationship to living scorpions. *Palaeontology*, 37: 513–550.
- Jocqué, R. 1994. Halidae, a new spider family from Madagascar (Araneae). *Bulletin of the British arachnological Society*, 9: 281–289.
- Jocqué, R. 2001. Chummidae, a new spider family (Arachnida, Araneae) from South Africa. *Journal of Zoology, London*, 254: 481–493.
- Jones, T. R. & Woodward, H. 1888. On some Scandinavian Phyllocarida. *Geological Magazine, New Series, Decade 3*, 5: 145–150.
- Jones, T. R. & Woodward, H. 1899. Contributions to fossil Crustacea. *Geological Magazine, New Series, Decade 4*, 6: 388–395.
- Jordan, H. & Meyer, H. von 1854. Ueber die Crustaceen der Steinkohlenformation von Saarbrücken. *Palaeontographica*, 4: 1–15.
- Judson, M. [L. I.] 2003. Baltic amber pseudoscorpions (Arachnida: Chelonethi): a new species of *Neobisium* (Neobisiidae) and the status of *Obisium rathkii* Koch and Berendt. *Geodiversitas*, 25: 445–450.
- Judson, M. L. I. 2007. First fossil record of the pseudoscorpion family Pseudochiridiidae (Arachnida, Chelonethi, Cheirioidea) from Dominican amber. *Zootaxa*, 1393: 45–51.
- Judson, M. L. I. 2009. Cheliferoid pseudoscorpions (Arachnida, Chelonethi) from the Lower Cretaceous of France. *Geodiversitas*, 31: 61–71.
- Judson, M. L. 2010. Redescription of *Chelifer eucarpus* Dalman (Arachnida, Chelonethi, Withiidae) and first records of pseudoscorpions in copal from Madagascar and Colombia. *Palaeodiversity*, 3: 33–42.
- Judson, M. L. I. & Mąkol, J. 2009. A mite of the family Tanaupodidae (Arachnida, Acari, Parasitengona) from the Lower Cretaceous of France. *Geodiversitas*, 31: 41–47.
- Judson, M. [L. I.] & Wunderlich, J. 2003. Rhagidiidae (Acari, Eupodoidea) from Baltic amber. *Acta zoologica cracoviensa*, 46 (suppl.–Fossil Insects): 147–152.
- Jux, U. 1982. *Somaspidion hammapheron* n.gen. n.sp. – ein Arachnid aus dem Oberkarbon der subvaristischen Saumsenke NW Deutschlands. *Paläontologische Zeitschrift*, 56: 77–86.
- Kaddumi, H. F. 2007. *Amber of Jordan: the oldest prehistoric insects in fossilized resin. Second edition*. Eternal River Museum of Natural History, Amman, Jordan, 224 pp.

- Karpinen, E. & Koponen, M. 1973. The subfossil oribatid fauna of Piilonsuo, a bog in southern Finland. *Annales entomologici Fennici*, 39: 22–32.
- Karpinen, E. & Koponen, M. 1974. Further observations on subfossil remains of oribatids (Acar., Oribatei) and insects in Piilonsuo, a bog in southern Finland. *Annales entomologici Fennici*, 40: 172–175.
- Karpinen, E., Krivolutsky, D. A., Koponen, M., Kozlovskaja, L. S., Laskova, L. M. & Viitasaari, M. 1979. List of subfossil oribatid mites (Acarina, Oribatei) of northern Europe and Greenland. *Annales entomologici Fennici*, 45: 103–108.
- Karsch, F. 1879. Arachnologische Beiträge. *Zeitschrift für die gesammten Naturwissenschaften*, 52: 534–562.
- Karsch, F. 1880a. Arachnologische Blätter. I. Ueber *Corinna* (C. L. Koch) und ihre Verwandtschaften. *Zeitschrift für die gesammten Naturwissenschaften*, 53: 373–378.
- Karsch, F. 1880b. Arachnologische Blätter. X. Scorpionologische Fragmente. *Zeitschrift für die gesammten Naturwissenschaften*, 53: 404–409.
- Karsch, F. 1882. Ueber ein neues Spinnenthier aus der Schlesischen Steinkohle und die Arachnoiden überhaupt. *Zeitschrift der Deutschen geologischen Gesellschaft*, 34: 556–561.
- Karsch, F. 1884. Neue Milben in Bernstein. *Berliner Entomologische Zeitschrift*, 28: 175–176.
- Keegan, H. L., Yunker, C. E. & Baker, E. W. 1960. Malaysian parasites. XLVI. *Hystrichonyssus turneri*, n.sp. n.g. representing a new subfamily of Dermasyddidae (Acarina) from a Malayan porcupine. *Studies from the Institute for Medical Research Federation of Malaya*, 107: 455–473.
- Keferstein, C. 1834. *Die Naturgeschichte des Erdkörpers in ihren ersten Grundzügen*, Vol. 2. F. Fleischer, Leipzig, 896 pp.
- Keifer, H. H. 1966. [untitled.] *Californian Department of Agriculture. Eriophyid Series*, B-21: 1–20.
- Kethley, J. B. 1974. Developmental chaetotaxy of a paedomorphic celaenopsoid, *Neotenogynium malkini* n.g., sp. (Acari: Parasitiformes: Neotenogyniidae, n. fam.) associated with millipedes. *Annals of the Entomological Society of America*, 67: 571–579.
- Kethley, J. B. 1977a. The Status of *Hyalicus* Berlese, 1913 and *Oehsercheates* Jacot, 1939 (Acari: Acariformes: Endeostigmata). *Fieldiana Zoology*, 72: 59–64.
- Kethley, J. B. 1977b. An unusual Parantennuloid, *Philodana johnstoni* n.g., n.sp. (Acari: Parasitiformes: Philodanidae, n. fam.) associated with *Neatus tenebrioides* (Coleoptera: Tenebrionidae) in North America. *Annals of the Entomological Society of America*, 70: 487–494.
- Kethley, J. B. 1979. A cladistic analysis of the Trigynaspida (Acari: Parasitiformes) with a review of the higher categories and nominate taxa. In Piffl, E. (ed). *Proceedings of the 4th International Congress of Acarology – Saalfelden (Austria)*. Akadémiai Kiakó, Budapest, pp. 459–466.
- Kethley, J. B. 1989. Proteonematalycidae (Acari: Acariformes), a new mite family from fore-dune sand of Lake Michigan. *International Journal of Acarology*, 15: 209–217.

- Kethley, J. B., Norton, R. A., Bonamo, P. M. & Shear, W. A. 1989. A terrestrial alicorhagiid mite (Acaria: Acariformes) from the Devonian of New York. *Micropaleontology*, 35: 367–373.
- Kew, H. W. 1911. A synopsis of the false scorpions of Britain and Ireland. *Proceedings of the Royal Irish Academy (B)*, 29: 38–64.
- Keyserling, E. 1877. Ueber amerikanische Spinnenarten der Unterordnung Citigradae. *Verhandlungen der Zoologisch-Biologischen Gesellschaft in Wien*, 26: 609–708.
- Keyserling, E. 1880a. *Die Spinnen Amerikas, I. Laterigradae*. Nürnberg, 1, 283 pp.
- Keyserling, E. 1880b. Neue Spinnen aus Amerika. I. *Verhandlungen der Zoologisch-Biologischen Gesellschaft in Wien*, 29: 293–349.
- Keyserling, E. 1882. Neue Spinnen aus Amerika. III. *Verhandlungen der Zoologisch-Biologischen Gesellschaft in Wien*, 31: 269–314.
- Keyserling, E. 1884. *Die Spinnen Amerikas. Theridiidae*. Nürnberg, 2, 222 pp.
- Khaustov A. A. 2000. Bembidiacaridae, a new family of mites (Acaria: Heterostigmata) associated with carabid beetles of the genus *Bembidion* (Coleoptera: Carabidae). *Acarina*, 8: 3–8.
- Khaustov, A. A. & Perkovsky, E. E. 2010. The first fossil record of mites of the family Pyemotidae (Acaria: Heterostigmata), with description of a new species from Rovno Amber. *Palaeontological Journal*, 44: 418–421.
- Khaustov, A. A. & Poinar jr., G. O. 2010. *Protoresinacarus brevipedis* gen. n., sp. n. from Early Cretaceous Burmese amber: the first fossil record of mites of the family Resinacaridae (Acaria: Heterostigmata: Pyemotoidea). *Historical Biology*: DOI: 10.1080/08912963.2010.508881
- Kirchner, H. 1923. *Limulus Sandbergi* n. sp. aus dem fränkischen oberen Buntsandstein (Plattensandstein). *Centralblatt für Mineralogie, Geologie und Paläontologie*, 20: 634–639.
- Kim, J.-p. & Nam, K.-s. 2008. [Mesozoic spider (Araneae: Pisauridae) from Korea.] *Korean Arachnology*, 24: 119–125. [in Korean with English summary]
- Kishida, K. 1930. A new scheme of classification of spider families and genera. *Lansania*, 2: 33–43.
- Kjellesvig-Waering, E. N. 1934. Note on a new eurypterid from the Moscow Shales of New York. *American Journal of Science, 5th Series*, 27: 386–387.
- Kjellesvig-Waering, E. N. 1948a. Two new eurypterids from the Silurian of Indiana. *Journal of Paleontology*, 22: 465–472.
- Kjellesvig-Waering, E. N. 1948b. The Mazon Creek Eurypterid: A revision of the genus *Lepidoderma*. *Scientific Papers, Illinois*, 3(4): 1–48.
- Kjellesvig-Waering, 1950a. A new Silurian Hughmilleria from West Virginia. *Journal of Paleontology*, 24: 226–228.
- Kjellesvig-Waering, 1950b. A new Silurian Eurypterid from Florida. *Journal of Paleontology*, 24: 229–231.
- Kjellesvig-Waering, E. N. 1951. Downtonian (Silurian) Eurypterida from Perton, near Stoke Edith, Herefordshire. *Geological Magazine*, 88: 1–24.

- Kjellesvig-Waering, E. N. 1954. Note on a new Silurian (Downtonian) scorpion from Shropshire, England. *Journal of Palaeontology*, 28: 485–486.
- Kjellesvig-Waering, E. N. 1955. A new phyllocard and eurypterid from the Silurian of Florida. *Journal of Paleontology*, 29: 295–297.
- Kjellesvig-Waering, E. N. 1958. The genera, species and subspecies of the family Eurypteridae Burmeister, 1845. *Journal of Paleontology*, 32: 1107–1148.
- Kjellesvig-Waering, E. N. 1959. A taxonomic review of some late Paleozoic Eurypterida. *Journal of Palaeontology*, 33: 251–256.
- Kjellesvig-Waering, E. N. 1961a. Eurypterida of the Devonian Holland Quarry Shale of Ohio. *Fieldiana, Geology*, 14(5): 79–98.
- Kjellesvig-Waering, E. N. 1961b. The Silurian Eurypterida of the Welsh Boderland. *Journal of Paleontology*, 35: 251–256.
- Kjellesvig-Waering, E. N. 1963a. Revision of some Upper Devonian Styloinuridae (Eurypterida) from New York and Pennsylvania. *Journal of Paleontology*, 37: 490–495.
- Kjellesvig-Waering, E. N. 1963b. Pennsylvanian invertebrates of the Mazon Creek area, Illinois, Eurypterida. *Fieldiana, Geology*, 14(9): 169–197.
- Kjellesvig-Waering, E. N. 1964a. A synopsis of the Family Pterygotidae Clarke and Ruedemann 1912 (Eurypterida). *Journal of Paleontology*, 38: 331–361.
- Kjellesvig-Waering, E. N. 1964b. Eurypterida: Notes on the subgenus *Hughmilleria* (*Nanahughmilleria*) from the Silurian of New York. *Journal of Paleontology*, 38: 410–412.
- Kjellesvig-Waering, E. N. 1966b. Silurian scorpions of New York. *Journal of Paleontology*, 40: 359–375.
- Kjellesvig-Waering, E. N. 1966c. The scorpions of Trinidad and Tobago. *Caribbean Science*, 6: 123–135.
- Kjellesvig-Waering, E. N. 1969. A new phalangiotarbid (Arachnida) from the Pennsylvanian of Oklahoma. *Journal of Paleontology*, 43: 1280–1282.
- Kjellesvig-Waering, 1971. A new Downtonian styloinurid from Central England (Silurian, Eurypterida). *Journal of Paleontology*, 45: 538–539.
- Kjellesvig-Waering, E. N. 1973. A new Silurian *Slimonia* (Eurypterida) from Bolivia. *Journal of Paleontology*, 47: 549–550.
- Kjellesvig-Waering, E. N. 1979. Eurypterids. In Jaanusson, V., Laufeld, S. & Skoglund, R. (eds). Lower Wenlock faunal and floral dynamics – Vattenfallet section, Gotland. *Sveriges Geologiska Undersökning, Serie C*, NR 762, Årsbok 73 NR, 3: 121–136.
- Kjellesvig-Waering, E. N. 1986. A restudy of the fossil Scorpionida of the world. *Palaeontographica Americana*, 55: 1–287.
- Kjellesvig-Waering, E. N. & Caster, K. E. 1955. The Pterygotidae of the Silurian Vernon Shales of New York. *Journal of Paleontology*, 29: 1041–1047.

- Kjellesvig-Waering, E. N. & Heubusch, C. A. 1962. Some Eurypterida from the Ordovician and Silurian of New York. *Journal of Paleontology*, 36: 211–221.
- Kjellesvig-Waering, E. N. & Leutze, W. P. 1966. Eurypterida from the Silurian of West Virginia. *Journal of Paleontology*, 40: 1109–1122.
- Kjellesvig-Waering, E. N. & Størmer, L. 1952. The *Dolichopterus–Strobilopterus* group in the Eurypterida. *Journal of Palaeontology*, 26: 659–661.
- Klompen, H. & Grimaldi, D. 2001. First Mesozoic record of a parasitiform mite: a larval argasid tick in Cretaceous amber (Acari: Ixodida: Argasidae). *Annals of the Entomological Society of America*, 94: 10–15.
- Kobayashi, T. 1933. On the occurrence of Xiphosuran remains in Chosen (Korea). *Japanese Journal of Geology and Geography*, 10 : 175–182.
- Koch, C. L. 1829–1844. Arachniden. In Panzer (ed). *Faunae Insectorum Germaniae initia. Fortgesetzt von Herrich-Schäffer, Hefte 111–190*. Regensburg. [1833, Hefte 119–121]
- Koch, C. L. 1834. Arachniden. In Panzer (ed). *Faunae Insectorum Germaniae initia. Hefte 122–125*, 127. Regensburg.
- Koch, C. L. 1835. Arachniden. In Panzer (ed). *Faunae Insectorum Germaniae initia. Hefte 128–131*. Regensburg.
- Koch, C. L. 1837. *Uebersicht des Arachnidensystems* 1. C. H. Zeh'sche Buchhandlung, Nürnberg, 39 pp.
- Koch, C. L. 1839a. *Uebersicht des Arachnidensystems* 2. C. H. Zeh'sche Buchhandlung, Nürnberg, 38 pp.
- Koch, C. L. 1839b. *Die Arachniden. Getreu nach der Natur abgebildet und beschrieben. Sechster Band*. C. H. Zeh'sche Buchhandlung, Nürnberg, 156 pp.
- Koch, C. L. 1839c. *Deutschlands Crustaceen, Myriapoden und Arachniden. Hefte 23–30*.
- Koch, C. L. 1842a. *Die Arachniden. Getreu nach der Natur abgebildet und beschrieben. Neunter Band*. C. H. Zeh'sche Buchhandlung, Nürnberg, 108 pp.
- Koch, C. L. 1842b. *Uebersicht des Arachnidensystems* 3. C. H. Zeh'sche Buchhandlung, Nürnberg, 130 pp.
- Koch, C. L. 1843a. *Die Arachniden. Getreu nach der Natur abgebildet und beschrieben. Zehnter Band*. C. H. Zeh'sche Buchhandlung, Nürnberg, 142 pp.
- Koch, C. L. 1843b. *Uebersicht des Arachnidensystems* 3. C. H. Zeh'sche Buchhandlung, Nürnberg, 130 pp
[continuation of 1842b; see above].
- Koch, C. L. 1844. Systematische Übersicht über die Ordnung der Zecken. *Archiv für Naturgeschichte*, 1: 217–239.
- Koch, C. L. 1846. *Die Arachniden. Getreu nach der Natur abgebildet und beschrieben. Dreizehnter Band*. C. H. Zeh'sche Buchhandlung, Nürnberg, 234 pp.
- Koch, C. L. 1847. *Die Arachniden. Getreu nach der Natur abgebildet und beschrieben. Vierzehnter Band*. C. H. Zeh'sche Buchhandlung, Nürnberg, 210 pp.
- Koch, C. L. 1851. *Übersicht des Arachnidensystems* 5. C. H. Zeh'sche Buchhandlung, Nürnberg, 104 pp.

- Koch, C. L. & Berendt, G. C. 1854. Die im Bernstein befindlichen Myriapoden, Arachniden und Apteran der Vorwelt. In Berendt, G. C. *Die in Bernstein befindlichen organischen Reste der Vorwelt gesammelt in Verbindung mit mehreren bearbeitet und herausgegeben* 1. Berlin, Nicolai, 124 pp.
- Koch, L. 1866. *Die Arachniden-Familie der Drassiden*. 1–6. J. L. Lotzbeck, Nürnberg, 352 pp.
- Koch, L. 1871–1883. *Die Arachniden Australiens nach der Natur beschrieben und abgebildet*. Bauer & Raspe, Nürnberg, 1489 pp.
- Koch, L. 1873. *Uebersichtliche Darstellung der europäischen Chernetiden (Pseudoscorpione)*. Bauer und Raspe, Nürnberg, ?? pp.
- Kraepelin, K. 1899. Zur Systematik der Solifugen. *Mitteilungen aus dem Naturhistorischen Museum in Hamburg*, 16: 195–258.
- Kraepelin, K. 1901. Palpigradi und Solifugae. *Tierreich*, 12: i–x, 1–159.
- Kraepelin, K. 1905. Die geographische Verbreitung der Skorpione. - *Zoologische Jahrbücher, Abtheilung für Systematik*, 22: 321–364.
- Kramer, P. 1885. Ueber Halarachne Halichoeri, Allm. *Zeitschrift für Naturwissenschaften*, 58: 1–31.
- Kratochvíl, J. 1958. Höhlenweberknechte Bulgariens (Palpatores – Nemastomatidae). *Acta Academiae Scientiarum Čechoslovenicae Basis Brunensis*, 30: 523–576.
- Krivolutsky, D. A. & Krasilov, B. A. 1977. Oribatid mites from Upper Jura deposits of USSR. 16–24. In Skarlato, O. A. & Balashov, Y. S. (eds) *Morphology and Diagnostics of Mites*. Zoological Institute, Leningrad, 85 pp. [in Russian]
- Krüger, J. & Dunlop, J. A. 2010. Schizomids (Arachnida: Schizomida) from Dominican Republic amber. *Alavesia*, 3: 43–53.
- Kues, B. S. & Kietzke, K. K. 1981. A large assemblage of a new eurypterids from the Red Tanks Member, Madera Formation (Late Pennsylvania - Early Permian) of New Mexico. *Journal of Paleontology*, 55: 709–729.
- Kulczyński, L. 1902. Species Oribatinarum (Oudms.) (Damaeinara Michael) in Galicia collectae. *Dissertationum mathematicarum et physicarum Academiae Litterarum Cracoviensis*, 42: 1–50.
- Kulicka, R. 1990. The list of animal inclusions in Baltic amber from collection of the Museum of Earth in Warsaw. *Prace Muzeum Ziemi*, 41: 144–146.
- Kury, A. B. 2003. Annotated catalogue of the Laniatores of the New World (Arachnida, Opiliones). *Revista Ibérica de Aracnología*, Volumen especial monográfico 1: 1–337.
- Kury, A. B. & Pérez González, A. 2002. A new family of Laniatores from northwestern South America (Arachnida, Opiliones). *Revista Ibérica de Aracnología*, 6: 3–11.
- Kušta, J. 1883. *Anthracomartus krejci*, eine neue Arachnide aus dem Böhmischem Karbon. *Sitzungsberichte der Königlich Böhmischen Gesellschaft der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse*, 1883: 7.

- Kušta, J. 1884a. Neue Arachniden aus der Steinkohlenformation von Rakonitz. *Sitzungsberichte der Königlich Böhmisches Gesellschaft der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse*, 1884: 398–401.
- Kušta, J. 1884b. *Thelyphonus boemicus* n. sp., ein fossiler Geisselscorpion aus der Steinkohlenformation von Rakonitz. *Sitzungsberichte der Königlich Böhmisches Gesellschaft der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse*, 1884: 186–191.
- Kušta, J. 1885. Neue fossile Arthropoden aus dem Noeggarathienschiefer von Rakonitz. *Sitzungsberichte der Königlich Böhmisches Gesellschaft der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse*, 1885: 1–7.
- Kušta, J. 1888. O nových arachnidech z karbonu Rakovnického. (Neue Arachniden aus der Steinkohlenformation bei Rakonitz). *Sitzungsberichte der Königlich Böhmisches Gesellschaft der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse*, 1888: 194–208.
- Kutorga, S. 1838. *Beitrag zur Kenntnis der organischen Überreste des Kupfersandsteins am westlichen Abhange des Urals*. St. Petersburg, 38 pp.
- Lamarck, J. B. P. A. 1801. *Système des animaux sans vertèbres*. Lamarck and Deterville, Paris, xx pp.
- Lamont, A. 1955. Scottish Silurian Chelicerata. *Transactions of the Edinburgh Geological Society*, 16: 200–216.
- Lamsdell, J. C., Braddy, S. J. & Tetlie, O. E. 2010. The systematics and phylogeny of the Stylocephalida (Arthropoda: Chelicerata: Eurypterida). *Journal of Systematic Palaeontology*, 8: 49–61.
- Lamsdell, J. C., Braddy, S. J., Loeffler, E. J. & Dineley, D. L. 2010. Early Devonian stylocephalid eurypterids from Arctic Canada. *Canadian Journal of Earth Sciences*, 47: 1405–1415.
- Latreille, P. A. 1795. Observations sur la variété des organes de la bouche des tiques, et distribution méthodique des insectes de cette famille d'après les caractères établis sur la conformation de ces organes. *Magasin Encyclopédique, ou Journal des Sciences, des Lettres et des Arts*, 4: 15–20.
- Latreille, P. A. 1796. *Précis de caractères généraux des insectes, disposés dans un ordre naturel*. Prévot, Paris, ?? pp.
- Latreille, P. A. 1802. *Histoire naturelle, générale et particulière, des Crustacés et des Insectes*. Dufart, Paris, ??pp.
- Latreille, P. A. 1804a. Tableau méthodique des Insectes. *Nouveau Dictionnaire d'histoire naturelle*, 24: 129–200.
- Latreille, P. A. 1804b. *Histoire naturelle, générale et particulière, des Crustacés et des Insectes*, Vol. 7. F. Dufart, Paris, pp. 144–305.
- Latreille, P. A. 1806. *Genera Crustaceorum et Insectorum*. Vol. 1. A. Koenig, Paris, pp. 82–127.
- Latreille, P. A. 1809. *Genera Crustaceorum et Insectorum*. Vol. 4. Paris, pp. 73–371.
- Latreille, P. A. 1810. *Considérations générales sur l'Ordre Naturel des Animaux composant les Classes des Crustacés, des Arachnides et des Insectes*. Paris, 446 pp.
- Latreille, P. A. 1819. [Articles sur les Araignées]. *Nouveau Dictionnaire d'histoire naturelle* 30–35 : ?? pp.

- Latreille, P. A. 1829. Les Arachnides. In Cuvier, G (ed.) *Le règne animal, nouv. ed.* Paris, pp. 206–291.
- Laurentiaux-Viera, F. & Laurentiaux, D. 1961. *Prothelyphonus neerlandicus*, nov. sp., Uropyge du Westphalien du Limbourg Hollandais. *Mededelingen van de Geologische Stichting, N.S.*, 13: 29–34.
- Laurentiaux-Viera, F. & Laurentiaux, D. 1963. Sur quelques restes nouveaux d'Arachnides du terrain houiller. *Annales de la Société Géologique du Nord*, 83: 23–29.
- Laurie, M. 1892. On some eurypterid remains from the Upper Silurian rocks of the Pentland Hills. *Transactions of the Royal Society of Edinburgh*, 37: 151–162.
- Laurie, M. 1896. Further notes on the anatomy and development of scorpions, and their bearing on the classification of the order. *Annals and Magazine of Natural History, series 6*, 17: 185–193.
- Laurie, M. 1899. On a Silurian scorpion and some additional eurypterid remain from the Pentland Hills. *Transactions of the Royal Society of Edinburgh*, 39: 575–590.
- Leach, W. E. 1815. A tabular view of the external characters of four classes of animals which Linné arranged under Insecta; with the distribution of the genera composing three of these classes into orders, andc. And descriptions of several new genera and species. *Transactions of the Linnean Society of London*, 11: 306–400.
- Leach, W. E. 1819. *Dictionnaire des Sciences Naturelles*, Vol. 14. Paris, pp. 537–538.
- Leary, R.L. 1980. *Labriscorpio alliedensis*, a new Carboniferous scorpion from Rock Island County, Illinois. *Journal of Paleontology*, 54: 1255–1257.
- Leech, R. & Matthews Jr., J. V. 1971. *Xysticus archaeopalpus* (Arachnida: Thomisidae), a new species of crab spider from Pliocene sediments in western Alaska. *Canadian Entomologist*, 103: 1337–1340.
- Lehmann, W.M. 1944. *Palaeoscorpius devonicus* n. g., n. sp., ein Skorpion aus dem rheinischen Unterdevon. *Neues Jahrbuch für Paläontologie, Monatshefte, B*: 177–185.
- Lehtinen, P. T. 1967. Classification of the cribellate spiders and some allied families, with notes on the evolution of the suborder Araneomorpha. *Annales Zoologici Fennici*, 4: 199–468.
- Lehtinen, P. T. 1981. New Holothyridina (Arachnida, Anactinotrichida) from New Guinea and South America. *Acarologia*, 22: 3–13.
- Lenz, H. 1886. Beiträge zur Kenntniss der Spinnenfauna Madagascars. *Zoologische Jahrbücher, Systematik*, 1: 379–408.
- Leutze, W. P. 1958. Eurypterids from the Silurian Tymochtee dolomite of Ohio. *Journal of Paleontology*, 32: 937–942.
- Leutze, W. P. 1961. Arthropods from the Syracuse Formation, Silurian of New York. *Journal of Paleontology*, 35: 49–64.
- Levy, G. 2007. The first troglobite scorpion from Israel and a new chactoid family (Arachnida: Scorpiones). *Zoology in the Middle East*, 40: 91–96.

- Li S.-q. & Wunderlich, J. 2008. Sinopimoidae, a new spider family from China (Arachnida, Araneae). *Acta zootaxonomica sinica*, 33: 1–6.
- Lin Q.-b., Zhang, Z.-f. & Wang, B.-z. 1989. New evidences for Miocene climatic optimum event—review on the Miocene spider fossils from Shanwang collection. *Proceedings of International Symposium on Pacific Neogene and Marine Events*. Nanjing University Press, pp. 137–147.
- Lin Q.-b., Yao Y.-m., Xiang W.-d. & Xia Y.-r. 1988. An Oligocene micropalaeoentomofauna from Gubei district of Shandong and its ecological environment. *Acta Micropalaeontologica Sinica*, 5: 331–345.
- Lindquist, E. E. & Moraza, M. L. 1993. Pyrosejidae, a new family of trigynaspid mites (Acari: Mesostigmata: Cercomegistina) from Middle America. *Acarologia*, 34: 283–307.
- Lindquist, E. E. & Palacios-Vargas, J. G. 1991. Proterorhagiidae (Acari: Endeostigmata), a new family of rhagidiid-like mites from Mexico. *Acarologia*, 32: 341–363.
- Linnaeus, C. 1758. *Systema naturae, 10th edition. Vol 1.* L. Salvii, Holmiae.
- Loman, J. C. C. 1900. Ueber die geographische Verbreitung der Opilioniden. *Zoologische Jahrbücher, Systematik*, 16: 71–104.
- Lourenço, W. R. 1995. Description de trois nouveaux genres et quatre nouvelles espèces de scorpions Buthidae de Madagascar. *Bulletin du Muséum National d'Histoire Naturelle* (4), 17A: 95–106.
- Lourenço, W. R. 1996a. Faune de Madagascar. 87. Scorpions (Chelicerata, Scorpiones). Muséum National d'Histoire Naturelle, Paris, 102 pp.
- Lourenço, W. R. 1996b. Premier cas connu d'un sub-fossile de scorpion dans le copal de Madagascar. *Compte Rendus de l'Académie des Sciences, Paris, Sér. IIa*, 323: 889–891.
- Lourenço, W. R. 1998. Panbiogeographie, les distributions disjointes et le concept de famille relictuelle chez les Scorpions. *Biogeographica*, 74: 133–144.
- Lourenço, W. R. 2000a. More about the Buthoidea of Madagascar, with special references to the genus *Tityobuthus* Pocock (Scorpiones, Buthidae). *Revue suisse de Zoologie*, 107: 721–736.
- Lourenço, W. R. 2000b. Premier cas d'un sub-fossile d'araignée appartenant au genre *Archaea* Koch and Berendt (Archaeidae) dans le copal de Madagascar. *Comptes rendus de l'Académie des Sciences Paris, Sciences de la Terre et des planètes*, 330: 509–512.
- Lourenço, W. R. 2001. A remarkable scorpion fossil from the amber of Lebanon. Implications for the phylogeny of Buthoidea. *Comptes rendus de l'Académie des Sciences Paris, Sciences de la Terre et des planètes*, 332: 641–646.
- Lourenço, W. R. 2002. The first scorpion fossil from the Cretaceous amber of Myanmar (Burma). New implications for the phylogeny of Buthoidea. *Comptes Rendus Palevol*, 1: 97–101.
- Lourenço, W. R. 2003. The first scorpion fossil from the Cretaceous amber of France. New implications for the phylogeny of Chactoidea. *Comptes Rendus Palevol*, 2: 213–219.

- Lourenço, W. R. 2004. Description of a further species of fossil scorpion in Baltic amber. In Wunderlich, J. (ed.) *Beiträge zur Araneologie*, 3: 1886–1889.
- Lourenço, W. R. 2009a. A new sub-fossil scorpion of the genus *Microcharmus* Lourenço from Malagasy copal (Scorpiones, Microchermidae). *Boletín Sociedad Entomológica Aragonesa*, 44: 135–137.
- Lourenço, W. R. 2009b. A new species of *Tityus* C. L. Koch, 1836 (subgenus *Brazilotityus* Lourenço, 2006) from the Dominican amber (Scorpiones: Buthidae). *Euscorpius*, 83: 1–5.
- Lourenço, W.R. & Gall, J.-C. 2004. Fossil scorpions from the Buntsandstein (Early Triassic) of France. *Comptes Rendus Palevol*, 3: 369–378.
- Lourenço, W. R. & Weitschat, W. 2000. New fossil scorpions from the Baltic amber – implications for Cenozoic biodiversity. *Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg*, 84: 247–260.
- Lourenço, W. R. & Weitschat, W. 2001. Description of another fossil scorpion from Baltic amber with considerations on the evolutionary levels of Cenozoic Buthoidea. *Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg*, 85: 277–283.
- Lourenço, W. R. & Weitschat, W. 2005a. A new genus and species of fossil scorpion from a different kind of Baltic amber (Scorpiones, Buthidae). – *Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg*, 89, 183–188.
- Lourenço, W. R. & Weitschat, W. 2005b. First sub-fossil scorpion of genus *Chactas* Gervais from Colombian copal (Scorpiones, Chactidae). *Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg*, 89: 179–182.
- Lourenço, W. R. & Weitschat, W. 2009. A new species of *Palaeoananteris* Lourenço & Weitschat, 2001, fossil scorpion from Ukrainian amber (Scorpiones, Buthidae). *Boletín Sociedad Entomológica Aragonesa*, 45: 231–235.
- Lourenço, W. R., Henderickx, H. & Weitschat, W. 2005. A new genus and species of fossil scorpion from Baltic amber (Scorpiones, Buthidae). *Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg*, 89: 159–166.
- Lucas, H. 1835. Sur une monographie du genre Thélyphone. *Magasin de Zoologie*, 5: Classe VIII, pls. 8–10.
- Lucas, H. 1846. Histoire naturelle des Animaux articulés. In *Exploration scientifique de l'Algérie pendant les années 1840, 1841, 1842, publiée par ordre du Gouvernement et avec le concours d'une commission académique. Sciences physiques, Zoologie, 5 tomes, Paris, 1846–1850*. Vol. 1: 89–271.
- Luxton, M. 1985. Cryptostigmata (Arachnida: Acari): a concise review. *Fauna of New Zealand*, 7: 1–112.
- Luxton, M. 1988. A new mite superfamily (Acari: Cryptostigmata). *Zoological Journal of the Linnean Society*, 93: 71–91.
- MacLeay, W. S. 1839. On some new forms of Arachnida. *Annals and Magazine of Natural History*, 2: 1–14.

- Magowski, W. Ł. 1994. Discovery of the first representative of the mite subcohort Heterostigmata (Arachnida: Acari) in the Mesozoic Siberian amber. *Acarologia* 35: 229–241.
- Magowski, W. Ł. 1995. Fossil heterostigmatid mites in amber – 85 million year-old an arthropod mite Relationships 53–58. In Kropczynska, D., Boczek, J. & Tomczyk, A. (eds) *The Acari: Physiological and Ecological Aspects of Acari – Host Relationships* Dabor, Warsaw, 698 pp.
- Malz, H. & Poschmann, M. 1993. Erste Süßwasser-Limuliden (Arthropoda, Chelicerata) aus dem Rotliegenden der Saar-Nahe-Senke. *Osnabrücker naturwissenschaftliche Mitteilungen*, 19: 21–24.
- Mahnert, V. 1979. Pseudoskopione (Arachnida) aus dem Amazonas-Gebiet (Brasilien). *Revue suisse de Zoologie*, 86: 719–810.
- Mahunka, S. 1986. A survey of the family Carabodidae C. L. Koch, 1836 (Acari: Oribatida). *Acta Zoologica Hungarica*, 32: 73–135.
- Mahunka, S. 1990. A survey of the superfamily Euphthiracaroidea Jacot, 1930 (Acari: Oribatida). *Folia Entomologica Hungarica*, 51: 37–80.
- Martens, J. 1976. Genitalmorphologie, System und Phylogenie der Weberknechte (Arachnida: Opiliones). *Entomologica Germanica*, 3: 51–68.
- Martens, J. 1988. Fissiphalliidae, a new family of South American laniatorean harvestmen (Arachnida: Opiliones). *Zeitschrift für zoologische Systematik und Evolutionsforschung*, 26: 114–127.
- Martin, W. 1809. *Petrificata Derbyensis* 1, Wigan, ?? pp.
- Marusik, Y. M. & Penney, D. 2004. A survey of Baltic amber Theridiidae (Araneae) inclusions, with descriptions of six new species. In Logunov, D. V. & Penney, D (eds). European Arachnology 2003 (Proceedings of the 21st European Colloquium of Arachnology, St.-Petersburg, 4–9 August 2003). *Arthropoda Selecta*, Special Issue No. 1: 201–208.
- Marx, G. 1888. On a new and interesting spider. *Entomologica Americana*, 4: 160–162.
- Marx, G. 1890a. Arachnida. In Howard, L. O. (ed.) Scientific results of the explorations by the U. S. Fish Commission Steamer Albatross. No. V. – Annotated catalogue of the insects collected in 1887–'88. – *Proceedings of the United States National Museum*, 12: 207–211.
- Marx, G. 1890b. Catalogue of the described Araneae of temperate North America. *Proceedings of the United States National Museum*, 12: 497–594.
- Matthew, G. F. 1888. On some remarkable organisms of the Silurian and Devonian rocks in Southern New Brunswick. *Transactions of the Royal Society of Canada*, 1888: 49–61.
- Matthew, G. F. 1895. Organic remains of the Little River Group, No. IV. *Transactions of the Royal Society of Canada*, 2nd Ser., 1: 273–279.
- McCook, H. C. 1888. A new fossil spider, *Eoatypus woodwardii*. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 1888: 200–202.
- Meek, F. B. 1867. Notes on a new genus of fossil Crustacea. *Geological Magazine, Decade 4*, **xx**: 320–321.

- Meek, F. B. & Worthen, A. H. 1865. Notice of some new types of organic remains from the Coal Measures of Illinois. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 17: 41–45.
- Meek, F.B & Worthen, A.H. 1868a. Preliminary notice of a scorpion, a *Eurypterus?* and other fossils from the Coal Measures of Illinois and Iowa. *American Journal of Science and Arts, series 2*, 45: 25.
- Meek, F.B. & Worthen, A.H. 1868b. Palaeontology of Illinois. In *Geological Survey of Illinois*, 3: 289–565.
- Melander, A. L. 1903. Some additions to the Carboniferous terrestrial fauna of Illinois. *Journal of Geology*, 11: 178–198.
- Melendez, B. 1971. Un novel Euryptéride du Westphalien des Asturies (NW Espagne). In Krefeld (ed.) *Septième Congrès de Stratigraphie et de Géologie du Carbonifère*, 3: 415–417.
- Mello-Leitão, C. F. de 1932. Notas sobre as Micratheneas do Brasil. *Anais do Academia Brasileira dos Ciências*, 4: 73–97.
- Mello-Leitão, C. F. de 1937. Distribution et Phylogénie des Fauchers Sud-Américains. *Proceedings of the 12th International Congress of Zoology, Lisbon*, 2(5): 1217–1228.
- Mello-Leitão, C. F. de 1940. Arañas de las islas Juan Fernandez, recogidas por el Señor R. Wagenknecht. *Revista Chilena de Historia Natural*, 44: 236–239.
- Menge, A. 1854. Footnotes in Koch, C. L. & Berendt, G. C. Die im Bernstein befindlichen Myriapoden, Arachniden und Apteran der Vorwelt. In Berendt, G. C. *Die in Bernstein befindlichen organischen Reste der Vorwelt gesammelt in verbindung mit mehreren bearbeitetet und herausgegeben* 1. Berlin, Nicolai, 124 pp.
- Menge, A. 1855. Ueber die Scheerenspinnen, Chernetidae. *Neueste Schriften der Naturforschenden Gesellschaft*, 5: 1–43.
- Menge, A. 1856. Lebenszeichen vorweltlicher, im Bernstein eingeschlossener Thiere. *Programm der Petrischule zu Danzig*, 8: 32 pp.
- Menge, A. 1866. Preussische Spinnen. Erste Abtheilung. *Schriften der Naturforschenden Gesellschaft in Danzig (Neue Folge)*, 2: 1–152.
- Menge, A. 1868. Preussische Spinnen. II. Abtheilung. *Schriften der Naturforschenden Gesellschaft in Danzig (Neue Folge)*, 2: 153–218.
- Menge, A. 1869. Ueber einen Scorpion und zwei Spinnen im Bernstein. *Schriften der Naturforschenden Gesellschaft in Danzig (Neue Folge)*, 2: 1–9.
- Mesquita, M. V. 1996. *Cretaraneus matensnetoi* n.sp. (Araneoidea) da Formação Santana, Cretáceo Inferior da Bacia do Araripe. *Revista Universidade Guarulhos, Série Geociências*, 1(3): 24–31.
- Miller, S. A. 1874. Notes and descriptions of Cincinnati Group fossils. *Cincinnati Quarterly Journal of Science*, 1: 343–351.
- Miller, S. A. & Gurley, W. F. E. 1896. New species of Echinodermata and a new crustacean from the Palaeozoic rocks. *Illinois State Museum Natural History Bulletin*, 10: 1–91.

- Millot, J. 1947. Une araignée malgache énigmatique, *Gallieniella mygaloides* n. g., n. sp. *Bulletin du Muséum National d'Histoire Naturelle*, 2^e Série, 19: 158–160.
- Millot, J. 1948. Faits nouveaux concernant les Archaea [Aranéides]. *Mémoires de l'Institut Scientifique de Madagascar*, 1(A1): 3–14.
- Moberg, J. C. 1892. Om en nyupptäckt fauna i block af kambrisk sandsten, insamlade af Dr N.O. Holst. *Geologiska Föreningens i Stockholm Förhandlingar*, 14: 103–120.
- Moore, J. I. 1923. A review of the present knowledge of fossil scorpions, with the description of a new species from the Pottsville Formation of Clay County, Indiana. *Proceedings of the Indiana Academy of Science*, 38: 125–134.
- Moore, R. A., McKenzie, S. C. & Lieberman, B. S. 2007. A Carboniferous synziphosurine (Xiphosura) from the Bear Gulch Limestone, Montana, USA. *Palaeontology*, 50: 1013–1019.
- Moore, R. A., McKenzie, S. C., Braddy, S. J., Anderson, L. I., Mikulic, D. G. & Kluessendorf, J. 2005. A new synziphosurine (Chelicerata: Xiphosura) from the Late Llandovery (Silurian) Waukesha Lagerstätte, Wisconsin, USA. *Journal of Paleontology*, 79: 242–250.
- Moran, R. J. 1986. The Sternodidae (Araneae, Araneomorpha), a new family of spiders from eastern Australia. *Bulletin of the British Arachnological Society*, 7: 87–96.
- Moraza, M. L. & Lindquist, E. E. 1999. Coprozerconidae, a new family of zerconoid mites from North America (Acari: Mesostigmata: Zerconoidea). *Acarologia*, 39: 291–313.
- Müller, O. F. 1785. *Entomastraca, seu, Insecta testacea quae in aquis Daniae et Norvegiae reperit, descriptis et iconibus illustravit*. Hauniae, Thiele, ?? pp.
- Müller, A. H. 1957. Ein Arachnidenrest (*Brachylycosa ? manebachensis* n. sp.) aus dem Unteren Rotliegenden (Manebacher Schichten) von Thüringen. *Geologie*, 6: 95–98.
- Münster, G. Graf zu 1839. Die Rhyncholiten des Muschelkalks mit ihrem Fortsätzen. In Münster, G. Graf zu (ed.) *Beiträge zur Petrefacten-Kunde* 1: 48–51.
- Münster, G. Graf zu 1840. Über die fossilen Arten *Limulus* in den lithographischen Schiefern von Bayern. In Münster, G. Graf zu (ed.) *Beiträge zur Petrefacten-Kunde* 3: 26–27.
- Murray, A. 1877. *Economic Entomology, Aptera*. South Kensington Museum Handbooks, 433 pp.
- Nalepa, A. 1898. Eriophyidae (Phytoptidae). In *Das Tierreich. Eine Zusammenstellung und Kennzeichnung der rezenten Tierformen. 4. Lieferung. Acarina*. Deutsche Zoologische Gesellschaft, 4: 72 pp.
- Nicolet, H. 1855. Histoire naturelle des Acariens qui se trouvent aux environs de Paris. *Archives de Museum Nationale d'Histoire Naturelle de Paris*, 7: 381–482.
- Nieszkowski, J. 1859. Zusätze zur Monographie der Trilobiten der Ostseeprovinzen, nebst der Beschreibung einiger neuen obersilurischen Crustaceen. *Archiv für die Naturkunde Liv.-, Ehst.- und Kurlands (Ser. 1)*, 1: 345–384.

- Nindel, F. 1955. Die tierischen Reste aus dem Karbon von Karl-Marx-Stadt und Hainichen i.S. *Geologie*, 4: 673–694.
- Nishikawa, Y. 1974. [Amber spiders from Mizunami, Japan.] *Bulletin of the Mizunami Fossil Museum*, 1: 401–406. [in Japanese with English summary]
- Norton, R. A. 2006. First record of *Collohmannia* (*C. schusteri* n. sp.) and *Hermannia* (*H. sellnicki* n. sp.) from Baltic amber, with notes on Sellnick's genera of fossil oribatid mites (Acari: Oribatida). *Acarologia*, 46: 111–125.
- Norton R.A. & Metz, L. 1980. Nehyponchthoniidae (Acari: Oribatei), a new family from the southeastern United States. *Annals of the Entomological Society of America*, 73: 54–62.
- Norton, R. A., Bonamo, P. N., Grierson, J. D. & Shear, W. A. 1988. Oribatid mite fossils from a terrestrial Devonian deposit near Gilboa, New York. *Journal of Paleontology*, 62: 259–269.
- Novojilov, N. J. 1959. Mérostomes du Dévonian inférieur et moyen de Sibérie. *Annales de la Société Géologique du Nord*, 78: 241–258.
- Novojilov, N. & Størmer, L. 1963. A new scorpion from the Upper Carboniferous of Siberia. *Norsk Geologisk Tidsskrift* 43: 83–87.
- O'Connell, M. 1916. The habitat of the Eurypterida. *Bulletin of the Buffalo Society of Natural Sciences*, 11: 1–278.
- Olivier, P. A. S. & Theron, P. D.. 2000. Pentapalpidae, a new family of eupodoid mites (Prostigmata:Eupodoidea) from South Africa. *Acarologia*, 40: 385–392.
- Ono, H. 1981. First record of a crab spider (Thomisidae) from Dominican amber (amber collection Stuttgart : Arachnida, Araneae). *Stuttgarter Beiträge zur Naturkunde (B)*, 73: 1–13.
- Opluštil, S. 1985. New findings of Arachnida from the Bohemian Upper Carboniferous. *Věstník Ústředního ústavu geologického*, 60: 35–42.
- Opluštil, S. 1986. *Promygale janae* sp. n., the new anthracomartid (Arachnida) from the Upper Carboniferous of central Bohemia. *Věstník Ústředního ústavu geologického*, 61: 287–292.
- Oppenheim, P. 1887–1888. Die Insectenwelt des lithographischen Schiefers in Bayern. *Palaeontographica*, 34: 215–247.
- Orr, P. J., Siveter, D. J., Briggs, D. E. G., Siveter, D. J. & Sutton, M. D. 2000. A new arthropod from the Silurian Konservat-Lagerstätte of Herefordshire, UK. *Proceedings of the Royal Society B*, 267: 1497–1504.
- Oudemans, A. C. 1902. Classificatie der Acari. *Tijdschrift voor Entomologie*, 45: 50–64.
- Oudemans, A. C. 1909. Über die bis jetzt genauer bekannten Thrombidium-larven und über eine neue Klassifikation der Prostigmata. *Tijdschrift voor Entomologie*, 52: 19–61.
- Oudemans, A. C. 1916. Acarologische Aanteekeningen LX. *Entomologische berichten*, 4: 308–316.
- Oudemans, A. C. 1923. Studie over de sedert 1977 ontworpen system der Acari; nieuwe classificatie; phylogenerische beschouwingen. *Tijdschrift voor Entomologie*, 66: 49–85.

- Özdikmen, H. 2007. Nomenclatural changes for seven preoccupied spider genera (Arachnida: Araneae). *Munis Entomology & Zoology*, 2: 137–142.
- Packard, A. S. 1885. Types of Carboniferous Xiphosura new to North America. *American Naturalist*, 1885: 291–294.
- Packard, A. S. 1886. On the Carboniferous xiphosurous fauna of North America. *Memoirs of the National Academy of Sciences*, 3: 143–157.
- Page, D. 1856. *Advanced textbook of geology*. William Blackwood and Sons, Edinburgh, 326 pp.
- Page, D. 1859. *Advanced textbook of geology, 2nd edn.* William Blackwood and Sons, London, xx pp.
- Palmer, A. R. 1957. Miocene arthropods from the Mojave Desert California. *Geological Survey Professional Paper*, 294-G: 237–280.
- Pampaloni, L. 1902. I resti organici nel disodile di Melilli in Sicilia. *Palaeontographica Italica*, 8: 121–130.
- Patrick, R. R. 1989. A new phalangiotarbid (Arachnida) from the McLeansboro Group (Pennsylvanian) of Indiana. *Journal of Paleontology*, 63: 327–331.
- Peach, R. N. 1882. Further researches among Crustacea and Arachnida. *Transactions of the Royal Society of Edinburgh*, 30: 511–529.
- Peach, R. N. 1883. A new species of fossil scorpions from the Carboniferous rocks of Scotland and the English borders, with a review of the genera *Eoscorpius* and *Mazonia* of Messrs. Meek and Worthen. *Transactions of the Royal Society of Edinburgh*, 30: 397–412.
- Peach, R. N. 1888. On a new eurypterid from the Upper Coal-measures of Radstock, Somersetshire. *Proceedings of the Royal Physical Society, Edinburgh*, 9: 438–445.
- Peckham, G. W. & Peckham, E. G. 1892. Ant-like spiders of the Family Attidae. *Occasional Papers of the Natural History Society of Wisconsin*, 2(1): 1–83.
- Peckham, G. W. & Wheeler, W. H. 1889. Spiders of the subfamily Lyssomanae. *Transactions of the Wisconsin Academy of Science, Arts and Letters*, 7: 222–256.
- Penney, D. 2000. Miocene spiders in Dominican amber (Oonopidae, Mysmenidae). *Palaeontology*, 43: 343–357.
- Penney, D. 2001. Advances in the taxonomy of spiders in Miocene amber from the Dominican Republic (Arthropoda: Araneae). *Palaeontology*, 44: 987–1009.
- Penney, D. 2002. Spiders in Upper Cretaceous amber from New Jersey (Arthropoda: Araneae). *Palaeontology*, 45: 709–724.
- Penney, D. 2003a. *Afrarchaea grimaldii*, a new species of Archaeidae (Araneae) in Cretaceous Burmese amber. *Journal of Arachnology*, 31: 122–130.
- Penney, D. 2003b. A new deinopid spider from Cretaceous Lebanese amber. *Acta Palaeontologica Polonica*, 48: 569–574.
- Penney, D. 2004a. New spiders in Upper Cretaceous amber from New Jersey in the American Museum of Natural History (Arthropoda: Araneae). *Palaeontology*, 47: 367–375.

- Penney, D. 2004b. Cretaceous Canadian amber spider and the palpimanoidean nature of lagonomegopids. *Acta Palaeontologica Polonica*, 49: 579–584.
- Penney, D. 2004c. A new genus and species of Pisauridae (Araneae) in Cretaceous Burmese amber. *Journal of Systematic Palaeontology*, 2: 141–145.
- Penney, D. 2005a. First fossil Filistatidae: a new species of *Misionella* in Miocene amber from the Dominican republic. *Journal of Arachnology*, 33: 93–100.
- Penney, D. 2005b. The fossil spider family Lagonomegopidae in Cretaceous ambers with descriptions of a new genus and species from Myanmar. *Journal of Arachnology*, 33: 439–444.
- Penney, D. 2005c. First Caribbean *Floricomus* (Araneae: Linyphiidae), a new fossil species in Miocene Dominican Republic amber. A new synonymy fro the extant North American fauna. *Geologica Acta*, 3: 59–64.
- Penney, D. 2005d. An annotated systematic catalogue, including synonymies and transfers, of Miocene Dominican Republic amber spiders described up until 2005. *Revista Ibérica de Aracnología*, 12: 25–52.
- Penney, D. 2006a. Fossil oonopid spiders in Cretaceous ambers from Canada and Myanmar. *Palaeontology*, 49: 229–235.
- Penney, D. 2006b. The oldest lagonomegopid spider, a new species in Lower Cretaceous amber from Álava, Spain. *Geologica Acta*, 4: 377–382.
- Penney, D. 2007a. The oldest fossil pholcid and selenopid spiders (Araneae) in lowermost Eocene amber from the Paris Basin France. *Journal of Arachnology*, 34: 592–598.
- Penney, D. 2007b. A new fossil oonopid spider in lowermost Eocene amber from the Paris Basin, with comments on the fossil spider assemblage. *African Invertebrates*, 48: 71–75.
- Penney, D. 2009. A new spider family record for Hispaniola – a new species of *Plectreurus* (Araneae: Plectreuridae) in Miocene Dominican amber. *Zootaxa*, 2144: 65–68.
- Penney, D. 2011. Grandoculidae: a new fossil spider family from the Upper Cretaceous of Canada. *Bulletin of the British arachnological Society*, 15: 179–180.
- Penney, D. & Ortuño, V. N. 2006. Oldest true orb-weaving spider (Araneae: Araneidae). *Biology Letters*, 2: 447–450.
- Penney, D. & Selden, P. A. 2002. The oldest linyphiid spider in Lower Cretaceous Lebanese amber /Araneae, Linyphiidae, Linyphiinae). *Journal of Arachnology*, 30: 487–493.
- Penney, D. & Selden, P. A. 2006. First fossil Huttoniidae (Arthropoda: Chelicera: Araneae) in late Cretaceous Canadian amber. *Cretaceous Research*, 27: 442–446.
- Penney, D., Dierick, M., Cnudde, V., Masschaele, B., Vlassenbroeck, J., Hoorebeke, L. van & Jacobs, P. 2007. First fossil Micropholcommatidae (Araneae), imaged in Eocene Paris amber using X-Ray Computed Tomography. *Zootaxa*, 1623: 47–53.

- Penney, D., McNeil, A., Green D. I., Bradley, R., Marusik, Y. M., Withers, P. J. & Preziosi, R. F. 2011. A new species of anapid spider (Araneae: Araneoidea, Anapidae) in Eocene Baltic amber, imaged using phase contrast X-ray computed micro-tomography. *Zootaxa* 2742: 60–66.
- Pérez González, A.. & Kury A. 2007. Kimulidae. In Pinto da Rocha, R., Machado, G. & Giribet, G. (eds). *Harvestmen. The Biology of Opiliones*. Harvard University Press, Cambridge MA, pp. 207–209.
- Perry, M. L. 1995. Preliminary description of a new fossil scorpion from the middle Eocene Green River Formation, Rio Blanco County, Colorado. In Dayvault, R. D. & Averett, W. R. (eds). *The Green River Formation in Piceance Creek and Estern Unita Basins Field Trip*. Grand Junction Geological Society, Grand Junction Colorado, pp. 131–133.
- Peters, W. 1861. (Ueber eine neue Eintheilung der Skorpione und ueber die von ihm in Mossambique gesammelten Arten von Skorpionen). *Monatsberichte der Königlichen Preussischen Akademie der Wissenschaft zu Berlin*, 1861: 507–516.
- Petrunkewitch, A. I. 1913. A monograph of the terrestrial Palaeozoic Arachnida of North America. *Transactions of the Connecticut Academy of Arts and Sciences*, 18: 1–137.
- Petrunkewitch, A. I. 1922. Tertiary spiders and opilionids of North America. *Transactions of the Connecticut Academy of Arts and Sciences*, 25: 211–279.
- Petrunkewitch, A. I. 1923. On families of spiders. *Annals of the New York Academy of Science*, 29: 145–180.
- Petrunkewitch, A. I. 1928. Systema Aranearium. *Transactions of the Connecticut Academy of Arts and Sciences*, 29: 1–270.
- Petrunkewitch, A. I. 1942. A study of amber spiders. *Transactions of the Connecticut Academy of Arts and Sciences*, 34: 119–464.
- Petrunkewitch, A. I. 1945a. Palaeozoic Arachnida. An inquiry into their evolutionary trends. *Scientific Papers, Illinois State Museum*, 3(2): 1–76.
- Petrunkewitch, A. I. 1945b. *Calcitro fisheri*. A new fossil arachnid. *American Journal of Science*, 243: 320–329.
- Petrunkewitch, A. I. 1946. Fossil spiders in the collection of the American Museum of Natural History. *American Museum Novitates*, 1328: 1–36.
- Petrunkewitch, A. I. 1949. A study of Palaeozoic Arachnida. *Transactions of the Connecticut Academy of Arts and Sciences*, 37: 69–315.
- Petrunkewitch, A. I. 1950. Baltic amber spiders in the Museum of Comparative Zoology. *Bulletin of the Museum of Comparative Zoology*, 103: 257–337.
- Petrunkewitch, A. I. 1953. Palaeozoic and Mesozoic Arachnida of Europe. *Memoirs of the Geological Society of America*, 53: 1–128.
- Petrunkewitch, A. I. 1955a. Arachnida. 42–162. In Moore, R. C. (ed.) *Treatise on invertebrate paleontology, Part P, Arthropoda 2*. Geological Society of America, Boulder, and University of Kansas Press, Lawrence, xvii + 181 pp.

- Petrunkewitch, A. I. 1955b. *Trigonotarbus arnoldi*, a new species of fossil arachnid from Southern France. *Journal of Paleontology*, 29: 475–477.
- Petrunkewitch, A. I. 1958. Amber spiders in European collections. *Transactions of the Connecticut Academy of Arts and Sciences*, 41: 97–400.
- Petrunkewitch, A. I. 1963. Chiapas amber spiders. *University of California Publications in Entomology*, 31: 1–40.
- Petrunkewitch, A. I. 1971. Chiapas amber spiders, II. *University of California Publications in Entomology*, 63: 1–44.
- Pickett, J. W. 1984. A new freshwater limuloid from the middle Triassic of New South Wales. *Palaeontology*, 27: 609–621.
- Pickett, J. W. 1993. A Late Devonian xiphosuran from near Parkes, New South Wales. *Memoirs of the Association of Australian Palaeontologists*, 15: 279–287.
- Pickford, M. 2000. Fossil spider's webs from the Namib Desert and the antiquity of *Seothyra* (Araneae, Eresidae). *Annales de Paléontologie*, 86: 147–155.
- Pictet, F. J. 1846. *Traité élémentaire de paléontologie*. Vol. 4. Paris, 458 pp.
- Pierce, W. D. 1945. A fossil whiptail scorpion from Cabrillo Beach. *Bulletin of the Southern California Academy of Sciences*, 44: 7–8.
- Pierce, W. D. 1950. Fossil arthropods from onyx-marble. *Bulletin of the Southern Californian Academy of Sciences*, 49: 101–104.
- Pierce, W. D. 1951. Fossil arthropods from onyx-marble. *Bulletin of the Southern Californian Academy of Sciences*, 50: 34–49.
- Pinto, I. D. & Hünicken, M. A. 1980. *Gondwanarachne* a new genus of the order Trigonotarbida (Arachnida) from Argentina. *Boletín de la Academia Nacional de Ciencias Córdoba*, 53: 307–315.
- Pirozhnikov, L. P. 1957. [Remains of Gigantostraca from the series of Matakara (Devonian of North Minusinsk Depression).] *Annuaire de la Société paléontologique de Russie*, 16: 207–213. [in Russian]
- Platnick, N. I. 1977. The hypochiloid spiders: a cladistic analysis, with notes on the Atypoidea (Arachnida, Araneae). *American Museum Novitates*, 2627, 1–23.
- Platnick, N. I. 1989. *Advances in Spider Taxonomy 1981-1987: A Supplement to Brignoli's A Catalogue of the Araneae described between 1940 and 1981*. Manchester University Press, 673 pp.
- Pocock, R. I. 1892. *Liphistius* and its bearing upon the classification of spiders. *Annals and Magazine of Natural History, series 6*, 10: 306–314.
- Pocock, R. I. 1893. Notes on the classification of scorpions, followed by some observations on synonymy, with descriptions of new genera and species. *Annals and Magazine of Natural History, series 6*, 12: 303–330.
- Pocock, R. I. 1895. Description of two new spiders obtained by Messrs J. J. Quelch and F. MacConnel on the summit of Mount Roraima, in Demerara; with a note upon the systematic position of the genus *Desis*. *Annals and Magazine of Natural History, series 6*, 16: 139–143.

- Pocock, R. I. 1897. On the genera and species of tropical African Arachnida of the order Solifugae, with notes upon the taxonomy and habits of the group. *Annals and Magazine of Natural History, series 6*, 20: 249–272.
- Pocock, R. I. 1898. The Arachnida from the Province of Natal, South Africa, contained in the collection of the British Museum. *Annals and Magazine of Natural History, series 7*, 2: 197–226.
- Pocock, R. I. 1901. The Scottish Silurian scorpions. *Quarterly Journal of Microscopical Science*, (2) 44: 291–311.
- Pocock, R. I. 1902. *Eophryinus* and allied Carboniferous Arachnida. *Geological Magazine, Decade 4*, 9: 439–448, 487–493.
- Pocock, R. I. 1903a. A new Carboniferous arachnid. *Geological Magazine, Decade 4*, 10: 247–251.
- Pocock, R. I. 1903b. Further remarks upon the Carboniferous arachnid *Anthracosiro*, with the description of a second species of the genus. *Geological Magazine, Decade 4*, 10: 405–408.
- Pocock, R. I. 1903c. On the geographical distribution of spiders of the order Mygalomorphae. *Proceedings of the Zoological Society of London*, 1903: 340–368.
- Pocock, R. I. 1911. A monograph of the terrestrial Carboniferous Arachnida of Great Britain. *Monographs of the Palaeontographical Society*, 64: 1–84.
- Pohlman, J. 1882. Additional Notes on the Fauna of the Water-Lime Group near Buffalo. *Bulletin of the Buffalo Society of Natural Sciences*, 4(2): 41–47.
- Poinar Jr., G. O. 1985. First fossil soft tick, *Ornithodoros antiquus* n. sp. (Acari: Argasidae) in Dominican amber with evidence of their mammalian host. *Experimentia Basel*, 51: 584–587.
- Poinar Jr., G.O. 1988. Hair in Dominican amber: evidence for Tertiary land mammals in the Antilles. *Experientia*, 44: 88–89.
- Poinar Jr., G. [O.] 2008. *Palaeosiro burmanicum* n. gen., n. sp., a fossil Cyphophthalmi (Arachnida: Opiliones: Sironidae) in Early Cretaceous Burmese amber. In Makarov, S. E. & Dimitrijević, R. N. (eds) *Advances in Arachnology and Developmental Biology. Papers dedicated to Prof. Dr. Božidar Ćurčić*. Inst. Zool., Belgrade; BAS, Sofia; Fac. Life Sci., Vienna; SASA, Belgrade & UNESCO MAB Serbia. Vienna — Belgrade — Sofia, Monographs, 12: 267–274 .
- Poinar Jr., G. O. & Brown, A. E. 2003. A new genus of hard ticks in Cretaceous Burmese amber (Acari: Ixodida: Ixodidae). *Systematic Parasitology*, 54: 199–205.
- Poinar Jr., G. O. & Brown, A. E. 2004. A new whip spider (Arachnida: Amblypygi), *Phrynx mexicana*, is described from Mexican amber. In Wunderlich, J. (ed.) *Beiträge zur Araneologie*, 3: 1881–1885.
- Poinar Jr., G. O. & Buckley, R. 2008. *Compluriscutula vetulum* (Acari: Ixodida: Ixodidae), a new genus and species of hard tick from Lower Cretaceous Burmese amber. *Proceedings of the Entomological Society of Washington*, 110: 445–450.

- Poinar Jr., G. O. & Santiago-Blay, J. A. 1989. A fossil solpugid, *Haplodontus proterus*, new genus, new species (Arachnida: Solpugida) from Dominican amber. *Journal of the New York Entomological Society*, 97: 125–132.
- Ponomarenko, A. G. 1985. King crabs and eurypterids from the Permian and Mesozoic of the USSR. *Paleontological Journal*, 19: 100–104. [Translation of *Paleontologiceskij Žurnal*, 1985: 115–117.]
- Poschmann, M. 2009. Ein fossiler Skorpion aus der Oberkarbon (Westfaliun C) des Saar-Nahe-Beckens (SW Deutschland). *Mitteilungen der Pollicchia*, 94: 5–10.
- Poschmann, M. & Dunlop, J. A. 2006. A new sea spider (Arthropoda: Pycnogonida) with a flagelliform telson from the Lower Devonian Hunsrück Slate, Germany. *Palaeontology*, 49: 983–989.
- Poschmann, M. & Dunlop, J. A. 2010. Trigonotarbid arachnids from the Lower Devonian (Lower Emsian) of Alken an der Mosel (Rhineland-Palatinate, SW Germany). *Paläontologische Zeitschrift*, 84: 467–484.
- Poschmann, M. & Dunlop, J. A. 2011. Trigonotarbid arachnids from the Lower Devonian (Siegenian) of Bürdenbach (Lahrbach Valley, Westerwald area, Rhenish Slate Mountains, Germany). *Paläontologische Zeitschrift*, doi 10.1007/s12542-011-0109-x.
- Poschmann, M. & Tetlie, O. E. 2004. On the Emsian (Early Devonian) arthropods of the Rhenish Slate Mountains: 4. The eurypterids *Alkenopterus* and *Vinetopterus* n. gen. (Arthropoda: Chelicerata). *Senckenbergiana lethaea*, 84: 173–193.
- Poschmann, M., Anderson, L. I. & Dunlop, J. A. 2005. Chelicrate arthropods, including the oldest phalangiotarbid arachnid, from the Early Devonian (Siegenian) of the Rhenish Massif, Germany. *Journal of Paleontology*, 79: 110–124.
- Poschmann, M., Dunlop, J. A., Kamenz, C. & Scholtz, G. 2008. The Lower Devonian scorpion *Waeringoscorpio* and the respiratory nature of ist filamentous structures, with a description of a new species from the Westerwald area, Germany. *Paläontologische Zeitschrift*, 82: 418–436.
- Prach, F. K. 1860. Život Pavouků pravých či předoučích (Araneae). *Živa*, 8: 80–93.
- Presl, J. S. 1822. Additamenta ad faunam protogaeam, sistens descriptions aliquot animalium in succino inclusorum. In Presl, J. S. & Presl, C. B. (eds). *Deliciae Pragenses Historiam Naturalem Spectantes. Tome I. Calvae, Pragae*, viii + 244 pp.
- Prestwich, J. 1840. Memoir on the geology of Coalbrook Dale. *Transactions of the Geological Society of London* 5: 413–495.
- Příbyl, A. 1952. On the genus *Adelophthalmus* Jordan and Meyer, 1854 (Euryperida) and its representatives in the Upper Carboniferous of Czechoslovakia. *Bulletin International de l'Académie tchéque des Sciences*, 53: 63–70.
- Příbyl, A. 1958. Some new Carboniferous arachnids from the Ostrava-Karviná coal district. *Časopis pro Mineralogii a Geologii*, 3: 425–434.

- Příbyl, A. 1967. *Moravurus* gen.n. eine neue Xiphosurida Gattung aus dem mährisch-schlesischen Oberkarbon. *Časopis pro Mineralogii a Geologii*, 12: 457–460.
- Pritchard A. E. 1956. A new superfamily of trombidiform mites with the description of a new family, genus and species (Acarina: Iolinoidea: Iolinidae: *Iolina nana*). *Annals of the Entomological Society of America*, 49: 204–206.
- Protescu, O. 1937. Etude géologique et paléobiologique de l'ambre roumain. *Bulletin de la Société române Géologique*, 3: 65–110.
- Prószyński, J. & Żabka, M. 1980. Remarks on Oligocene amber spiders of the family Salticidae. *Acta Palaeontologica Polonica*, 25: 213–223.
- Pruvost, P. 1912. Note sur les Araignées du terrain houiller du Nord de la France. *Annales de la Société Géologique du Nord*, 41: 85–100.
- Pruvost, P. 1919. *Introduction à l'étude du terrain houiller du Nord et du Pas-de-Calais: La faune continentale du terrain houiller de la France*. pp. 339–364. *Classe des Arachnides*. Thèse Université de Lille, Lille.
- Pruvost, P. 1922. Les arachnides fossiles du Houiller de Belgique. *Annales de la Société Scientifique de Bruxelles*, 41: 349–355.
- Pruvost, P. 1926. Description de deux fossiles du terrain houiller de Noeux (*Anthracosiro corsini*, nov. sp. et *Fayolia sterzeli* Weiss). *Annales de la Société Géologique du Nord*, 51: 144–149.
- Pruvost, P. 1930. La Faune continentale du terrain houiller de la Belgique. Arachnides. *Mémoires du Musée royal d'Histoire naturelle de Belgique*, 44: 206–217.
- Pruvost, P. 1939. *Euypterus (Anthraconectes) corneti* du Westphalien A du couchant de Mons. *Annales de la Société Scientifique de Bruxelles*, 59 : 56–59.
- Qin, T. K. & Halliday, R. B. 1997. Eriophyidae, a new family of Prostigmata (Acarina), with a cladistic analysis of eupodoid species of Australia and New Zealand. *Systematic Entomology*, 22: 151–171.
- Quintero Jr., D. 1996. Revision de la clasification de Amblypygidos pulvanados: creacion de subordenes, una nueva familia y un nuevo genero con tres nuevas especies (Arachnida: Amblypygi). 203–212. In Eberhardt, W. G., Lubin, Y. D. & Robinson, B. C. (eds). *Proceedings of the Ninth International Congress of Arachnology, Panama 1983*. Smithsonian Institution Press, Washington, DC, ?? pp.
- Racheboeuf, P. R. 1992. *Valloisella lievinensis* n. g. n. sp.: nouveau Xiphosure carbonifère du nord de la France. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, 1992(6): 336–342.
- Racheboeuf, P. R., Vannier, J. & Anderson, L. I. 2002. A new three-dimensionally preserved xiphosuran chelicerate from the Montceau-les-Mines Lagerstätte (Carboniferous, France). *Palaeontology*, 45: 125–147.
- Ramírez, M. J. & Grismado, C. J. 1997. A review of the spider family Filistatidae in Argentina (Arachnida: Araneae), with a cladistic reanalysis of filistatid genera. *Entomologica Scandinavica*, 28: 319–349.

- Ramsay, G.W. 1960. Sub-fossil mites from the Hutt Valley. *Transactions of the Royal Society of New Zealand*, 88: 575–576.
- Raymond, P. E. 1944. Late Paleozoic xiphosurans. *Bulletin of the Museum of Comparative Zoology*, 94: 475–508.
- Redell, J. R. & Cokendolpher, J. C. 1995. Catalogue, bibliography and generic revision of the order Schizomida (Arachnida). *Texas Memorial Museum, Speleological Monographs*, 4: 1–170.
- Reeside, J. B. & Harris, D. V. 1952. A Cretaceous horseshoe crab from Colorado. *Journal of the Washington Academy of Science*, 42: 174–178.
- Reiskind, J. 1986. A new *Lyssomanes* from the Dominican amber and the possible use of insular fossils in building phylogenies. 423. In Barrientos, J. A. (ed.) *Actas X Congresso Internacional de Aracnologia, Jaca. Espanã*, Volume 1. Barcelona.
- Reiskind, J. 1989. The potential use of amber fossils in the study of the biogeography of spiders in the Caribbean with the description of a new species of *Lyssomanes* from Dominican amber (Araneae: Salticidae). 217–228. In Woods, C. A (ed.) *Biogeography of the West Indies, past, present and future*. Sandhill Crane Press, Gainesville, Florida.
- Remy, W. & Remy, R. 1959. Arthropodenfunde im Stefan der Halleschen Mulde. *Monograph-Bericht der Deutschen Akademie Wissenschaft Berlin*, 1: 299–312.
- Reuss, A. E. 1855. Palaeontologische Miscellen. III. Über eine neue Krusterspecies aus der Böhmisichen Steinkohlenformation. *Denkschrift der königlich-kaiserlichen Akademie der Wissenschaft in Wien*, 10: 81–83.
- Richter, R. & Richter, E. 1929. *Weinbergina opitzi* n. g., n. sp., ein Schwertträger (Merost. Xiphos.) aus dem Devon (Rheinland). *Senckenbergiana*, 11: 193–209.
- Ribera, C. 2003. El arácnido del Plioceno inferior de Incaral V (Girona, NE de la Península Ibérica). *Paleontologia i Evolució*, 34: 51–53.
- Riek, E. F. 1955. A new xiphosuran from the Triassic sediments at Brookvale, New South Wales. *Records of the Australian Museum*, 23: 281–282.
- Riek, E. F. & Gill, E. D. 1971. A new xiphosuran genus from Lower Cretaceous Freshwater sediments at Koonwarra, Victoria, Australia. *Palaeontology*, 14: 206–210.
- Risso, A. 1826. Animaux articulés: description de quelques Myriapodes, Scorpionides, Arachnides et Acarides, habitant les Alpes Maritimes. In Risso, A. (ed.). *Histoire Naturelle des Principales Productions de l'Europe Méridionale et Principalement de Celles des Environs de Nice et des Alpes Maritimes*. Levraud, Paris, ?? pp.
- Ritchie, A. 1968. *Lanarkopterus dolichoshelus* (Størmer) gen. nov., a mixopterid eurypterid from the Upper Silurian of the Lesmahagow and Hagshaw Hills inliers, Scotland. *Scottish Journal of Geology*, 4: 317–338.

- Robineau-Desvoidy, J. B. 1828. *Recherches sur l'organisation vertébrale des Crustacés, Arachnides et Insectes.* Comprè Jeune, Paris, 228 pp.
- Roemer, F. 1866. *Protolycosa anthracophila*, eine fossile Spinne aus dem Steinkohlengebirge Oberschlesiens. *Neues Jahresbuch für Mineralogie, Geologie und Paläontologie*: 136-143.
- Roemer, F. 1878. Auffindung und Vorlegung eines neuen Gliderthieres in dem Steinkohlengebiete der Ferdinandsgrube bei Glatz. *Jahresbericht der Schlesischen Gesellschaft für Vaterländische-Kultur.*, pp. 54–55.
- Roewer, C. F. 1912. Die Familien der Assamiden und Phalangodiden der Opiliones-Laniatores. (=Assamiden, Dampetriden, Phalangodiden, Epedaniden, Biantiden, Zalmoxiden, Samoiden, Palpipediden anderer Autoren.) *Archiv für Naturgeschichte* 78A (3): 1–242.
- Roewer, C.-F. 1913. Die Familie der Gonyleptiden der Opiliones-Laniatores. *Archiv für Naturgeschichte*, 79A (4, 5): 1–256, 257–473.
- Roewer, C.-F. 1923. *Die Weerknechte der Erde. Systematische Bearbeitung der bisher bekannten Opiliones.* Gustav Fischer, Jena, 1116 pp.
- Roewer, C.-F. 1933. Solifugae, Palpigradi. 161–480. In Bronn, H. G. (ed.). *Klassen und Ordnung des Tierreichs.* 5: *Arthropoda IV: Arachnoidea*, vol. 5(IV) (4) (2–3). Akademische Verlagsgesellschaft M.B.H, Leipzig.
- Roewer, C.-F. 1934. Solifugae, Palpigradi. 481–723. In Bronn, H. G. (ed.). *Klassen und Ordnung des Tierreichs.* 5: *Arthropoda IV: Arachnoidea*, vol. 5(IV) (4) (4–5). Akademische Verlagsgesellschaft M.B.H, Leipzig.
- Roewer, C.-F. 1935. Zwei myrmecophile Spinnen-Arten Brasiliens. *Veröffentlichungen aus dem Deutschen Kolonial- und Übersee-Museum in Bremen*, 1: 193–197.
- Roewer, C.-F. 1939. Opilioniden im Bernstein. *Palaeobiologica*, 7(1): 1–4.
- Roewer, C.-F. 1942. *Katalog der Araneae von 1758 bis 1940. 1. Band.* Kommissions-Verlag von „NATURA“: 1040 pp.
- Roewer, C.-F. 1943. Über Gonyleptiden. Weitere Webernechte (Arachn., Opil.) XI. *Senckenbergiana*, 26: 12–68.
- Roewer, C.-F. 1951. Über Nemastomatiden. Weitere Weerknechte XVI. *Senckenbergiana*, 32: 95–153.
- Rovainen, H. 1953. Subfamilies of European eriophyid mites. *Annales entomologici Fennici*, 19: 83–87.
- Romero, A. & Via Boada, L. 1977. *Tarracolimulus rieki*, nov. gen., nov. sp., nuevo limulido del Triásico de Monreal-Alcover (Tarragona). *Cuadernos de Geología Ibérica*, 4: 239–246.
- Ross, A. J. & Vannier, J. 2002. Crustacea (excluding Ostracoda) and Chelicerata of the Purbeck Limestone Group, southern England: a review. *Special Papers in Palaeontology*, 68: 71–82.
- Rößler, R. & Schneider, J. 1997. Eine bemerkenswerte Paläobiocoenose im Unterkarbon Mitteleuropas – Fossilführung und Paläoenvironment der Hainichen-Subgruppe (Erzgebirge-Becken). *Veröffentlichungen des Museums für Naturkunde Chemnitz*, 20: 5–44.
- Rowland, J. M. 1975. A partial revision of Schizomida (Arachnida) with descriptions of new species, genus, and family. *Occasional Papers of the Museum, Texas Tech University*, 31: 1–21.

- Rowland, J. M. & Sissom, W. D. 1980. Report on a fossil palpigrade from the Tertiary of Arizona, and a review of the morphology and systematics of the order (Arachnida: Palpigradida). *Journal of Arachnology*, 8: 69–86.
- Rudkin, D. M., Young, G. A. & Nowlan, G. S. 2008. The oldest horseshoe crab: a new xiphosurid from late Ordovician Konservat-Lagerstätten deposits, Manitoba, Canada. *Palaeontology*, 51: 1–9.
- Ruedemann, R. 1916. Account of some new or little known species of fossils, mostly from the Palaeozoic rocks of New York. *New York State Museum Bulletin*, 189: 7–112.
- Ruedemann, R. 1921. A recurrent Pittsford (Salina) fauna. *New York State Museum Bulletin*, 219–20: 205–215.
- Ruedemann, R. 1926. The Utica and Lorraine Formations of New York, Part 2, Systematic Paleontology, no. 2, Mollusks, Crustacea and Eurypterids. *New York State Museum Bulletin*, 189: 98–112.
- Ruedemann, R. 1942. Some new eurypterids from New York. *New York State Museum Bulletin*, 327: 24–29.
- Russell, L. S. 1953. A new species of eurypterid from the Devonian of Gaspé. *Annual Report of the National Museum for the Fiscal Year 1952–1953, Bulletin*, 132: 83–91.
- Ryke, P. A. J. 1962. The subfamily Rhodacarinae with notes on a new subfamily Ologamasinae (Acarina: Rhodacaridae). *Entomologische Berichte Amsterdam*, 22: 155–162.
- Salter, J. W. 1856. On some new Crustacea from the uppermost Silurian Rocks. *Quarterly Journal of the Geological Society of London*, 12: 26–34.
- Sanchez, J. P., Nava, S., Lareschi, M., Ortiz, P. E. & Guglielmone, A. A. 2010. Finding of an ixodid tick inside a late Holocene owl pellet from northwestern Argentina. *Journal of Parasitology*, 96: 820–822.
- Santiago-Blay, J. A. & Poinar Jr., G. O. 1988. A fossil scorpion *Tityus geratus* new species (Scorpiones: Buthidae) from Dominican amber. *Historical Biology*, 1: 345–354.
- Sarle, C. J. 1903. A new eurypterid fauna from the base of the Salina in western New York. *New York State Museum Bulletin*, 69: 1080–1108.
- Sars, G. O. 1891. Pycnogonidea. *Norwegian North-Atlantic Expedition, 1876–1878*, 6 (Zool. 20): 1–163.
- Saupe, E. E. & Selden, P. A. 2009. First fossil Mecysmaucheniiidae (Arachnida, Chelicerata, Araneae), from Lower Cretaceous (uppermost Albian) amber of Charente-Maritime, France. *Geodiversitas*, 31: 49–60.
- Saupe, E. E., Selden, P. A. & Penney, D. 2010. First fossil *Molinaranea* Mello-Leitão, 1940 (Araneae: Araneidae), from middle Miocene Dominican amber, with a phylogenetic and palaeobiogeographical analysis of the genus. *Zoological Journal of the Linnean Society*, 158: 711–725.
- Savage, T. E. 1916. Alexandrian rocks of northeastern Illinois and eastern Wisconsin. *Bulletin of the Geological Society of America*, 27: 305–324.
- Scharf, W. 1924. Beitrag zur Geologie des Steinkohlengebietes im Süduhrz. *Jahrbuch des Halleschen Verbands für die Erforschung der Mitteldeutschen Bodenschätze und ihrer Verwaltung*, 4: 404–437.
- Schawaller, W. 1978. Neue Pseudoskorpione aus dem Baltischen Bernstein der Stuttgarter Bernsteinsammlung (Arachnida: Pseudoscorpionidea). *Stuttgarter Beiträge zur Naturkunde (B)*, 42: 1–21.

- Schawaller, W. 1979a. Erstnachweis eines Skorpions in Dominikanischem Bernstein (Stuttgarter Bernsteinsammlung: Arachnida, Scorpionida). *Stuttgarter Beiträge zur Naturkunde (B)*, 45: 1–15.
- Schawaller, W. 1979b. Erstnachweis der Ordnung Geisselspinnen in Dominikanischem Bernstein (Stuttgarter Bernsteinsammlung: Arachnida, Amblypygi). *Stuttgarter Beiträge zur Naturkunde (B)*, 50: 1–12.
- Schawaller, W. 1980a. Fossile Chthoniidae in Dominikanischem Bernstein, mit phylogenetischen Anmerkungen (Stuttgarter Bernsteinsammlung: Arachnida, Pseudoscorpionidea). *Stuttgarter Beiträge zur Naturkunde (B)*, 63: 1–19.
- Schawaller, W. 1980b. Erstnachweis tertiärer Pseudoskorpione (Chernetidae) in Dominikanischen Bernstein. *Stuttgarter Beitrag zur Naturkunde (B)*, 57: 1–20.
- Schawaller, W. 1981. Cheiridiidae in Dominikanischem Bernstein, mit Anmerkungen zur morphologischen Variabilität (Stuttgarter Bernsteinsammlung: Arachnida, Pseudoscorpionidea). *Stuttgarter Beiträge zur Naturkunde (B)*, 75: 1–14.
- Schawaller, W. 1982a. Zwei weitere Skorpione in Dominikanischem Bernstein (Stuttgarter Bernsteinsammlung: Arachnida, Scorpionida). *Stuttgarter Beiträge zur Naturkunde (B)*, 82: 1–14.
- Schawaller, W. 1982b. Der erste Pseudokorplion (Chernetidae) aus Mexicanischem Bernstein. *Stuttgarter Beiträge zur Naturkunde (B)*, 85: 1–9.
- Schawaller, W. 1982c. Spinnen der Familien Tetragnathidae, Uloboridae und Dipluridae in Dominikanischem Bernstein und allgemeine Gesichtspunkte (Arachnida, Araneae). *Stuttgarter Beiträge zur Naturkunde (B)*, 89: 1–19.
- Schawaller, W. 1982d. Zur fossilen Spinnenfauna des Pliozäns von Willershausen in Norddeutschland (Arachnida, Araneae). *Berichte der Naturhistorischen Gesellschaft zu Hannover*, 125: 89–95.
- Schawaller, W. 1984. The family Selenopidae in Dominican amber (Arachnida: Araneae). *Stuttgarter Beiträge zur Naturkunde (B)*, 103: 1–8.
- Schawaller, W., 1991. The first Mesozoic pseudoscorpion, from Cretaceous Canadian amber. *Palaeontology*, 34: 971–976.
- Schawaller, W. & Ono H. 1979. Fossile Spinnen aus miozänen Sedimenten des Randecker Maars in SW-Deutschland (Arachnida: Araneae). *Jahreshefte der Gesellschaft für Naturkunde in Württemberg*, 134: 131–141.
- Schawaller, W., Shear, W. A. & Bonamo, P. M. 1991. The first Paleozoic pseudoscorpions (Arachnida, Pseudoscorpionida). *American Museum Novitates*, 3009: 1–17.
- Schille, F. 1916. Entomologie aus der Mammut- und Rhinoceros-Zeit Galiziens. *Entomologische Zeitschrift*, 30: 42–43.
- Schimkewitsch, W. 1913. Ein Beitrag zur Klassifikation der Pantopoden. *Zoologischen Anzeiger*, 41: 597–615.
- Schimper, W. P. 1853. Paleontologica alsatica ou fragments paléontologiques des différents terrains stratifiés qui se recontrent en Alsace. *Mémoires de la Société du Muséum d'Histoire Naturelle de Strasbourg*, 4: 1–10.

- Schmidt, A. R., Perrichot, V., Svojtka, M. Anderson, K. B., Belete, K. H., Bussert, R., Dörfelt, H., Jancke, S., Mohr, B., Mohrmann, E., Nascimbene, P. C., Nel, A., Nel, P., Ragazzi, E., Roghi, G., Saupe, E. E., Schmidt, K., Schneider, H., Selden, P. A., Vávra, N. 2010. Cretaceous life captured in amber. *Proceedings of the National Academy of Sciences, USA*: doi/10.1073/pnas.1000948107.
- Schmidt, F. 1883. Nachtrag zur Monographie der Russischen Leperditen II. Die Crustaceenfauna der Euryptereenschichten von Rootziküll auf Oesel. *Miscellanea silurica III. Memoirs of the Academy of Science de St. Petersbourg*, 31: 28–85.
- Schram, F. R. 1979. Limulines of the Mississippian Bear Gulch Limestone of Central Montana, USA. *Transactions of the San Diego Society of Natural History*, 19: 67–74.
- Schultka, S. 1991. *Trigonotarbus stoermeri* n. sp. – ein Spinnentier aus den Bensberger Schichten (Ems/Unter-Devon) des Rheinischen Schiefergebirge. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 183: 375–390.
- Schuster, R. 1963. *Thalassozetes riparius* n. gen., n. sp., eine litoralbewohnende Oribatide von bemerkenswerter morphologischer Variabilität (Oribatei-Acari). *Zoologischer Anzeiger*, 171: 391–403.
- Scopoli, J. A. 1763. *Entomologia Carniolica, exhibens Insecta Carniolae indigena et distributa in ordines, genera, species, varietates. Methodo Linnaeana. Vindobonae*, 1763: 420 pp.
- Scott, A. G. 2003. Sub-fossil spiders from Holocene peat cores. *Journal of Arachnology*, 31: 1–7.
- Scudder, S. H. 1868. Supplement to descriptions of Articulates. Description of fossil insects found on Mazon Creek and near Morris, Grundy Co., Ill. *Geological Survey of Illinois*, 3: 566–572.
- Scudder, S. H. 1876. New and interesting insects from the Carboniferous of Cape Breton. *Canadian Naturalist and Quarterly Journal of Science*, 8: 88–90.
- Scudder, S. H. 1878. Additions to the Insect-Fauna of the Tertiary Beds at Quesnel, British Columbia. *Geological Survey of Canada. Report of Progress*, 1876–1877: 457–464.
- Scudder, S. H. 1884. A contribution to our knowledge of Paleozoic Arachnida. *Proceedings of the American Academy of Arts and Sciences*, 20: 13–22.
- Scudder, S. H. 1885. 3. Classe. Arachnoidea. Spinnen. Skorpione. 732–746. In Zittel, K. A. (ed), *Handbuch der Palaeontologie. I. Abtheilung. Palaeozoologie* 2. R. Oldenbourg, München & Leipzig.
- Scudder, S. H. 1890a. The Tertiary Insects of North America. *Report of the United States Geological Survey*, 13: 734 pp.
- Scudder, S. H. 1890b. Illustrations of the Carboniferous Arachnida of North America, of the orders Anthracomarti and Pedipalpi. *Memoirs of the Boston Society of Natural History*, 4: 443–456.
- Scudder, S. H. 1891. Index to the known fossil insects of the world including myriapods and arachnids. *Bulletin of the United States Geological Survey* 71: 1–744.
- Seemann, F. 1906. Beiträge zur Gigantostrakenfauna Böhmens. *Beiträge zur Paläontologie Österreich-Ungarns und des Orients*, 19: 49–57.

- Selden, P. A. 1990. Lower Cretaceous spiders from the Sierra de Montsech, north-east Spain. *Palaeontology*, 33: 257–285.
- Selden, P. A. 1992. Revision of the fossil rinculeids. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 83: 595–634.
- Selden, P. A. 1996. First fossil mesothelid spider from the Carboniferous of France. *Revue suisse de Zoologie*, hors série: 585–596.
- Selden, P. A. 2000. *Palaeothele*, replacement name for the fossil mesothelid spider *Eothele* non Rowell. *Bulletin of the British arachnological Society*, 11: 292.
- Selden, P. A. 2001. Eocene spiders from the Isle of Wight with preserved respiratory structures. *Palaeontology*, 44: 695–729.
- Selden, P. A. 2002. First British Mesozoic spider, from Cretaceous amber of the Isle of Wight, southern England. *Palaeontology*, 45: 973–983.
- Selden, P. A. 2010. A theridiosomatid spider from the Early Cretaceous of Russia. *Bulletin of the British arachnological Society*, 15: 69–78.
- Selden, P. A. & Drygant, D. M. 1987. A new xiphosuran from the Silurian of Podolia, Ukraine, USSR. *Palaeontology*, 30: 537–542.
- Selden, P. A. & Gall, J.-C. 1992. A Triassic mygalomorph spider from the northern Vosges, France. *Palaeontology*, 35: 211–235.
- Selden, P. A. & Huang, D.-y. 2010. The oldest haplogyne spider (Araneae: Plectreuridae), from the Middle Jurassic of China. *Naturwissenschaften*, 97: 449–459.
- Selden, P. A. & Penney, D. 2003. Lower Cretaceous spiders (Arthropoda: Arachnida: Araneae) from Spain. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, 2003: 175–192.
- Selden, P. A. & Penney, D. 2009. A fossil spider (Araneae: Pisauridae) of Eocene age from Horsefly, British Columbia, Canada. *Contributions to Natural History*, 12: 1269–1282.
- Selden, P. A. & Shear, W. A. 1996. The first Mesozoic solifuge (Arachnida), from the Cretaceous of Brazil, and a redescription of the Palaeozoic solifuge. *Palaeontology*, 39: 583–604.
- Selden, P. A. & Siveter, D. J. 1987. The origin of the limuloids. *Lethaia*, 20: 383–392.
- Selden, P. A., Baker, A. S. & Phipps, K. J. 2008. An oribatid mite (Arachnida: Acari) from the Oxford Clay (Jurassic: Upper Callovian) of South Cave Station Quarry, Yorkshire, UK. *Palaeontology*, 51: 623–633.
- Selden, P. A., Casado, F. C. & Mesquita, M. V. 2006. Mygalomorph spiders (Araneae: Dipluridae) from the Lower Cretaceous Crato Lagerstätte, Araripe Basin, north-east Brazil. *Palaeontology*, 49: 817–826.
- Selden, P. A., Huang D.-y., Ren D. 2008. Palpimanoid spiders from the Jurassic of China. *Journal of Arachnology*, 36: 306–321.
- Selden, P. A., Shear, W. A. & Bonamo, P. M. 1991. A spider and other arachnids from the Devonian of New York, and reinterpretations of Devonian Araneae. *Palaeontology*, 34: 241–281.

- Selden, P. A., Shear, W. A. & Sutton, M. D. 2008. Fossil evidence for the origin of spider spinnerets, and a proposed arachnid order. *Proceedings of the National Academy of Sciences of the United States of America*, 105: 20781–20785.
- Selden, P. A., Anderson, J. M., Anderson, H. M. & Fraser, N. C. 1999. Fossil araneomorph spiders from the Triassic of South Africa and Virginia. *Journal of Arachnology*, 27: 401–414.
- Sellnick, M. 1918. Die Oribatiden der Bernsteinsammlung der Universität Königsberg I Pr. *Schriften der Physikalisch-Ökonomischen Gesellschaft zu Königsberg (1919)*, 59: 21–42.
- Sellnick, M. 1922. Milben der Sammlung des Deutschen Entomologischen Instituts. I. Oribatidae. *Entomologische Mitteilungen*, 11: 18–20.
- Sellnick, M. 1928. Formenkreis: Hornmilben, Oribatei. In Brohmer, P., Ehrmann, P. & Ulmer, G. (eds). *Die Tierwelt Mitteleuropas*, 3, 4(9): 1–42.
- Sellnick, M. 1931. Milben im Bernstein. *Bersteinforschung*, 2: 148–180.
- Semper, M. 1898. Die Gigantostraken des älteren böhmischen Paläozoicum. *Beiträge zur Paläontologie Österreich-Ungarns und des Orients*, 2: 71–88.
- Shear, W. A., 1980. A review of the Cyphophthalmi of the United States and Mexico, with a proposed reclassification of the suborder (Arachnida, Opiliones). *American Museum Novitates*, 2705: 1–34.
- Shear, W. A., 1986. A cladistic analysis of the opilionid superfamily Ischyropsalidoidea, with description of the new family Ceratolasmatidae, the new genus *Acuclavella* and four new species. *American Museum Novitates*, 2844: 1–29.
- Shear, W. A., 1993. The genus *Troglosiro* and the new family Troglosironidae (Opiliones, Cyphophthalmi). *Journal of Arachnology*, 21: 81–90.
- Shear, W. A. 2000. *Gigantocharinus szatmaryi*, a new trigonotarbid arachnid from the Late Devonian of North America (Chelicerata, Arachnida, Trigonotarbida). *Journal of Paleontology*, 74: 25–31.
- Shear, W. A. 2010. New species and records of ortholasmatine harvestmen from México, Honduras, and the western United States (Opiliones, Nemastomatidae, Ortholasmatinae). *ZooKeys*, 52: 9–45.
- Shear, W. A., Selden, P. A., Rolfe, W. D. I., Bonamo, P. M. & Grierson, J. D. 1987. New terrestrial arachnids from the Devonian of Gilboa, New York. *American Museum Novitates*, 2901: 1–74.
- Shpinev, E. S. 2006. A new species of *Adelophthalmus* (Eurypterida) from the Lower Carboniferous of the Krasnoyarsk Region. *Paleontological Journal*, 40: 431–433. [English translation of Russian original]
- Shuler, E. W. 1915. A new Ordovician eurypterid. *American Journal of Science*, 4th Series, 39: 551–554.
- Sidorchuk, E. A. & Klimov, P. B. 2011. Redescription of the mite *Glaesacarus rhombeus* (Koch & Berendt, 1854) from Baltic amber (Upper Eocene): evidence for female-controlled mating. *Journal of Systematic Palaeontology*, 9: 183–196.
- Siebold, C. T. E. von. 1850. Ueber *Eriophyes*. *Jahresbericht der Schlesischen Gesellschaft*, 28: 88–89.

- Siegfried, P. 1972. Ein Schwertschwanz (Merostomata, Xiphosurida) aus dem Oberkarbon von Ibbenburen/Westfalen. *Paläontologische Zeitschrift*, 46, 180–186.
- Šilhavý, V. 1973. Two new systematic groups of the gonyleptomorph phalangids from the Antillean-Caribbean Region. Agoristenidae fam. n. and Caribbantinae subfam. n. *Věstník Československé Společnosti Zoologické*, 37: 110–143.
- Šilhavý, V. 1979. New American representatives of the subfamily Samoinae (Opiliones, Phalangodidae, Arach.). *Annotationes zoologicae et botanicae, Bratislava*, 130: 1–27.
- Simon, E. 1864. *Histoire naturelle des Araignées (Aranéides)*. Paris, 540 pp.
- Simon, E. 1874. *Les arachnides de France. Tome 1*. Paris, 272 pp.
- Simon, E. 1876a. *Les Arachnides de France. Tome 3*. Paris, 360 pp.
- Simon, E. 1876b. Etude sur les Arachnides du Congo. *Bulletin de la Société zoologique de France*, 1: 12–15, 216–224.
- Simon, E. 1879a. *Les Arachnides de France VII. Contenant les ordres des Chernetes, Scorpiones et Opiliones*. Paris, 332 pp.
- Simon, E. 1879b. Essai d'une classification des Opiliones Mecostethi. Remarques synonymiques et descriptions d'espèces nouvelles. *Annales de la Société Entomologique de Belgique*, 22: 183–241.
- Simon, E. 1880. Études arachnologiques 12e Mémoire(1). XVII. Déscriptions de Genres et Espèces de l'ordre des Scorpiones. *Annales de la Société Entomologique de France*, (5)10: 377–398.
- Simon, E. 1881. *Les Arachnides de France. Tome 5, 1^{re} partie*. Paris, 179 pp.
- Simon, E. 1882. Etudes arachnologiques. 13^e Mémoire. 20. Descriptions d'espèces et de genres nouveaux de la famille des Dysderidae. *Annales de la Société Entomologique de France*, (6) 2: 201–240.
- Simon, E. 1884a. Note synonymique sur les genres *Prodidomus* Hentz et *Miltia* E.S. *Annales de la Société Entomologique de Belgique*, 28: 302.
- Simon, E. 1884b. Note complémentaire sur la famille des Archaeidae. *Annali del Museo Civico di Storia Naturale di Genova*, 20: 373–380.
- Simon, E. 1884c. *Les Arachnides de France. Tome 5, 2^e et 3^e parties*. Paris, pp. 180–808.
- Simon, E. 1884d. Description d'une nouvelle famille de l'ordre des Araneae (Bradystichidae). *Annales de la Société Entomologique de Belgique*, 28: 297–301.
- Simon, E. 1885a. Etudes arachnologiques. 17e Mémoire. XXVI. Arachnides recueillis dans la vallée de Templé et sur le mont Ossa (Thessalie). *Annales de la Société Entomologique de France*, 5: 209–217.
- Simon, E. 1885b. Etude sur les Arachnides recueillis en Tunisie en 1883 et 1884 par MM. A. Letourneux, M. Sédillot et Valéry Mayet, membres de la Mission de l'Exploration scientifique de la Tunisie. In *Exploration scientifique de la Tunisie*, Paris, 55 pp.

- Simon, E. 1885c. Etudes arachnologiques. 18e Mémoire. XXVI. Matériaux pour servir à la fauna des Arachnides du Sénégal. (Suivi d'un appendice intitulé: Descriptions de plusieurs espèces africaines nouvelles). *Annales de la Société Entomologique de France*, 5: 345–396.
- Simon, E. 1887. Espèces et genres nouveaux de la famille des Sparassidae. *Bulletin de la Société zoologique de France*, 12: 466–474.
- Simon, E. 1888. Etudes arachnologiques. 21^e Mémoire. 29. Descriptions d'espèces et de genres nouveaux de l'Amérique centrale et des Antilles. *Annales de la Société Entomologique de France*, (6) 8: 203–216.
- Simon, E. 1889a. Etudes arachnologiques. 21^e Mémoire. 31. Descriptions d'espèces et de genres nouveaux de Madagascar et de Mayotte. *Annales de la Société Entomologique de France*, (6) 8: 223–236.
- Simon, E. 1889b. Arachnides. In Voyage de M. E. Simon au Venezuela (décembre 1887 – avril 1888). 4^e Mémoire. *Annales de la Société Entomologique de France*, (6) 9: 169–220.
- Simon, E. 1890. Etudes arachnologiques. 22^e Mémoire. 34. Etude sur les Arachnides de l'Yemen. *Annales de la Société Entomologique de France*, 10: 77–124.
- Simon, E. 1891a. Observations biologiques sur les Arachnides. I. Araignées sociables. In Voyage de M. E. Simon au Venezuela (Décembre 1887 – avril 1888). 11^e Mémoire. *Annales de la Société Entomologique de France*, 60: 5–14.
- Simon, E. 1891b. On the spiders of the Island of St. Vincent. Part I. *Proceedings of the Zoological Society of London*, 1891: 549–575.
- Simon, E. 1892a. Arachnides. In Raffray, A., Bolivar, I. & Simon, E. (eds) Etude sur les Arthropodes cavernicoles de île Luzon, Voyage de M. E. Simon aux îles Philippines (Mars et avril 1890). *Annales de la Société Entomologique de France*, 61: 35–52.
- Simon, E. 1892b. *Histoire naturelle des Araignées. Volume 1, part 1*. Roret, Paris, pp. 1–254.
- Simon, E. 1893. *Histoire naturelle des Araignées. Volume 1, part 2*. Roret, Paris, pp. 255–488.
- Simon, E. 1894. *Histoire naturelle des Araignées, Volume 1, part 3*. Roret, Paris, pp. 489–760.
- Simon, E. 1895. *Histoire naturelle des Araignées, Volume 1, part 4*. Roret, Paris, pp. 761–1084.
- Simon, E. 1896. Description d'un Arachnide cavernicole de l'Afrique australe. *Bulletin de la Société Entomologique de France*, 1869: 285–286.
- Simon, E. 1897a. *Histoire naturelle des Araignées, Volume 2, part 1*. Roret, Paris, 1–192.
- Simon, E. 1897b. On the Spiders of the Island of St. Vincent. Part III. *Proceedings of the Zoological Society of London*, 1897: 860–890.
- Simon, E. 1898a. *Histoire naturelle des Araignées, Volume 2, part 2*. Roret, Paris, 1–269.
- Simon, E. 1898b. Etude sur les Arachnides de la région des Maures (Var.) *Feuille des Jeunes Naturalistes*, (3) 29: 2–4.
- Simon, E. 1900. Descriptions d'arachnides nouveaux de la famille des Attidae. *Annales de la Société Entomologique de Belgique*, 44: 381–407.

- Simon, E. 1903. *Histoire naturelle des Araignées, Volume 2, part 4*. Roret, Paris, 669–1080.
- Simon, E. 1929. *Les Arachnides de France. Tome 6*. Paris, pp. 533–772.
- Simon, R. 1971. Neue Arthropodenfunde aus dem Stephan der Halleschen Mulde. *Bericht der Deutschen Gesellschaft für Geologische Wissenschaft, Reihe A: Geologie/Paläontologie*, 16: 53–62.
- Simonetta, A. M. & Delle Cave, L. 1978. Una possibile interpretazione filogenetica degli artropodi paleozoici. *Bollettino di zoologia*, 45: 87–90.
- Simpson, S. 1951. A new Eurypterid from the Upper Old Red Sandstone of Portishead. *Annals and Magazine of Natural History, series 12*, 4: 849–861.
- Siveter, D. J. & Selden, P. A. 1987. A new, giant xiphosurid from the lower Namurian of Weardale, County Durham. *Proceedings of the Yorkshire Geological Society*, 46: 153–168.
- Siveter, D. J., Sutton, M. D., Briggs, D. E. G. & Siveter, D. J. 2004. A Silurian sea spider. *Nature*, 431: 978–980.
- Sivhed, U. & Wallwork, J. A. 1978. An early Jurassic oribatid mite from southern Sweden. *Geologiska Föreningens i Stockholm Förhandlingar*, 100: 65–70.
- Smith, F. P. 1902. The spiders of Epping Forest. *Essex Naturalist*, 12: 181–201.
- Sørensen, W. E. 1884. Opiliones Laniatores (Gonyleptides W. S. Olim) Musei Hauniensis. *Naturhistorisk Tidsskrift, Kjøbenhavn, series 3*, 14: 555–646.
- Sørensen, W. 1886. Opiliones. pp. 53–86. In Koch, L. & Keyserling, E. (eds) *Die Arachniden Australiens nach der Natur Beschrieben und Abgebildet*. Bauer und Raspe, Nürnberg, ?? pp.
- Sørensen, W. 1932. Descriptiones Laniatorum (Arachnidorum Opilionum Subordinis). (Opus posthumum recognovit et editit Kai L. Henriksen). – *Kongelige Danske Videnskabernes Selskabs Skrifter - Naturvidenskab og Matematiske Afdeling, København*, ser. 9, 3(4): 197–422.
- Southcott, R. V. 1957. Description of a new Australian raphignathoid mite, with remarks on the classification of the Trombidiformes (Acarina). *Proceedings of the Linnean Society of New South Wales*, 81(3): 306–312.
- Southcott, R. V. & Lange, R. T. 1971. Acarine and other microfossils from the Maslin eocene, South Australia. *Records of the South Australian Museum*, 16: 1–21.
- Stahnke, H. L. 1940. The scorpions of Arizona. *Iowa State College Journal of Science*, 15: 101–103. [Thesis abstract.]
- Sterzel, J.T. 1918. Die organischen Reste des Kulms und Rotliegenden der Gegend von Chemnitz. *Abhandlungen der Königlich Sächsischen Gesellschaft der Wissenschaften, Mathematisch-physikalische Klasse*, 35: 1–315.
- Stock, J. H. 1954. Papers from Dr. Th. Mortensen's Pacific expedition 1914–1916. LXXVII. Pycnogonida from Indo-West-Pacific, Australian, and New-Zealand waters. *Videnskabelige Meddelelser fra Dansk naturhistorisk Forening*, 116(1): 1–168.

- Stott, C. A., Tetlie, O. E., Braddy, S. J., Nowlan, G. S., Glasser, P. M. & Devereux, M. G. 2005. A new eurypterid (Chelicerata) from the Upper Ordovician of Manitoulin Island, Ontario, Canada. *Journal of Paleontology*, 79: 1166–1174.
- Stainier, X. 1917. On a new eurypterid from the Belgian Coal Measures. *Quarterly Journal of the Geological Society*, 71: 639–647.
- Størmer, L. 1934a. Downtonian Merostomata from Spitsbergen with remarks on the suborder Synziphosura. *Skrifter utgitt av Det Norske Videnskaps-Akademi i Oslo, I. Matem.-Naturvid. Klasse*, 1933(3): 1–26.
- Størmer, L. 1934b. Merostomata from the Downtonian Sandstones of Ringerike, Norway. *Skrifter utgitt av Det Norske Videnskaps-Akademi i Oslo, I. Matem.-Naturvid. Klasse*, 1933(10): 1–125.
- Størmer, L. 1934c. Über den neuen von W. Gross beschriebenen Eurypteriden aus dem Unterdevon von Overath im Rheinland. *Jahrbuch der Preussischen Geologischen Landesanstalt*, 55: 284–291.
- Størmer, L. 1934d. A new Eurypterid from the Saaremaa-(Oesel-)Beds in Estonia. *Publications of the Geological Institution of the University of Tartu*, 37: 1–8.
- Størmer, L. 1936a. Eurypteriden aus dem Rheinischen Unterdevon. *Abhandlungen der Preussischen Geologischen Landesanstalt, Neue Folge*, 175: 1–74.
- Størmer, L. 1936b. *Mixopterus dolichoshelus* (Laurie MS), a Downtonian eurypterid from Scotland. *Summary of Progress of the Geological Survey for 1934*: 41–46.
- Størmer, L. 1951. A new eurypterid from the Ordovician of Montgomeryshire, Wales. *Geological Magazine*, 88: 409–422.
- Størmer, L. 1952. Phylogeny and taxonomy of fossil horseshoe crabs. *Journal of Paleontology*, 26: 630–639.
- Størmer, L. 1963. *Gigantoscorpio willsi*, a new scorpion from the Lower Carboniferous of Scotland and its associated preying microorganisms. *Skrifter Utgitt av det Norske Videnskaps-Akademi i Oslo. Matematisk-Naturvidenskabelig Klasse*, 8: 1–171.
- Størmer, L. 1969. Eurypterids from the Lower Devonian of Willwerath, Eifel. *Senckenbergiana lethaea*, 50: 21–35.
- Størmer, L. 1970. Arthropods from the Lower Devonian (Lower Emsian) of Alken an der Mosel, Germany. Part 1: Arachnida. *Senckenbergiana lethaea*, 51: 335–369.
- Størmer, L. 1972. Arthropods from the Lower Devonian (Lower Emsian) of Alken an der Mosel, Germany. Part 2: Xiphosura. *Senckenbergiana lethaea*, 53: 1–29.
- Størmer, L. 1973. Arthropods from the Lower Devonian (Lower Emsian) of Alken an der Mosel, Germany. Part 3: Eurypterida, Hughmilleridae. *Senckenbergiana lethaea*, 54: 119–205.
- Størmer, L. 1974. Arthropods from the Lower Devonian (Lower Emsian) of Alken an der Mosel, Germany. Part 4: Eurypterida, Drepanopteridae, and other groups. *Senckenbergiana lethaea*, 54: 359–451.
- Størmer, L. 1976. Arthropods from the Lower Devonian (Lower Emsian) of Alken an der Mosel, Germany. Part 5: Myriapoda and additional forms, with general remarks on the fauna and problems regarding invasion of land by arthropods. *Senckenbergiana lethaea*, 57: 87–183.

- Størmer, L. & Waterston, C. D. 1968. *Cyrtocetus* gen. nov., a large late Palaeozoic arthropod with pectinate appendages. *Transactions of the Royal Society Edinburgh*, 68: 63–104.
- Strand, E. 1926. Miscellanea nomenclatorial zoological et palaeontologica. I–II. *Archiv für Naturgeschichte A*, 92(8): 30–75.
- Strand, E. 1929. Zoological and palaeontological nomenclatorial notes. *Acta Universitatis Latviensis*, 20: 29 pp.
- Strand, E. 1932. Miscellanea nomenklatorica zoologica et palaeontologica, III, IV. *Folia zoologica et hydrobioogica*, 4: 133–147, 193–196.
- Strenzke, K. 1963. Entwicklung und Verwandschaftsbeziehungen der Oribatidengattung *GehyPOCHTHONIUS* (Arach., Acari). *Senckenbergiana Biologica*, 44: 231–255.
- Stumm, E. C. & Kjellesvig-Waering, E. N. 1962. A new eurypterid from the Upper Silurian of southern Michigan. *Contributions from the Museum of Paleontology, The University of Michigan*, 17: 195–204.
- Stur, D. 1877. Die Culm-Flora der Ostrauer und Waldenburger Schichten. *Abhandlung der königliche geologische Reichanstalt*, 4: 5.
- Subías, L. S. 2004. Listado sistemático, sinonímico y biogeográfico de los ácaros oribátidos (Acariformes: Oribatida) del mundo. *Graellsia* 60 (nuúmero extraordinario), 3–305. Available from: <http://www.ucm.es/info/zoo/Artropodos/Catalogo.pdf>.
- Subías, L. S. & Arillo, A. 2002. Oribatid mite fossils from the Upper Devonian of South Mountain, New York and the Lower Carboniferous of County Antrim, Northern Ireland (Acariformes, Oribatida). *Estudios del Museo de Ciencias Naturales de Alava*, 17: 93–106.
- Sundevall, J.C. 1833. *Conspectus Arachnidium*. C. F. Berling, Londini Gothorum, 39 pp.
- Swartz, C. K. 1923. Order Eurypterida. 716–778. In Swartz, C. K., Prouty, W. F., Ulrich, E. O. & Bassler, R. S. (eds). *Silurian Volume*. Maryland Geological Survey, 795 pp.
- Tasch, P. 1961. Paleolimnology: part 2 – Harvey and Sedgwick counties, Kansas: stratigraphy and biota. *Journal of Paleontology*, 35: 836–865.
- Tasch, P. 1963. Paleolimnology: part 3 – Marion and Dickinson counties, Kansas, with additional sections in Harvey and Sedgwick counties: stratigraphy and biota. *Journal of Paleontology*, 37: 1233–1251.
- Tesakov, A. S. & Alekseev, A.S. 1992. Myriapod-like arthropods from the Lower Devonian of central Kazakhstan. *Paleontological Journal*, 26: 18–23.
- Tesakov, A. S. & Alekseev, A.S. 1998. *Maldybulakia* – new name for *Lophodesmus* Tesakov and Alekseev, 1992 (Arthropoda). *Paleontological Journal*, 32: 29.
- Tetlie, O. E. 2002. A new *Baltoeurypterus* (Eurypterida: Chelicerata) from the Wenlock of Norway. *Norwegian Journal of Geology*, 82: 37–44.
- Tetlie, O. E. 2006a. Two new Silurian species of *Eurypterus* (Chelicerata: Eurypterida) from Norway and Canada and the phylogeny of the genus. *Journal of Systematic Palaeontology* 4: 397– 412.

- Tetlie, O. E. 2006b. Eurypterida (Chelicerata) from the Welsh Borderlands, England. *Geological Magazine*, 143: 723–735.
- Tetlie, O. E. & Braddy, S.J. 2004. The first Silurian chasmataspid, *Loganamaraspis dunlopi* gen. et sp. nov. (Chelicerata: Chasmataspidida) from Lesmahagow, Scotland, and its implications for eurypterid phylogeny. *Transactions of the Royal Society of Edinburgh, Earth Sciences*, 94: 227–234.
- Tetlie, O. E. & Briggs, D. E. G. 2009. The origin of pterygotid eurypterids (Chelicerata: Eurypterida). *Palaeontology*, 52: 1141–1148.
- Tetlie, O. E. & Dunlop, J. A. 2008. *Geralinura carbonaria* (Arachnida; Uropygi) from Mazon Creek, Illinois, USA, and the origin of subchelate pedipalps in whip scorpions. *Journal of Paleontology*, 82: 299–312.
- Tetlie, O. E. & Van Roy, P. 2006. A reappraisal of *Eurypterus dumonti* Stainier, 1917 and its position within the Adelophthalmidae Tollerton, 1989. *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Sciences de la Terre* 76: 79–90.
- Tetlie, O. E. & Poschmann, M. 2008. Phylogeny and palaeoecology of the Adelophthalamoidea (Arthropoda; Chelicerata; Eurypterida). *Journal of Systematic Palaeontology*, 6: 237–249.
- Tetlie, O. E., Selden, P. A. & Ren D. 2007. A new Silurian eurypterid (Arthropoda: Chelicerata) from China. *Palaeontology*, 50: 619–625.
- Tetlie O. E., Braddy, S. J., Butler, P.D. & Briggs, D.E.G. 2004. A new eurypterid (Chelicerata: Eurypterida) from the Upper Devonian Gogo Formation of Western Australia, with a review of the Rhenopteridae. *Palaeontology* 47: 801–809.
- Thevenin, A. 1901. Sur le découverte d'arachnides dans le Terrain Houiller de Commentry. *Bulletin de la Société Géologique de France, 4^e Série*, 1: 605–611.
- Thevenin, A. 1902. Sur une araignée du terrain houiller der Valenciennes. *Procès-Verbaux de la Société d'Histoire Naturelle de Autun*, 15: 195–203.
- Thompson, W. D'Arcy 1909. Pycnogonida. In Harmer, S. F. & Shipley, B. E. (eds). *The Cambridge Natural History*, pp. 501–542.
- Thor, S. 1900. Norske hydrachnider IV. – Archiv für Mathematik og Naturvidenskab 23: 1–56.
- Thor, S. 1905. Eine interessante neue Milbengattung aus der schweizerischen Sammlung des Herrn Dr. W. Volz. *Zoologischer Anzeiger*, 28: 505–509.
- Thor, S. 1911a. Lebertia-Studien XXIV–XXV. *Zoologischer Anzeiger*, 37: 385–394.
- Thor, S. 1911b. Eine neue Acarinengattung (Teneriffidae) und zwei neue Gattungen, die eine von Teneriffa, die andre aus Paraguay. *Zoologischer Anzeiger*, 38: 171–179.
- Thor, S. 1927. Acarinologische Notizen. *Zoologischer Anzeiger*, 72: 155–159.
- Thor, S. 1933. Über die prostigmatische Familie: Eupodidae C.L.Koch 1842 und über die Teilung dieser Familie, mit Definitionen der neuen Familien. *Zoologischer Anzeiger*, 101: 271–277.

- Thor, S. 1934. Neue Beiträge zur Kenntnis der invertebraten Fauna von Svalbard. (Nach Sammlungen von Garteninspektor L. Lange, Dozent B. Lynge und dem Verfasser.). *Zoologischer Anzeiger*, 107: 114–139.
- Thor, S. 1935. Übersicht und Einteilung der Familie Trombidiidae W.E. Leach 1814 in Unterfamilien. *Zoologischer Anzeiger*, 109: 107–112.
- Thor, S. 1937. Übersicht der norwegischen *Cryptostigmata* mit einzelnen Nebenbemerkungen. *Saertrykk av Nytt Magasin for Naturvidenskapene*, 77: 275–307.
- Thorell, T. 1856. Recensio critica Aranearum Suecicarum quas descripserunt Clerckius, Linnaeus, de Geerus. *Nova Acta Societas Scientiae Uppsalensis*, 2: 61–176.
- Thorell, T. 1869. On European spiders. Part I. Review of the European genera of spiders, preceded by some observations on zoological nomenclature. *Nova Acta Societas Scientiae Uppsalensis*, (3)7: 1–108.
- Thorell, T. 1870a. On European spiders. Part 2. *Nova Acta Societas Scientiae Uppsalensis*, (3)7: 109–242.
- Thorell, T. 1870b. *Remarks on synonyms of European spiders. Part I.* Uppsala, pp. 1–96.
- Thorell, T. 1873. *Remarks on synonyms of European spiders. Part IV.* Uppsala, pp. 375–645.
- Thorell, T. 1875. Diagnoses Aranearum Europaearum aliquot novarum. *Tijdschrift voor Entomologie*, 18: 81–108.
- Thorell, T. 1876a. Études Scorpilogiques. *Atti della Società Italiana di Scienze Naturali*, 19: 75–272.
- Thorell, T. 1876b. On the classification of scorpions. *Annals and Magazine of Natural History, series 4*, 17: 1–15.
- Thorell, T. 1876c. Sopra alcuni Opilioni (Phalangidea) d'Europa e dell'Asia occidentale, con un quadro dei generi europei di quest'Ordine. *Annali del Museo Civico di Storia Naturale (Genoa) series 1*, 8: 452–508.
- Thorell, T. 1881. Studi sui Ragni Malesi e Papuani. III. Ragni dell'Astro Malesia e del Capo York, conservati nel Museo civico di storia naturale di Genova. *Annali del Museo Civico di Storia Naturale di Genova*, 17: 1–727.
- Thorell, T. 1882. Descrizione di Alcuni Aracnidi Inferiori dell' Arcipelago Malese. *Annali del Museo Civico di Storia Naturale di Genova*, 18: 21–69.
- Thorell, T. 1887. Viaggio di L. Fea in Birmania e regioni vicine. II. Primo saggio sui ragni birmani. *Annali del Museo Civico di Storia Naturale di Genova*, 25: 5–417.
- Thorell, T. 1888. Pedipalpi e Scorpioni dell'Arcipelago Malese conservati nel Museo Civico di Storia Naturale di Genova. *Annali del Museo Civico di Storia Naturale di Genova*, 26: 327–428.
- Thorell, T. 1889. Viaggio di Leonardo Fea in Birmania e regioni vicine. XXI. Aracnidi Artrogastri Birmani raccolti da L. Fea nel 1885–1887. *Annali del Museo Civico di Storia Naturale di Genova*, 27: 521–729.
- Thorell, T. 1890. Studi sui ragni Malesi e Papuani. Part IV, 1. *Annali del Museo Civico di Storia Naturale di Genova*, 28: 1–419.
- Thorell, T. 1891. Spindlar från Nikobarerna och andra delar af södra Asien. *Bihang till Kongl. Svenska Vetenskaps-Akademiens Handlingar*, 24: 149 pp.
- Thorell, T. & Lindström, G. 1884. Discovery of a Silurian fossil scorpion. *The Glasgow Herald*, Dec. 19, 1884.

- Thorell, T. & Lindström, G. 1885. On a Silurian scorpion from Gotland. *Bihang till Kongl. Svenska Vetenskaps-Akademien Handlingar*, 21(9): 1–33.
- Tollerton, V. P., Jr. 1989. Morphology, taxonomy, and classification of the order Euryptera Burmeister, 1843. *Journal of Paleontology*, 63: 642–657.
- Trägårdh, I. 1902. Beiträge zur Kenntnis der schwedischen Acaridenfauna. *Bihang till Kongliga Svenska Vetenskaps-Akademien Handlingar*, 28: 1–26.
- Trägårdh, I. 1915. Bidrag till kännedomen om spinnkvalstren (*Tetranychus* Duf.). *Centralanstalten för försöksväsendet på jordbruksområdet. Entomologiska avdelningen*, 20: 1–60.
- Trägårdh, I. 1946. Outlines of a new classification of the Mesostigmata (Acarina) based on comparative morphological data. *Lunds Universitets Arsskrift, N.F.* 42: ?-?
- Trägårdh, I. 1950. Description of a new species of *Heterocheylus* Lombardini from Africa, with notes on the classification of the Pseudocheyletidae. *Entomologisk tidskrift*, 71: 104–110.
- Travé, J. 1959. Sur le genre *Niphocepheus* Balogh 1943. Les Niphocepheidae, famille nouvelle (Acariens, Oribates). *Acarologia*, 1: 475–498.
- Travé, J. 1967. *Phyllochthonius aoutii* nov. gen., nov. spec., un Enarthronota (Acarien, Oribate) nouveau de Côte d'Ivoire, avec la création d'une superfamille nouvelle, Phyllochthonoidea. *Zoologische Mededelingen*, 42: 83–105.
- Treat, A. E. 1955. An ectoparasite (Acarina: Mesostigmata) from moths of the genus *Zale*. *Journal of Parasitology* 41: 555–561.
- Türk, E. 1963. A new tyroglyphid deutonymph in amber from Chiapas, Mexico. *University of California Publications in Entomology* 31: 49–51.
- Ubick, D. & Dunlop, J. A. 2005. On the placement of the Baltic amber harvestman *Gonyleptes nemastomoides* Koch & Berendt, 1854, with notes on the phylogeny of Cladonychiidae (Opiliones, Laniatores, Travunioidea). *Mitteilungen aus dem Musuem für Naturkunde Berlin, Geowissenschaftliche Reihe* 8: 75–82.
- Vachon, M. & Heyler, D. 1985. Description d'une nouvelle espèce de Scorpion: *Buthiscorpius pescei* (Stéphanien de Montceau-les-Mines, France). Remarques sur la classification des Scorpions (Arachnida) du Carbonifère. *Bulletin de la Société d'Histoire Naturelle d'Autun* 113: 29–47.
- Vandenbergh, A. 1960. *Pringlia demaisteri* nov. sp., un xiphosure (Chélicératé) du Stéphanien de la Loire. – *Bulletin de la Société géologique de France* 7: 687–689.
- Vercammen-Grandjean, P. H. 1973. Study of the “Erythraeidae, R.O.M. No. 8” of Ewing, 1937. 329–335. In Daniel, M. and Rosicky, B. (eds). *Proceedings of the 3rd International Congress of Acarology*. Academia, Prague, 837 pp.

- Via Boada, L. & Villalta, J. F. de 1966. *Hetrolimulus gadeai*, nov. gen., nov. sp., représentant d'une nouvelle famille de Limulacés dans le Trias d'Espagne. – C. R. Sommaire Séances Soc. Géol. France 1966: 57–59.
- Viets, K. O. 1978. New water mites (Hydrachnellae: Acari) from Australia. *Australian Journal of Marine and Freshwater Research*, 29: 77–92.
- Villalta, J. F., 1957. Dos zoolécidas fósiles del Mioceno de Cerdaña (prov. de Lérida). *Cur. Conf. Inst. Lucas Mallada*, 4: 63–64.
- Vitzthum, H. Graf 1931. Acari=Milben. In Kukenthal, W. (ed.) *Handbuch der Zoologie*, Vol. III 2. 3. Walter de Gruyter & Co., Berlin, pp. 1–160.
- Vitzthum, H. G. 1942. Acarina. In Brönn's *Klassen und Ordnungen des Tierreiches*, IV. Abt., 5. Buch, 5. Lieferung (1942), Leipzig, Akademische Verlagsgesellschaft Becker u. Erler: pp. 641–800.
- Wagner, W. A. 1887. Copulations organe des Männchens als Criterium für die Systematik der Spinnen. *Horae Societatis Entomologicae Rossicae*, 22: 3–132.
- Walcott, C. D. 1882. Description of a new genus of the order Eurypterida from the Utica Slate. *American Journal of Science*, 3rd Series, 23: 213–216.
- Walckenaer, C. A. 1802. *Faune parisienne. Insectes. Ou Histoire abrégée des Insectes des environs de Paris*. Paris, 2: 187–250.
- Walckenaer, C. A. 1805. *Tableau des Aranéides ou Caractères essentials des tribus, genres, familles et races que renferme le genre Aranea de Linné, avec la désignation des espèces comprises dans chacune de ces divisions*. Paris, 88 pp.
- Walckenaer, C. A. 1826. Aranéides. In *Faune française...*, Paris: 96 pp.
- Walckenaer, C. A. 1837. *Histoire naturelle des insects. Aptères*. Vol. 1. Librairie Encyclopédique de Roret, Paris, 682 pp.
- Walker, N. A. 1965. Euphthiracaroidea of California Sequoia litter : with a reclassification of the families and genera of the world (Acarina: Oribatei). *Fort Hays Studies, New Series, Science Series*, 3: 154 pp.
- Walossek, D., Li, C.S. & Brauckmann, C. 1990. A scorpion from the Upper Devonian of Hubei Province, China (Arachnida, Scorpiones). *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, 1990(3): 169–180.
- Waloszek, D. & Dunlop, J. A. 2002. A larval sea spider (Arthropoda: Pycnogonida) from the Upper Cambrian 'Orsten' of Sweden and the phylogenetic position of pycnogonids. *Palaeontology*, 45: 421–446.
- Walter, D. E. 1997. Heatherellidae - a new family of Mesostigmata (Acari: Parasitiformes) based on two new species from rainforest litter in Australia. *International Journal of Acarology*, 23: 167–175.
- Walter, D. E. 2000. A jumping mesostigmatan mite, *Saltiseius hunteri* n. g., n. sp. (Acari: Mesostigmata: Trigynaspida: Saltiseiidae, n. fam.) from Australia. *International Journal of Acarology*, 26: 25–31.

- Walter, D. E. & Gerson, U. 1998. Dasythyreidae, new family, and *Xanthodasythyreus* n. g. (Acari: Prostigmata: Raphignathoidea) from Australia. *International Journal of Acarology*, 24: 189–197.
- Walter, D. E. & Krantz, G. W. 1999. New early derivative mesostigmatans from Australia: *Nothogynus* n. g., Nothognidae n. fam. (Mesostigmata: Microgyniina). *International Journal of Acarology*, 25: 67–76.
- Waterston, C. D. 1962. *Pagea sturrocki* gen. et sp. nov., a new eurypterid from the Old Red Sandstone of Scotland. *Palaeontology*, 5: 137–148.
- Waterston, C. D. 1964. Observations on pterygotid Eurypterids. *Transactions of the Royal Society of Edinburgh*, 66: 9–33.
- Waterston, C. D. 1968. Further observations on the Scottish Carboniferous eurypterids. *Transactions of the Royal Society of Edinburgh*, 68: 1–20.
- Waterston, C. D. 1979. Problems of functional morphology and classification in stylonurid eurypterids (Chelicerata, Merostomata), with observations on the Scottish Stylonuroidea. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 70: 251–322.
- Waterston, C. D. 1985. Chelicerata from the Dinantian of Fouldon, Berwickshire, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 76: 25–33.
- Waterston, C. D., Oelofsen, B. W. and Ooshuizen, R. D. F. 1985. *Cyrtocetus wittebergensis* sp. nov. (Chelicerata: Eurypterida), a large sweep-feeder from the Carboniferous of South Africa. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 76: 339–358.
- Watson, D. M. S. 1909. *Limulus woodwardi*, sp. nov., from the Lower Oolite of England. *Geological Magazine, New Series*, (5) 6: 14–15.
- Waterlot, G. 1934. *Étude de la Faune continentale du Terrain houiller Sarro-Lorrain – Études des gîtes minéraux de la France. Bassin houiller de la Sarre et de la Lorraine II. Faune fossile*. Lille, 317 pp.
- Weidner, H. 1964. Eine Zecke, *Ixodes succineus* sp. n. im Batischen Bernstein. *Veöffentlichungen aus dem Überseemuseum Bremen*, 3: 143–151.
- Weitschat, W. & Wichard, W. 2002. *Atlas of plants and animals in Baltic amber*. Dr. F. Pfeil, Munich, 256 pp.
- Westring, N. 1851. Förteckning öfver de till närvarande tid Kände, i Sverige förekommande Spindlarter, utgörande ett antal af 253, deraf 132 äro nya för svenska Faunan. *Göteborgs Kungliga Vetenskaps- och Vitterhets-Samhäilles handlingar*, 2: 25–62.
- Westwood, J. O. 1835. Insectorum Arachnoidumque novorum Decades duo. *The Zoological Journal, London*, 5: 440–453.
- Westwood, J. O. 1874. *Thesaurus entomologicus oxoniensis*. Clarendon Press, Oxford, xx pp.
- Weyenbergh, H., Jr 1874. Notes sur quelques insectes du calcaire jurassique de la Bavière. *Archives Musée Teyler, Haarlem*, 3: 234–236.
- Weygoldt, P. 1996. Evolutionary morphology of whip spiders: towards a phylogenetic system (Chelicerata: Arachnida: Amblypygi). *Journal of Zoological Systematics and Evolutionary Research*, 34: 185–202.

- Weygoldt, P. & Paulus, H.F. 1979. Untersuchungen zur Morphologie, Taxonomie und Phylogenie der Chelicerata. *Zeitschrift für zoologische Systematik und Evolutionsforschung*, 17: 85–115, 177–200.
- White, D. 1908. Report on the fossil flora of the Coal Measures of Brazil. 377–607. In White, J. C. (ed.). *Final report on the coal measures and associated rocks of South Brazil*. Comissão de Estudos das Minas de Carvão de Pedra Do Brazil, Rio de Janeiro.
- Whiteaves, J. F. 1884. On some new, imperfectly characterized or previously unrecorded species of fossils from the Guelph Formations of Ontario. *Palaeozoic Fossils of Canada*, 3(1):1-43
- Whitfield, R. P. 1882. Descriptions of new species of fossils from Ohio, with remarks on some of the geological formations in which they occur. *Annals of the New York Academy of Science*, 2: 193–244.
- Whitfield, R. P. 1885a. An American Silurian scorpion. *Science*, 6: 87–88.
- Whitfield, R. P. 1885b. On a fossil scorpion from the Silurian rocks of America. *Bulletin of the American Museum of Natural History*, 1(9): 181–190.
- Wiles, P. R. 1996. A new family, genus and species of watermite (Acari: Hydrachnidia, Lebertioidea) from Brunei. *Quekett Journal of Microscopy*, 37: 692–695.
- Williams, H. 1915. An eurypterid horizon in the Niagara Formation of Ontario. *Geological Survey of Canada, Museum Bulletin*, 20: 1–9.
- Willmann, C. 1931. Oribatei (Acari), gesammelt von der Deutschen Limnologischen Sunda-Expedition. *Archiv für Hydrobiologie*, Supplement-Band IX: 240–305.
- Wills, L. J. 1910. On the fossiliferous Lower Keuper rocks of Worcestershire, with descriptions of some of the animals discovered therein. *Proceedings of the Geologists' Association*, 21: 249–331.
- Wills, L. J. 1947. *A monograph of the British Triassic scorpions*. The Palaeontographical Society, London, 100 & 101: 137 pp.
- Wills, L. J. 1959. The external anatomy of some Carboniferous “scorpions” Part 1. *Palaeontology*, 1: 261–282.
- Wills, L. J. 1960. The external anatomy of some Carboniferous “scorpions”. Part 2. *Palaeontology*, 3: 276–332.
- Wilson, E. B. 1878. Descriptions of two new genera of Pycnogonida. *American Journal of Science*, 15: 200–203.
- With, C. J. 1902. A new acaride *Opilioacarus segmentatus*. *Comptes Rendus du Congrès des Naturalistes et Médecins du Nord*, 20: 4–5.
- With, C. J. 1906. The Danish expedition to Siam 1899–1900. III. Chelonethi. An account of the Indian false-scorpions together with studies on the anatomy and classification of the order. *Oversigt over det Kongelige Danske Videnskabernes Selskabs Forhandlinger*, 7(3): 1–214.
- Witaliński, W. 2000. *Aclerogamasus stenocornis* sp. n., a fossil mite from the Baltic amber (Acari: Gamasida: Parasitidae). *Genus*, 11: 619–626.
- Wolff, R.J. 1990. A new species of *Thiodina* (Araneae: Salticidae) from Dominican amber. *Acta Zoologica Fennica* 190: 405–408.

- Womersley, H. 1956. On some new Acarina-Mesostigmata from Australia, New Zealand and New Guinea. *Zoological Journal of the Linnean Society of London*, 42: 505–599.
- Womersley, H. 1957. A fossil mite (*Acronothrus ramus* n.sp.) from Cainozoic resin at Allendale, Victoria. *Proceedings of the Royal Society of Victoria* 69: 21–23.
- Wood, T. G. 1969. The Homocaligidae, a new family of mites (Acari: Raphignathoidea), including a description of a new species from Malaya and the British Solomon Islands. *Acarologia*, 11: 711–729.
- Woodward, H. 1865. On a new genus of Eurypterida from the Lower Ludlow rock of Leintwardine, Shropshire. *Quarterly Journal of the Geological Society of London*, 21: 490–492.
- Woodward, H. 1868a. On a new limuloid crustacean (*Neolimulus falcatus*) from the Upper Silurian of Lesmahagow, Lanarkshire. *Geological Magazine*, 5: 1–3.
- Woodward, H. 1871a. On the remains of a giant isopod *Praearcturus gigas*, (H. Woodward) from the Old Red Sandstone of Rowlestone Quarry, Herefordshire. *Transactions of the Woolhope Field Naturalist's Club*, 1871: 266–270.
- Woodward, H. 1871b. On the discovery of a new and very perfect Arachnid from the ironstone of the Dudley Coal-field. *Geological Magazine*, 8 (9): 1–4.
- Woodward, H. 1872a. Notes on some British Palaeozoic Crustacea belonging to the order Merostomata. *Geological Magazine*, 9: 433–441.
- Woodward, H. 1872b. On a new Arachnid from the Coal-measures of Lancashire. *Geological Magazine*, 9: 385–387.
- Woodward, H. 1876. On the discovery of a fossil scorpion in the British Coal Measures. *Quarterly Journal of the Geological Society of London* 32: 57–59.
- Woodward, H. 1878b. Discovery of the remains of a fossil crab (Decapoda-Bracyura) in the Coal Measures of the Environs of Mons, Belgium. *Geological Magazine, new series, Decade 2*, 5: 433–436.
- Woodward, H. 1879. Contributions to the knowledge of fossil Crustacea. *Quarterly Journal of the Geological Society London*, 35: 549–555.
- Woodward, H. 1887. On a new species of *Eurypterus* from the Lower Carboniferous shales of Glencarholm, Eskdale, Scotland. *Geological Magazine, Decade 3*, 4: 481–484.
- Woodward, H. 1888. Note on *Eurypterus* from the Carboniferous. *Geological Magazine, Decade 3*, 5: 419–421.
- Woodward, H. 1907a. Two new species of *Eurypterus* from the Coal-Measures of Ilkeston, Derbyshire. *Geological Magazine*, 4: 277–282.
- Woodward, H. 1907b. Further notes on the Arthropoda of the British Coal Measures. *Geological Magazine*, 4: 539–549.
- Woodward, H. 1918. Fossil arthropods from the Carboniferous rocks of Cape Breton, Nova Scotia; and from the Upper Coal Measures, Sunderland, England. *Geological Magazine*, 5: 462–471.

- Woolley, T. A. 1969. Two new species of *Hydrozetes*, extant and fossil (Acari: Cryptostigmata, Hydrozetidae). *New York Entomological Society*, 77: 250–256.
- Woolley, T. A. 1971. Fossil oribatid mites in amber from Chiapas, Mexico (Acarina: Oribatei = Cryptostigmata). *University of California Publications in Entomology*, 63: 91–99.
- Woolley, T. A. & Higgins, H. G. 1968. Megeremaeidae: A New Family of Oribatid Mites (Acari: Cryptostigmata). *Great Basin Naturalist*, 28(4): 172–175.
- Wunderlich, J. 1981. Fossile Zwergsechsaugenspinnen (Oonopidae) der Gattung *Orchestina* Simon, 1882 in Bernstein mit Anmerkungen zur Sexual-biologie (Arachnida: Araneae). *Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg*, 51: 83–113.
- Wunderlich, J. 1982. Die häufigsten Spinnen (Araneae) des Dominikanischen Bernsteins. *Neue Entomologische Nachrichten*, 1: 26–45.
- Wunderlich, J. 1985. Ein bisher unbekannte fossile Krabbenspinne aus dem Randecker Maar in Südwest-Deutschland (Arachnida: Araneae: Thomisidae). *Neue Entomologische Nachrichten*, 14: 4–13.
- Wunderlich, J. 1986. *Spinnenfauna Gestern und Heute. Fossile Spinnen in Bernstein und ihre heute lebenden Verwandten*. Erich Bauer Verlag bei Quelle und Meyer, Wiesbaden, 283 pp.
- Wunderlich, J. 1987. *Tama minor* n. sp., eine fossile Spinnenart der Familie Hersiliidae in Dominikanischem Bernstein (Arachnida: Araneae). *Entomologische Zeitschrift*, 97: 93–96.
- Wunderlich, J. 1988. Die fossilen Spinnen im dominikanischen Bernstein. *Beiträge zur Araneologie*, 2: 1–378.
- Wunderlich, J. 1991. Beschreibung der ersten fossilen Spinne der Familie Leptonetidae: *Eoleptona kutscheri* n. gen., n. sp. in Sächsischem Bernstein (Arachnida: Araneae). *Entomologische Zeitschrift*, 101: 21–26.
- Wunderlich, J. 1993a. Die ersten fossilen Speisspinnen (Fam. Scytodidae) im Baltischen Bernstein (Arachnida: Araneae). *Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg*, 75: 243–247.
- Wunderlich, J. 1993b. Die ersten fossilen Becherspinnen (Fam. Cyatholipidae) in Baltischem und Bitterfelder Bernstein (Arachnida: Araneae). – *Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg*, 75: 231–241.
- Wunderlich, J. 1998. Beschreibung der ersten fossilen Spinnen der Unterfamilien Mysmeninae (Anapidae) und Erigoninae (Linyphiidae) im Dominikanischen Bernstein (Arachnida: Araneae). *Entomologische Zeitschrift*, 108: 363–367.
- Wunderlich, J. 2000. Zwei neue Arten der Familie Falltürspinnen (Araneae: Ctenizidae) aus dem Baltischen Bernstein. *Entomologische Zeitschrift*, 110: 345–348.
- Wunderlich, J. 2004a. Introduction, general findings and conclusions. In Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 5–329.
- Wunderlich, J. 2004b. The fossil mygalomorph spiders (Araneae) in Baltic and Dominican amber and about extant members of the family Micromygalidae. In Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 595–631.

- Wunderlich, J. 2004c. Fossil spiders (Araneae) of the superfamily Dysderoidea in Baltic and Dominican amber, with revised family diagnoses. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 633–746.
- Wunderlich, J. 2004d. Fossil and extant spiders (Araneae) of the superfamily Eresoidea s.l., with special reference to the Archaeidae and remarks on some higher taxa of the superfamily Araneoidea. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 747–808.
- Wunderlich, J. 2004e. On selected higher and lower taxa of fossil and extant spiders of the superfamily Oecobioidea, with a provisional Cladogram (Araneae: Hersiliidae and Oecobiidae). *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 809–848.
- Wunderlich, J. 2004f. Fossil spiders of the family Uloboridae (Araneae) in Baltic and Dominican amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 851–886.
- Wunderlich, J. 2004g. The fossil spiders of the family Deinopidae in Baltic and Dominican amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 887–897.
- Wunderlich, J. 2004h. The fossil spiders (Araneae) of the families Tetragnathidae and Zygelliidae n. stat. in Baltic and Dominican amber, with notes on higher extant and fossil taxa. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 899–955.
- Wunderlich, J. 2004i. Fossil taxa of the family Araneidae (Araneae) inclusively Nephilinae in Baltic and Dominican amber, with the description of a new extinct subfamily and notes on selected extant taxa. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 956–997.
- Wunderlich, J. 2004j. The fossil Theridiosomatidae (Araneae) in Baltic and Dominican amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 998–1019.
- Wunderlich, J. 2004k. The fossil spiders of the family Anapidae s. l. (Aeaneae [sic]) in Baltic, Dominican and Mexican amber and their extant relatives, with the description of a new subfamily Comarominae. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1020–1111.
- Wunderlich, J. 2004l. On the relationships of the families of the superfamily Araneoidea (Araneae) and their kin, with cladograms, remarks on the origin of the orb web and description of the new and extinct families Baltsuccinidae and Protheridiidae in Tertiary Baltic amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1112–1154.
- Wunderlich, J. 2004m. The fossil spiders (Araneae) of the family Cyatholipidae in Baltic amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1155–1188.
- Wunderlich, J. 2004n. The fossil spiders (Araneae) of the family Synotaxidae in Baltic amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1189–1239.
- Wunderlich, J. 2004o. Remarks on the fossil spiders (Araneae) of the family Nesticidae in amber, with the description of a new species in Baltic amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1240–1244.

- Wunderlich, J. 2004p. Remarks on fossil spiders (Araneae) of the family Theridiidae in Baltic and Dominican amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1245–1248.
- Wunderlich, J. 2004q. Fossil pirate spiders (Araneae: Araneoidea: Mimetidae s. l.) in Baltic and Dominican amber, with notes on intrafamiliar higher taxa. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1249–1278.
- Wunderlich, J. 2004r. Descriptions of the first fossil spiders (Araneae) of the family Pimoidae in Baltic amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1279–1297.
- Wunderlich, J. 2004s. The fossil spiders of the family Linyphiidae in Baltic and Dominican amber (Araneae: Linyphiidae). *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1298–1373.
- Wunderlich, J. 2004t. No proof of fossil spiders (Araneae) of the family Psechridae in Baltic amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1375–1376.
- Wunderlich, J. 2004u. Fossil spiders of the family Amaurobiidae (Arachnida: Araneae) in Baltic and Dominican amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1377–1379.
- Wunderlich, J. 2004v. Fossil spiders of the family Dictynidae s. l., including Cryphoecinae and Hahniinae in Baltic and Dominican amber and copal from Madagascar, and on selected extant Holarctic taxa, with new descriptions and diagnoses. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1380–1482.
- Wunderlich, J. 2004w. Fossil spiders (Araneae) of the family Agelenidae s. str. in Baltic amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1483–1488.
- Wunderlich, J. 2004x. The fossil Zoropsidae in Baltic amber with revised diagnoses of the family Zoropsidae and its fossil and extant higher taxa. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1489–1522.
- Wunderlich, J. 2004y. Spiders (Araneae) of the extinct family Insecutoridae Petrunkevitch 1942 in Baltic amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1523–1531.
- Wunderlich, J. 2004z. Fossil spiders of the family Pisauridae (Araneae) in Baltic and Dominican amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1532–1541.
- Wunderlich, J. 2004aa. Members of the family Trechaleidae (Araneae) in Baltic and Dominican amber? *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1542–1553.
- Wunderlich, J. 2004ab. Fossil spiders (Araneae) of the family Oxyopidae in Baltic and Dominican amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1554–1556.
- Wunderlich, J. 2004ac. Proof of presence of the family Lycosidae (Araneae) in Baltic and Dominican amber? *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1557–1558.
- Wunderlich, J. 2004ad. Fossil spiders (Araneae) of the extinct family Ephalmatoridae Petrunkevitch 1950 in Baltic amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1559–1577.
- Wunderlich, J. 2004ae. Fossil spiders (Araneae) of the family Zodariidae in Baltic amber, with remarks on their subfamilies including the Cryptothelinae and the Homalonychinae. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1578–1611.

- Wunderlich, J. 2004af. Fossil spiders (Araneae) of the families Clubionidae and Miturgidae (questionable) in Baltic and Dominican amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1612–1622.
- Wunderlich, J. 2004ag. The fossil spiders of the family Liocranidae in Baltic and Dominican amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1623–1635.
- Wunderlich, J. 2004ah. Fossil spiders of the family Corinnidae in Baltic and Dominican amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1636–1680.
- Wunderlich, J. 2004ai. Fossil spiders (Araneae) of the family Gnaphosidae in Baltic and Dominican amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1681–1685.
- Wunderlich, J. 2004aj. Fossil spiders (Araneae) of the family Anyphaenidae in Baltic and Dominic amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1686–1688.
- Wunderlich, J. 2004ak. Members of the family Philodromidae (Araneae) in Baltic amber? *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1689–1693.
- Wunderlich, J. 2004al. Fossil spiders (Araneae) of the family Sparassidae in Baltic and Dominican amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1694–1698.
- Wunderlich, J. 2004am. Fossil spiders of the family Trochanteriidae (Araneae) in Baltic, Dominican and Mexican amber, with a revision of the genus *Sosybius* Koch and Berendt 1854. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1699–1732.
- Wunderlich, J. 2004an. Fossil spiders of the family Selenopidae in Dominican amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1733–1736.
- Wunderlich, J. 2004ao. The new spider (Araneae) family Borboropactidae from the tropics and fossil in Baltic amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1737–1746.
- Wunderlich, J. 2004ap. Fossil crab spiders (Araneae: Thomisidae) in Baltic and Dominican amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1747–1760.
- Wunderlich, J. 2004aq. Fossil jumping spiders (Araneae: Salticidae) in Baltic and Domican amber, with remarks on Salticidae subfamilies. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1761–1819.
- Wunderlich, J. 2004ar. Fossil spiders (Araneae) in Early Tertiary amber from the Ukraine. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1821–1829.
- Wunderlich, J. 2004as. Subrecent spiders (Araneae) in copal from Madagascar, with description of new species. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1830–1853.
- Wunderlich, J. 2004at. Two new fossil spider species in Copal from Colombia (Araneae: Oonopidae and Dictynidae). *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1854–1859.
- Wunderlich, J. 2004au. Description of two fossil taxa of spiders (Araneae: Oonopidae, Pholcidae) in Chinese amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1860–1863.
- Wunderlich, J. 2004av. Report on spider (Araneae) of the families Araneidae and Zygelliidae in Lebanese amber. *In* Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1864–1865.

- Wunderlich, J. 2006. *Spatiator martensi* n. sp., a second species of the extinct spider species Spatiatoriidae in Eocene Baltic amber. *Zootaxa* 1325: 313–318.
- Wunderlich, J. 2008a. Descriptions of fossil spider (Araneae) taxa mainly in Baltic amber, as well as certain related extant taxa. In Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 5: 44–139.
- Wunderlich, J. 2008b. On extant and fossil (Eocene) European comb-footed spiders (Araneae: Theridiidae), with notes on their subfamilies, and with descriptions of new taxa. In Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 5: 140–469.
- Wunderlich, J. 2008c. On extant and fossil members of the RTA-clade in Eocene European ambers of the families Borboropactidae, Corinnidae, Selenopidae, Sparassidae, Trochanteriidae, Zoridae s. l., and of the superfamily Lycosoidea. In Wunderlich, J. (ed.) *Beiträge zur Araneologie*, 5: 470–523.
- Wunderlich, J. 2008d. The dominance of ancient spider families of the Araneae: Haplogyne in the Cretaceous, and the late diversification of advanced ecribellate spiders of the Entelegynae after the Cretaceous–Tertiary boundary extinction events, with descriptions of new families. In Wunderlich, J. (ed.) *Beiträge zur Araneologie*, 5: 524–675.
- Wunderlich, J. 2011a. On extant European spiders of the tribe Mangorini (Araneae: Araneidae) and two doubtful taxa in Baltic amber. *Beiträge zur Araneologie*, 6: 9–18.
- Wunderlich, J. 2011b. Taxonomy of extant and fossil (Eocene) European ground spiders of the family Gnaphosidae (Araneae), with a key to the genera, and descriptions of new taxa. *Beiträge zur Araneologie*, 6: 19–97.
- Wunderlich, J. 2011c. Spiders of the family Prodidomidae (Araneae) from Europe and Madagascar. *Beiträge zur Araneologie*, 6: 98–107.
- Wunderlich, J. 2011d. On extant and fossil (Eocene) Holarctic sac spiders (Araneae: Clubionidae), with descriptions of new taxa. *Beiträge zur Araneologie*, 6: 121–157.
- Wunderlich, J. 2011e. New extant taxa of the spider family Theridiosomatidae (Araneae) from Laos and on some fossil taxa. *Beiträge zur Araneologie*, 6: 427–444.
- Wunderlich, J. 2011f. Some subrecent spiders (Araneae) in copal from Madagascar. *Beiträge zur Araneologie*, 6: 445–460.
- Wunderlich, J. 2011g. Some fossil spiders in Dominican amber (Araneae: Hersiliidae, Theridiidae, Gnaphosidae). *Beiträge zur Araneologie*, 6: 461–471.
- Wunderlich, J. 2011h. Some fossil spiders (Araneae) in Eocene European ambers. *Beiträge zur Araneologie*, 6: 472–538.
- Wunderlich, J. 2011i. Some fossil spiders (Araneae) in Cretaceous ambers. *Beiträge zur Araneologie*, 6: 539–557.

- Wunderlich, J. & Milki, R. 2004. Description of the extinct new subfamily Microsegestriinae (Araneae: Segestriidae) in Cretaceous Lebanese Amber. In Wunderlich, J. (ed.). *Beiträge zur Araneologie*, 3: 1867–1873.
- Żabka, M. 1988. Fossil Eocene Salticidae (Araneae) from the collection of the Museum of Earth in Warsaw. *Annales Zoologici*, 41: 415–420.
- Zacharda, M. 1979. Strandmanniidae – a new family of Eupodoidea (Acarina : Prostigmata). *Vestník Československé Společnosti Zoologické*, 43: 76–81.
- Zacharda, M. & Krivoluckij, D. A. 1985. Prostigmatic mites (Acarina: Prostigmata) from the Upper Cretaceous and Paleogene amber of the USSR. *Věstník Československé Společnosti Zoologické*, 49: 147–152.
- Zachvatkin, A. A. 1952. [The division of the Acarina into orders and their position in the system of the Chelicerata.] *Parazitologicheskii Sbornik Zoologicheskii Institut Akademii Nauk SSSR*, 14: 5–46. [in Russian]
- Zapfe, H. 1955. Filogenia y función en *Austrochilus manni* Gertsch y Zapfe (Araneae-Hypochilidae). *Trabajos del Laboratorio de Zoología de la Universidad de Chile*, 2: 1–53.
- Zhang, J., Sun, B. & Zhang, X. 1994. *Miocene insects and spiders from Shanwang, Shandong*. Science Press, Beijing, 298 pp. [in Chinese with English Summary].
- Zinken, C. 1862. *Limulus Decheni* aus dem Braunkohlensandstein bei Teuchern. *Zeitschrift für die Gesammten Naturwissenschaften*, 19: 329–331.
- Zittel, K. A. 1885. *Handbuch der Palaeontologie. I. Abtheilung, Palaeozoologie, 2 [Mollusca und Arthropoda]*. R, Oldenbourg, München, Leipzig, 893 pp.
- Zittel, K. A. & Eastman, C. R. 1913. *Textbook of Palaeontology (2nd Ed.)* 1. Macmillan, London, 839 pp.